

READING MATERIAL ON MS-EXCEL-2010

Regional Training Institute 20, Sarojini Naidu Marg, Allahabad, UP

Table of Contents

	About the Tutorial	Error! Bookmark not defined.
	Audience	Error! Bookmark not defined.
	Prerequisites	Error! Bookmark not defined.
	Copyright & Disclaimer	Error! Bookmark not defined.
	Table of Contents	ii
1.	GETTING STARTED1	
2.	EXPLORE WINDOW4	
	File Tab 4	
	Quick Access Toolbar 4	
	Ribbon5	
	Title Bar5	
	Help 5	
	Zoom Control5	
	View Buttons5	
	Sheet Area 6	
	Row Bar 6	

	Column Bar
	Status Bar
	Dialog Box Launcher
3.	BACKSTAGE7
	Sheet Information9
	Sheet Properties
	Exit Backstage View
4.	ENTERING VALUES
5.	MOVE AROUND
	Moving with Mouse
	Moving with Scroll Bars
	Moving with Keyboard
	Moving with Go To Command
6.	SAVE WORKBOOK
	Saving New Sheet
	Saving New Changes

7.	CREATE WORKSHEET
	21 Creating New Worksheet
8.	COPY WORKSHEET
	23 Copy Worksheet
9.	HIDING WORKSHEET
	Hiding Worksheet
	Unhiding Worksheet
10.	DELETE WORKSHEET
	30 Delete Worksheet
11.	CLOSE WORKBOOK
	32 Close Workbook
12.	орел workbook
13.	CONTEXT HELP
	36 Getting More Help
14.	36 INSERT DATA
	Regional Training Institute Allahabad iv

	Inserting 	8	Data
	Inserting Formula		
	Modifying Cell Content		
15.	. SELECT DATA 40		
	Select with Mouse		
	Select with Special		
16.	. DELETE DATA 43		••••
	Delete with Mouse		
	Delete with Delete Key		
	Selective Delete for Rows		•••••
17.	. MOVE DATA 45		
18.	. ROWS AND COLUMNS		
	Row and Column Basics		
	Navigation with Rows and Columns 47		
	Cell Introduction		
19.	. COPY AND PASTE 49		••••
	Regional Training Institute Allahabad		v

	Copy Paste 49	
	Copy Paste using Office Clipboard 49	
	Copy Paste in Special way 50	
20.	53 FIND AND REPLACE	
	Find and Replace Dialogue 53	
	Exploring Options	
21.	. SPELL CHECK	
	56 Spell Check Basis	
		6 Exploring
	Options	56
22.	Options . ZOOM IN/OUT	
22.	. ZOOM IN/OUT	
22.	. ZOOM IN/OUT 58 Zoom Slider	
22.	. ZOOM IN/OUT	
	. ZOOM IN/OUT	
	. ZOOM IN/OUT	

24.	INSERT COMMENTS
	Adding Comment to Cell
	Modifying Comment
	Formatting Comment
25.	ADD TEXT BOX
	Text Boxes
	Adding Text Boxes
	Formatting Text Box
26.	UNDO CHANGES
	Undo Changes
	Redo Changes
27.	SETTING CELL TYPE
	Formatting Cell
	Various Cell Formats
28.	SETTING FONTS
	71 Setting Font from Home

	Format Cell Dialogue71
29.	TEXT DECORATION
	Text-Decoration
	More Text-Decoration Options
30.	ROTATE CELLS
	Rotating Cell from Home Tab 75
	Rotating Cell from Formatting Cell
31.	SETTING COLORS
	Changing Background Color
	Changing Foreground Color
32.	TEXT ALIGNMENTS
	Change Alignment from Home Tab 79
	Change Alignment from Format Cells 79
	Exploring Alignment Options
33.	MERGE AND WRAP

viii

	Merge Cells 81					••
	Additional O 82	ptions				••
	Wrap Text an	d Shrink to Fit				2
34.	. BORDERS A 84	ND SHADES				
	Apply Borde 84	rs				••
	Apply Shadir 85	ng				••
35.	. APPLY FORI 86	MATTING				
	Formatting C	Cells				•
	86	A 14				
	80	Alternative	to	Placi	ng Background	d
				Placi	ng Background	d
36.				86	ng Background	d
36.	. SHEET OPT	IONS				
36.	SHEET OPT 87 Sheet Option 87	IONS				
	SHEET OPT 87 Sheet Option 87 Options in Sho	IONS ns eet Options Dialogu	e			
	SHEET OPT 87 Sheet Option 87 Options in Sho ADJUST MA 89	IONS ns eet Options Dialogu ARGINS	e			
	SHEET OPT 87 Sheet Option 87 Options in Sho ADJUST MA 89 Margins 89	IONS ns eet Options Dialogu ARGINS	e			

	Page Orientation
	Types of Page Orientation
	Changing Page Orientation
39.	HEADER AND FOOTER
	Header and Footer
	Adding Header and Footer
	Other Header and Footer Options
40.	INSERT PAGE BREAK
	Page Breaks 96
	Inserting Page Breaks
	Removing Page Breaks
41.	SET BACKGROUND
	Background Image
	Alternative to Placing Background
42.	FREEZE PANES
	Freezing Panes

	0	nes	
	99	Unfreeze 	Panes
43.	. CONDITIONAL 101	FORMAT	
	Conditional Form	matting	
	Various Condition	onal Formatting Options	
44.	. CREATING FOR 105	RMULAS	
	Formulas in MS 105	Excel	
	Elements of For 105	rmulas	
	Creating Formula	la	
45.	. COPYING FORN 107	MULAS	
	Copying Formulas 107	as in MS Excel	
	Relative Cell Ad 107	ddresses	
46.	. FORMULA REFE 109	ERENCE	
	Cell References i 109	in Formulas	
	Relative Cell Ref 109	ferences	
	Absolute Cell Re 110	leferences	
	Mixed Cell Refer 110	erences	
		Regional Training Institute Allahabad	xi

47. USING FUNCTIONS
Functions in Formula
Using Functions
Function Arguments
48. BUILT IN FUNCTIONS
Built In Functions
Functions by Categories
49. DATA FILTERING 117
Filters in MS Excel
Using Multiple Filters
50. DATA SORTING
119 Sorting in MS
Excel 119
51. USING RANGES
Ranges in MS Excel
Selecting Ranges
Selecting Complete Rows and Columns123

52. DATA V 124	ALIDATION	
Data Va 124	lidation	
Validation 124	n Criteria	
Settings 125	Tab	
Input Me 126	essage Tab	
Error Ale 127	ert Tab	
53. USING S 128	TYLES	
Using Sty 128	/les in MS Excel	
Applying 128	Styles	
Creating (Custom Style in MS Excel	
54. USING T 131	HEMES	
Using The 131	emes in MS Excel	
Applying 131	Themes	
Creating (Custom Theme in MS Excel	
55. USING T 132	EMPLATES	
Using Ter 132	mplates in MS Excel	
Viewing 132	Available Templates On-line	Templates
	Regional Training Institute Allahabad	133 xiii


56. USING MACROS 134
Macros in MS Excel
Macro Options
Creating Macros
Edit Macro 136
57. ADDING GRAPHICS 137
Graphic Objects in MS Excel
Insert Shape
Insert Smart Art
Insert Clip Art
Insert Word Art
58. CROSS REFERENCING
Graphic Objects in MS Excel
VLOOKUP
VLOOKUP Example
59. PRINTING WORKSHEETS


	Quick Print 144
	Adjusting Common Page Setup Settings144
	Choosing Your Printer
	Specifying What You Want to Print
60.	EMAIL WORKBOOKS
	147 Email Workbook
61.	TRANSLATE WORKSHEET
	149 Translate Worksheet
	149 Performing
	Translation Step By Step149
62.	WORKBOOK SECURITY
	Workbook Security
	Protect Worksheet
	Protecting a Workbook
	Requiring a Password to Open a Workbook151
	Protecting Workbook's Structure and Windows152
63.	DATA TABLES 154
	Data Tables 154

Data Table with Example
64. PIVOT TABLES
Pivot Tables
Pivot Table Example
65. SIMPLE CHARTS 160
Charts
Types of Charts
Creating Chart
Editing Chart
66. PIVOT CHARTS 164
Pivot Charts
Pivot Chart Example
67. KEYBOARD SHORTCUTS 166
MS Excel Keyboard Short-cuts

1. GETTING STARTED

This chapter teaches you how to start an excel 2010 application in simple steps. Assuming you have Microsoft Office 2010 installed in your PC, start the excel application following the below mentioned steps in your PC.





Start Button

Step 2: Click on **All Programs** option from the menu.

Excel 2010



```
All Programs
```

Step 3: Search for Microsoft Office from the sub menu and click it.



Microsoft Office

Step 4: Search for Microsoft Excel 2010 from the submenu and click it.


Excel 2010

2. EXPLORE WINDOW



Microsoft Excel 2010

This will launch the Microsoft Excel 2010 application and you will see the following excel window.



The following basic window appears when you start the excel application. Let us now understand the various important parts of this window.

Quick File Tab	Access to F	olbar Ribbon		Title b	ar				Help	
x a V	S ⊊		1	Book1	licrosoft Exc	el			-	x
	tome Inse	rt 🗸 Page Li	ayout Fe	ormulas	Data	Review	View Add-	Ins	a 🕜 🗆 🖻	x
Paste	Calibri B Z U III - (3) Fon	• 11 • • A* A* • <u>A</u> •		■話・ ■話・ ※・・ at ・	General \$ + % *.8 + % Number	· A Stytes	플레 Insert * 클레 Delete * 플레 Format * Cells	•	Sort & Find & Filter * Select *	
A1	.	(°	f.							2
A A 1 2	В	с	D	E	F 1	G	Н	1	1	1
3 4 5					Row	bar				
6							_		_	
7 8←Colu	ımn bar									-
9 10										
11 12										-
13		٨								
Ready	heet1 / She	et2 shee	13 / Q2 /			•	II I []] 100%	Θ	0 0	

File Tab

The File tab replaces the Office button from Excel 2007. You can click it to check the **Backstage view**, where you come to open or save files, create new sheets, print a sheet, and do other file-related operations.

Quick Access Toolbar

You will find this toolbar just above the **File tab** and its purpose is to provide a convenient resting place for the Excel's most frequently used commands. You can customize this toolbar based on your comfort.

Excel 2010

Ribbon

File	He	me	Insert	P	age Li	iyout	Formulas	Data	Revi	ew	View Add-B	ns 🤉	^ ∅ ⊡ ₽	83
MA X		Calibri		- 11	4	= =		General	-34	A	ansert ≠	Σ.	A7 .44	
		B	<u>u</u>	A	A	F B	= 国-	\$ = %	1	1	🖗 Delete 🕶	4-	Zu urun	
Paste	ri I	- 11	3.	<u>A</u> -		19. SP	\$\$/*	00. 0.÷ 0.* 00.		Styles	Format *	2.	Sort & Find & Filter * Select *	
lipboard	5		Font		- 61	Alian	iment 🗔	Number	- Ga		Cells		Editing	

Ribbon contains commands organized in three components:

- **Tabs:** They appear across the top of the Ribbon and contain groups of related commands. Home, Insert, Page Layout are the examples of ribbon tabs.
- **Groups:** They organize related commands; each group name appears below the group on the Ribbon. For example, group of commands related to fonts or group of commands related to alignment etc.
- **Commands:** Commands appear within each group as mentioned above.

Title Bar

This lies in the middle and at the top of the window. Title bar shows the program and the sheet titles.

Help

The **Help Icon** can be used to get excel related help anytime you like. This provides nice tutorial on various subjects related to excel.

Zoom Control

Zoom control lets you zoom in for a closer look at your text. The zoom control consists of a slider that you can slide left or right to zoom in or out. The + buttons can be clicked to increase or decrease the zoom factor.

View Buttons

The group of three buttons located to the left of the Zoom control, near the bottom of the screen, lets you switch among excel's various sheet views.

- **Normal Layout view:** This displays the page in normal view.
- **Page Layout view:** This displays pages exactly as they will appear when printed. This gives a full screen look of the document.
- **Page Break view:** This shows a preview of where pages will break when printed.

Sheet Area

The area where you enter data. The flashing vertical bar is called the **insertion point** and it represents the location where text will appear when you type.

Row Bar

Rows are numbered from 1 onwards and keeps on increasing as you keep entering data. Maximum limit is 1,048,576 rows.

Column Bar

Columns are numbered from A onwards and keeps on increasing as you keep entering data. After Z, it will start the series of AA, AB and so on. Maximum limit is 16,384 columns.

Status Bar

This displays the sheet information as well as the insertion point location. From left to right, this bar can contain the total number of pages and words in the document, language etc.

You can configure the status bar by right-clicking anywhere on it and by selecting or deselecting options from the provided list.

Dialog Box Launcher

This appears as a very small arrow in the lower-right corner of many groups on the Ribbon. Clicking this button opens a dialog box or task pane that provides more options about the group.


The **Backstage view** has been introduced in Excel 2010 and acts as the central place for managing your sheets. The backstage view helps in - creating new sheets, saving and opening sheets, printing and sharing sheets, and so on.

3. BACKSTAGE

Getting to the Backstage View is easy. Just click the **File tab** located in the upperleft corner of the Excel Ribbon. If you already do not have any opened sheet then you will see a window listing down all the recently opened sheets as follows:



If you already have an opened sheet then it will display a window showing the details about the opened sheet as shown below. Backstage view shows three columns when you select most of the available options in the first column.



First column of the backstage view will have the following options:

Option	Description
Save	If an existing sheet is opened, it would be saved as is, otherwise it will display a dialogue box asking for the sheet name.
Save As	A dialogue box will be displayed asking for sheet name and sheet type. By default, it will save in sheet 2010 format with extension .xlsx.
Open	This option is used to open an existing excel sheet.
Close	This option is used to close an opened sheet.
Info	This option displays the information about the opened sheet.

Recent	This option lists down all the recently opened sheets.

Exit	Use this option to close the sheet and exit.
Options	Use this option to set various option related to excel 2010.
Help	You can use this option to get the required help about excel 2010.
Save & Send	This option saves an opened sheet and displays options to send the sheet using email etc.
Print	This option is used to print an opened sheet.
New	This option is used to open a new sheet.

Sheet Information

When you click **Info** option available in the first column, it displays the following information in the second column of the backstage view:

- **Compatibility Mode:** If the sheet is not a native excel 2007/2010 sheet, a Convert button appears here, enabling you to easily update its format. Otherwise, this category does not appear.
- **Permissions:** You can use this option to protect the excel sheet. You can set a password so that nobody can open your sheet, or you can lock the sheet so that nobody can edit your sheet.
- **Prepare for Sharing:** This section highlights important information you should know about your sheet before you send it to others, such as a record of the edits you made as you developed the sheet.
- **Versions:** If the sheet has been saved several times, you may be able to access previous versions of it from this section.

Sheet Properties

When you click **Info** option available in the first column, it displays various properties in the third column of the backstage view. These properties include sheet size, title, tags, categories etc.


You can also edit various properties. Just try to click on the property value and if property is editable, then it will display a text box where you can add your text like title, tags, comments, Author.

Exit Backstage View

It is simple to exit from the Backstage View. Either click on the **File tab** or press the Esc button on the keyboard to go back to excel working mode.

4. ENTERING VALUES

Entering values in excel sheet is a child's play and this chapter shows how to enter values in an excel sheet. A new sheet is displayed by default when you open an excel sheet as shown in the below screen shot.



Sheet Area

Sheet area is the place where you type your text. The flashing vertical bar is called the insertion point and it represents the location where text will appear when you type. When you click on a box then the box is highlighted. When you double click the box, the flashing vertical bar appears and you can start entering your data.

So, just keep your mouse cursor at the text insertion point and start typing whatever text you would like to type. We have typed only two words "Hello Excel" as shown below. The text appears to the left of the insertion point as you type.

5. MOVE AROUND

X			Page Layout	Formular	Data D	cel	an in	did Tax	~ 0 = =	a 572
Pa	а ж С _Б .	Calibri	• 11 • • A A • <u>A</u> •	= = ≝ ≝ ≇ ≇		Number	A	Cells	Σ - 27- 	P 00
	C8	,	• (**	f _x						~
4	A	В	C	D	E	F	_[_	G	Н	E
1	Hello Exc	el								1
2										
3										
4										
5						-				
6						_				4
7		-								
8							_			
9			l[
10										
11			115 7.5	2 1.0		1000				
-	IN N S	heet1 / Sh	eet2 / Sheel	13 <u>/ 12</u> /			100% (•

There are following three important points, which would help you while typing:

- Press Tab to go to next column.
- Press Enter to go to next row.
- Press Alt + Enter to enter a new line in the same column.

Excel provides a number of ways to move around a sheet using the mouse and the keyboard.

First of all, let us create some sample text before we proceed. Open a new excel sheet and type any data. We've shown a sample data in the screenshot.

OrderDate	Region	Rep	Item	Units	Unit Cost	Total
1/6/2010	East	Jones	Pencil	95	1.99	189.05

1/23/2010	Central	Kivell	Binder	50	19.99	999.5
2/9/2010	Central	Jardine	Pencil	36	4.99	179.64
2/26/2010	Central	Gill	Pen	27	19.99	539.73
3/15/2010	West	Sorvino	Pencil	56	2.99	167.44
4/1/2010	East	Jones	Binder	60	4.99	299.4
4/18/2010	Central	Andrews	Pencil	75	1.99	149.25
5/5/2010	Central	Jardine	Pencil	90	4.99	449.1
5/22/2010	West	Thompson	Pencil	32	1.99	63.68
6/8/2010	East	Jones	Binder	60	8.99	539.4
6/25/2010	Central	Morgan	Pencil	90	4.99	449.1
7/12/2010	East	Howard	Binder	29	1.99	57.71
7/29/2010	East	Parent	Binder	81	19.99	1,619.19
8/15/2010	East	Jones	Pencil	35	4.99	174.65

File Paste	ard ⊓	Calibri B Z U → □ → ③ → Font	15	₩ = E = if if Alignmer	■ ====================================	eview View Seneral * \$ * % * toß * Number 15			2γ 24 ng
1	K12 G	·▼(2	fx Pencil	к	1	М	N	0
4	0				K				- 1
5		OrderDate	Region	Rep	Item	Units	Unit Cost	Total	
6		1/6/2010		Jones	Pencil	95	1.99	189.05	
7		1/23/2010	the state of the s	Kivell	Binder	50	19.99	999.5	
8		2/9/2010	Central	Jardine	Pencil	36	4.99	179.64	
9		2/26/2010	Central	Gill	Pen	27	19.99	539.73	
10		3/15/2010	West	Sorvino	Pencil	56	2.99	167.44	_
11		4/1/2010	East	Jones	Binder	60	4.99	299.4	
12		4/18/2010	Central	Andrews	Pencil	75	1.99	149.25	
13		5/5/2010	Central	Jardine	Pencil	90	4.99	449.1	
14		5/22/2010	West	Thompson	Pencil	32	1.99	63.68	
15		6/8/2010	East	Jones	Binder	60	8.99	539.4	
16		6/25/2010	Central	Morgan	Pencil	90	4.99	449.1	
17		7/12/2010	East	Howard	Binder	29	1.99	57.71	
18		7/29/2010	East	Parent	Binder	81	19.99	1,619.19	
19		8/15/2010	East	Jones	Pencil	35	4.99	174.65	
Read	AUG 11 MILLION AUG	neet1 / Shee	2 / Sheet	3 /12 /] (] [] [] 100	and the second second		• 1 •

Moving with Mouse

You can easily move the insertion point by clicking in your text anywhere on the screen. Sometime if the sheet is big then you cannot see a place where you want to move. In such situations, you would have to use the scroll bars, as shown in the following screen shot:

XI	10 -	(≈ - ₩		Book1 - M	icrosoft E	cel		Con C) x
File	Ho	me Insert	Page Layout	Formulas	Data	Review View	Add-Ins	a 🕜 (3 % C
	x	Calibri	* 11 *	₩ = .		General *	A	Σ	· A7-
Paste	1a -	в <u>г</u> П - Ф	A A	■ ■ ■ 注注	∎ ⊒- ≫	\$ - % , +.0 .00 +.0	Styles	Cells]- #4- 2-
Clipboa	rd G	Font		Alignmer	10. J. J.	Number 5			c Editing
	K12		C	fx Pencil	Ú)				-
sit	G	Н	I I	J	K	L	М	N	
20									~
21							23		
22							S	croll Up	
23									_
24									
25									
26			_		_				1
27				o			Vertical	Bar	-
28							1.	-	
29									
30								_	_
31							700085		
32						Horiz	ontal Bar		
33					-			Scroll	Down
34								1	
35									1
26	H SI	neet1 / Shee	t2 / Sheet	3 /23 /				m .) F
Ready		consection deservation billed		and the state of the	10)% (-)	D	\odot

You can scroll your sheet by rolling your mouse wheel, which is equivalent to clicking the up-arrow or down-arrow buttons in the scroll bar.

Moving with Scroll Bars

As shown in the above screen capture, there are two scroll bars: one for moving vertically within the sheet, and one for moving horizontally. Using the vertical scroll bar, you may:

- Move upward by one line by clicking the upward-pointing scroll arrow.
- Move downward by one line by clicking the downward-pointing scroll arrow.
- Move one next page, using next page button (footnote).
- Move one previous page, using previous page button (footnote).

• Use **Browse Object** button to move through the sheet, going from one chosen object to the next.

Moving with Keyboard

The following keyboard commands, used for moving around your sheet, also move the insertion point:

Keystroke	Where the Insertion Point Moves
→	Forward one box
←	Back one box
↑	Up one box
¥	Down one box
PageUp	To the previous screen
PageDown	To the next screen
Home	To the beginning of the current screen
End	To the end of the current screen

You can move box by box or sheet by sheet. Now click in any box containing data in the sheet. You would have to hold down the Ctrl key while pressing an arrow key, which moves the insertion point as described here:

Key Combination	Where the Insertion Point Moves
Ctrl +	To the last box containing data of the current row.
Ctrl + 🗲	To the first box containing data of the current row.
Ctrl + 1	To the first box containing data of the current column.
Ctrl + ↓	To the last box containing data of the current column.
Ctrl + PageUp	To the sheet in the left of the current sheet.
Ctrl + PageDown	To the sheet in the right of the current sheet.
Ctrl + Home	To the beginning of the sheet.
Ctrl + End	To the end of the sheet.

Moving with Go To Command

Press **F5** key to use Go To command, which will display a dialogue box where you will find various options to reach to a particular box.

Normally, we use row and column number, for example K5 and finally press **Go To** button.

Go to:	
9K\$18 9K\$25 \$O\$49	
Reference:	

6. SAVE WORKBOOK

Saving New Sheet

Once you are done with typing in your new excel sheet, it is time to save your sheet/workbook to avoid losing work you have done on an Excel sheet. Following are the steps to save an edited excel sheet:

↓ =) + (= ÷	Book	Book1 - Microsoft Excel			
File Home Insert	Page Layout For	mulas Data Review View Add-Ins	a 🕜 🗆 🗗 X		
Save	Informatio				
☞ Open ☆ Close Info	Protect Workbook +	Permissions Anyone can open, copy, and change any part of this workbook.	Properties *		
Recent		; ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	Size Title		
New Print Save & Send	Check for Issues +	Prepare for Sharing Before sharing this file, be aware that it contains: Document properties and author's name	Tags Categories Related Dates Last Modified Created Last Printed Related Peop Author Last Modified		
Help Dptions Exit	Manage Versions *	Versions There are no previous versions of this file.			
			Show All Prop		

Step 1: Click the File tab and select Save As option.



Step 2: Select a folder where you would like to save the sheet, Enter file name, which you want to give to your sheet and Select a Save as type, by default it is **.docx** format.

))) I I I I I I I I I I I I I I I I I	es + Documents +	Search Documents	
	es 🕨 Documents 🕨 🔹 💌	Search Documents	1
Organize \star 🛛 New	lder		0
🛣 Microsoft Excel	Documents library Includes: 2 locations	Arrange by: Fold	er 🔻
🙀 Favorites	Name	Date modified	Type
词 Libraries	Adobe	5/4/2012 4:48 PM	File fol
Documents	📗 Bluetooth Exchange Folder	5/11/2010 4:08 AM	File fol
Music	Jack Fiddler2	7/11/2012 11:08 AM	File fol
Pictures	📗 📗 FlashImagePlugin	7/25/2012 12:42 PM	File fol
Videos	🃗 My Widgets	5/4/2012 6:07 PM	File fol
Gauto .	📗 OneNote Notebooks	5/11/2012 2:52 PM	File fol
🖳 Computer	🗼 salary slips	8/18/2012 6:21 AM	File fol
🟭 Windows (C:)	• • • [<u>B. ct. n. t. n. t.</u>]]].		•
File <u>n</u> ame:	llofxlsx		,
Save as type:	el Workbook (*.xlsx)		
Authors: V Tags: A	dows User 🕇 Title:	Add a title Specify the subject	
	🔲 Save Thumbrail		
A Hide Folders	Tools	✓ Save Can	icel

Step 3: Finally, click on **Save** button and your sheet will be saved with the entered name in the selected folder.

Saving New Changes

There may be a situation when you open an existing sheet and edit it partially or completely, or even you would like to save the changes in between editing of the

Regional Training Institute Allahabad

sheet. If you want to save this sheet with the same name, then you can use either of the following simple options:


- Just press **Ctrl + S** keys to save the changes.
- Optionally, you can click on the floppy icon available at the top left corner and just above the **File tab**. This option will also save the changes.
- You can also use third method to save the changes, which is the **Save** option available just above the **Save As** option, as shown in the above screen capture.

If your sheet is new and it was never saved so far, then with either of the three options, word would display you a dialogue box to let you select a folder, and enter sheet name as explained in case of saving new sheet.

7. CREATE WORKSHEET

Creating New Worksheet

Three new blank sheets always open when you start Microsoft Excel. Below steps explain you how to create a new worksheet if you want to start another new worksheet while you are working on a worksheet, or you closed an already opened worksheet and want to start a new worksheet.



Step 1: Right Click the Sheet Name and select Insert option.

Step 2: Now you'll see the Insert dialog with select **Worksheet** option as selected from the general tab. Click the **Ok** button.

Worksheet Chart MS Excel 4.0 MS Excel 5.0	Preview
Macro Dialog	Preview not available.

Now you should have your blank sheet as shown below ready to start typing your text.

	19.00	(m - 1 +		Bookl -	Microsoft E	xcel			
File	Ho	me Insert	Page Layou	t Formul	as Data	Review Vie	ew Add-Ins	- A 6	
	*	Calibri	× 11 ×	= ⁼	- 14	General	· A	133	Σ * A7-
Paste	lar ∛ ird ⊊	B Z U ⊡ - ⊗ For	• A A • <u>A</u> •	手 書 記 訳 Align		\$ * % *:8 *:8 Number	* Styles	Cells	Image: Angelet Image: Angelet Angelet Editing
	A1	39	• (=	fx					
-	А	В	С	D	E	F	G	н	15
1	2	1							Ĩ
2		14							
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14	New	Sheet							
15									
16									
17	H St	♥ neet4 / Shi	eet1 / Shee	at2 / She	et3 / PJ	14	10.	-] ▶□
Ready		CHERRICAL STIL			the state of the s			0	•

You can use a short cut to create a blank sheet anytime. Try using the **Shift+F11** keys and you will see a new blank sheet similar to the above sheet is opened.

8. COPY WORKSHEET

Copy Worksheet

First of all, let us create some sample text before we proceed. Open a new excel sheet and type any data. We've shown a sample data in the screenshot.

OrderDate	Region	Rep	Item	Units	Unit Cost	Total
1/6/2010	East	Jones	Pencil	95	1.99	189.05
1/23/2010	Central	Kivell	Binder	50	19.99	999.5
2/9/2010	Central	Jardine	Pencil	36	4.99	179.64
2/26/2010	Central	Gill	Pen	27	19.99	539.73
3/15/2010	West	Sorvino	Pencil	56	2.99	167.44
4/1/2010	East	Jones	Binder	60	4.99	299.4
4/18/2010	Central	Andrews	Pencil	75	1.99	149.25
5/5/2010	Central	Jardine	Pencil	90	4.99	449.1
5/22/2010	West	Thompson	Pencil	32	1.99	63.68
6/8/2010	East	Jones	Binder	60	8.99	539.4
6/25/2010	Central	Morgan	Pencil	90	4.99	449.1
7/12/2010	East	Howard	Binder	29	1.99	57.71

Regional Training Institute Allahabad

/29/2010	East	Parent	E	Binder	81	19.99	1,6	19.1
/15/2010	East	Jones	F	Pencil	35	4.99	174	4.65
2 2 3.	(% - -	-	Book1 - M	icrosoft Exe	cel			x
File Ho	ime Insert P	age Layout	Formulas	Data R	eview View	Add-Ins	a 🕜 🗆 (P 23
K P	Calibri	× 11 ×	₩ = .		General *	A	Σ-	AZ -
	BIU-	A A			\$ - % ,		3	4 -
Paste J	1 12:5:5: " () - 24" · · ·	<u>A</u> -	89-15-58-51D	2012	00. 0.+	Styles (Tells 2+	
Clipboard 15	Font	15	Alignmei	377 - La	Number 5	e .	Editi	ng
К12	. • (- Contract	fx Penci	1100-00-00-00-00-00-00-00-00-00-00-00-00	45550 (d.53	11- I.C.	11 870,000	~
G	Н	Ĩ	J	K	L	M	N	-
4								
5	OrderDate	Region	Rep	Item	Units	Unit Cost	Total	
6	1/6/2010	East	Jones	Pencil	95	1.99	189.05	
7	1/23/2010	Central	Kivell	Binder	50	19.99	999.5	-
8	2/9/2010	Central	Jardine	Pencil	36	4.99	179.64	
9	2/26/2010	Central	Gill	Pen	27	19.99	539.73	
10	3/15/2010	West	Sorvino	Pencil	56	2.99	167.44	
11	4/1/2010	East	Jones	Binder	60	4.99	299.4	
12	4/18/2010	Central	Andrews	Pencil	75	1.99	149.25	
13	5/5/2010	Central	Jardine	Pencil	90	4.99	449.1	
14	5/22/2010	West	Thompso	Pencil	32	1.99	63.68	
15	6/8/2010	East	Jones	Binder	60	8.99	539.4	1
16	6/25/2010	Central	Morgan	Pencil	90	4.99	449.1	
17	7/12/2010	East	Howard	Binder	29	1.99	57.71	
18	7/29/2010	East	Parent	Binder	81	19.99	1,619.19	
10	a fin la ava	Eact	Jones	Pencil	35	4.99	174.65	
19	8/15/2010	EdSt	DONES	Pench			114.00	1000

Here are the steps to copy an entire worksheet.

Step 1: Right Click the Sheet Name and select the Move or Copy option.

Pa	tooard ⊊	<i>I</i> <u>U</u> *	2	-	■ ■ ■ ■ ■ ■ ip ip る Alignmen	▶ - \$		A D tyles Cells	Σ • 27 • 3 • 24 • 2 • Editing
	15 A	• (с	f,	D	E	F	G	н
1	OrderDate		Rep		ltem	Units	Unit Cost		в
2	1/6/2010	East	Jones		Pencil	95	1.99	189.05	
3	1/23/2010	Central	Kivell		Binder	50	19.99	999.5	
4	2/9/2010	Central	Jardine		Pencil	36	4.99	179.64	
5	2/26/2	Insert			Pen	27	19.99	539.73	[]
6	3/15/2	Delete	,		Pencil	56	2.99	167.44	Select Move
7	4/1/2	Rename			Binder	60	4.99	299.4	or Copy
8	4/18/2	Move or Co	opy 🖌	s	Pencil	75	1.99	149.25	Option
9	5/5/2 🚚	View Code	1992 MOURT - 2		Pencil	90	4.99	449.1	
10	5/22/2	Protect Sh	1	5	Pencil	32	1.99	63.68	
11	6/8/2	<u>T</u> ab Color	in an		Binder	60	8.99	539.4	
12	6/25/2	<u>H</u> ide			Pencil	90	4.99	449.1	
13	7/12/2	Unhide	1		Binder	29	1.99	57.71	
14	7/29/2	Select All S	heets		Binder	81	19 99	1,619.19	

Step 2: Now you'll see the Move or Copy dialog with select **Worksheet** option as selected from the general tab. Click the **Ok** button.

Move or C	ору			8	х
Move selec To book:	ed sheet	ts			
Book1					-
Before she	et:				
Sheet1 Sheet2 Sheet3 (move to					-
☑ <u>C</u> reate	a copy	_	-	8410	*
			OK	Can	cel

Select option to add sheet at end

Select **Create a Copy** Checkbox to create a copy of the current sheet and **Before sheet** option as (move to end) so that new sheet gets created at the end.

Press the **Ok** Button.

Now you should have your copied sheet as shown below.

F Pa:	board 5	Insert Pa Ibri I U + - 3+- Font	age Layout 11 * A* A* <u>A</u> * ₁₂	Formulas = = = = = = i= i= A Alignmen	9 [*] .68	neral +		 Σ * 27* Σ * 27* Δ * 44* (2* Editing
	15 A	•• (B	fs C	D	E	F	G	H C
1	OrderDate		Rep	Item	Units		Total	n 12
2	1/6/2010	CARD COLOR STATE OF COLORS	Jones	Pencil	95		189.05	
3	1/23/2010	Central	Kivell	Binder	50			
4	2/9/2010	Central	Jardine	Pencil	36	4.99	179.64	
5	2/26/2010	Central	Gill	Pen	27	19.99	539.73	Γ
6	3/15/2010	West	Sorvino	Pencil	56	2.99	167.44	
7	4/1/2010	East	Jones	Binder	60	4.99	299.4	
8	4/18/2010	Central	Andrews	Pencil	75	1.99	149.25	
9	5/5/2010	Central	Jardine	Pencil	90	4.99	449.1	
10	5/22/2010	West	Thomps on	Pencil	32	1.99	63.68	
11	6/8/2010	East	Jones	Binder	60	8.99	539.4	1
12	6/25/2010	Central	Morgan	Pencil	90	4.99	449.1	
13	7/12/2010	East	Howard	Binder	29	1.99	57.71	
14	7/29/2010	East	Parent	Binder	81	19.99	1,619.19	
15	8/15/2010	International Continues	Jones	Pencil	35	4.99	174.65	
Rea	South and the second second	1 / Sheet	2 / Sheet3	Sheet1	and the second second second second	in the second		

You can rename the sheet by double clicking on it. On double click, the sheet name becomes editable. Enter any name say Sheet5 and press Tab or Enter Key.

Hiding Worksheet

Here is the step to hide a worksheet.

Step: Right Click the **Sheet Name** and select the **Hide** option. Sheet will get hidden.


Paste Clipboa	∦ ⊑⊒• ∛ ard 52			А́ А А́ -		E E Aligna	◎ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	General \$ • % *.8 :.8 Number	· A	Cells	Σ - 27-
	A1		*(f _x	e .					~
Sel .	А		в	С		D	E	F	G	Н	1
1					1			_			7
2											-
3											
4											
5		-			-						_
6			Insert								
7			Delete								
8		G-R			-		-	_			
9			<u>R</u> ename		-						
10		1000	Move or Co		_						
11		Q	⊻iew Code		-				-	-	
12		9	Protect She	et	-						
13			<u>T</u> ab Color				Select H	ide Option t	o hide the s	heet	
14			Hide ←	418591666				and approved		1000	
15			Unhide		-		-	-		-	
16			Select All S								

Unhiding Worksheet

Here are the steps to unhide a worksheet.

Paste J	Calibr B	i • 11 • Z <u>U</u> • A [*] A [*] ⊗ • <u>A</u> • Font ⊓	i i	=	General \$ * % % \$% Number	,	Ales Cells	Σ - 27 - 副 - 発 - ② - Editing
A1		• (c	f _x			111		2
A	1 4	B C	D	E	F	G	Н	15
1								-
2	1996							
3								
4								
5								
6	i i	Insert	1			1		
7	1977							
8	國	Delete						
9		<u>R</u> ename						
10	1	Move or Copy			1			
11	ĝ.	View Code						
12	2	Protect Sheet						
13	1 222	Iab Color	¥.					-
14		Hide		2001 100-86				
15	-	Unhide		Select Unhide	e option to sl	how hide	den sheet	
16	1						0	- 92
17 		Select All Sheets	-				ii ii	_ ⊳ ∏

Step 1: Right Click on any Sheet Name and select the Unhide... option.



Press the **Ok** Button.

Now you will have your hidden sheet back.

Delete Worksheet

Here is the step to delete a worksheet.

Step: Right Click the Sheet Name and select the Delete option.

Excel 2010

	10) - 1	(H + 1)	ŧ		В	ooki -	Microsoft E	xcel			
File	Ho	ne In	isert Pa	ge Layou	t I	Formula	s Data	Review Vi	ew Add-In:	, a G) - # %
Paste Clipboa	¥ ⊒a- ≪	Calibri B		Δ - 11 	1161 BID	E E Aligne	Contraction of the local distance	General \$ ₹ % *.08	* A	Cells	Σ - 27-
	A1		• (f _x	2					
4	А	E	3	С		D	E	F	G	н	15
1											
2	3	T)									
3			_								
4											
5											
6		-	Insert		-				_	_	_
7		1000	27 (* 1969) 19				Select Dele	ete option to	delete a sh	eet	5
8			Delete ·	15							
9		-	<u>R</u> ename		-				_		_
10		-	Move or	11917							
11		S.	⊻iew Co								
12		<u>A</u>	Protect S		.						_
13 14		-	<u>T</u> ab Colo)[۲.		-			-	
14		=	Hide								
15			Unhide.								
10			Select A	i Sheets	20						
14 4 1	H Sh	eura	Zelect A	- United Street		182	1		JIR .		
Ready									100% 😑	0	•

Sheet will get deleted if it is empty, otherwise you'll see a confirmation message.

Excel 2010

X	Ŧ	Book1 -	Microsoft Exc	el			0 11
File Home Ir	nsert Page La	yout Formula	s Data Re	view Vie	w Add-Ins	; 🛆 😭) - 7 2
Paste J Calibr	<u>u</u> - A	→ = = (▲ ■ = (::::::::::::::::::::::::::::::::::::	≣ ⊡ ≫·• :	General \$ • % 58 ⇒38 Number	• A	Cells	Σ * 27*
	• 6	fx					
A	B C	D	E	F	G	н	
Microsoft Excel							X
	y exist in the sh	Delete	Cancel	0			
		2		0		1	
7 test data		2					
7 test data 8 9		2		Ĵ			
7 test data 8 9 10		2					
7 test data 8 9 10 11		2					
7 test data 8 9 10 11 12		2					
7 test data 8 9 10 11 12 13		2					
7 test data 8 9 10 11 12 13 14		2					
7 test data 8 9 10 11 12 13 14 15		2					
7 test data 8 9 10 11 12 13 14 15 16		2					
7 test data							

Press the Delete Button.

Now your worksheet will get deleted.


Close Workbook

Here are the steps to close a workbook.

Step 1: Click the Close Button as shown below.

X	(% + ∓		Book1 -	Microsoft E	cel		00	×
File	me Insert	Page Layout	Formula	s Data i	Review Vi	ew Add-Ins		- # X
Paste		$ \begin{array}{c c} \bullet & 11 & \bullet \\ \bullet & \mathbf{A}^* & \mathbf{A}^* \\ \bullet & \mathbf{A} & \bullet \\ \bullet & \bullet & \bullet \\ \bullet & \bullet & \bullet \\ \bullet & \bullet & \bullet$	₩ E E GE GE Alignn	≝ ⊡. ≫	General \$ • % •.0 +.0 Number	, Styles	Cells	· A- · A- ·
A1		(C	f _x			/	/	~
A	В	С	D	E	F	1	Н	
1]					/		
2	575 (V	/		
3					/			
4					/			
5		(Click on C	lose Windo	w button to	close workb	ook	
6								
7								=
8								
9								
10								
11								
12								
13								-
14								
15								
16								
17 • • • • • S	and the			L	N (
Ready	ieeczsne	iets / tal /		10	L'I A L	100% (-)	0	► I (+)

You'll see a confirmation message to save the workbook.




Step 2: Press the **Save** Button to save the workbook as we did in MS Excel - Save Workbook chapter.


Now your worksheet will get closed.

Let us see how to open workbook from excel in the below mentioned steps.

Step 1: Click the File Menu as shown below. You can see the **Open** option in File Menu. There are two more columns - Recent workbooks and Recent places, where you can see the recently opened workbooks and the recent places from where workbooks are opened.



Step 2: Clicking the **Open Option** will open the browse dialog as shown below. Browse the directory and find the file you need to open.



Step 3: Once you select the workbook, your workbook will be opened as below:

				and the	1. Constant		- 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1	0 0 =	67.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Gineral \$ • % •		Cunitium Fermature	al formal e formal : e stable :	L'ati Myles +	States = States = States = Famat =	2" filter	v runn o. • Selevit •	
Ac - (F.) algement is	Humbe			Syles		CEB	585	ng	
A B	c	0	F	¥.	6	н	1	J	
Guestion 1 Do you want to learn MS Excel 2010? Place you under she futbrial weistrie ewer lutonalsport com 1 3 Are you under she ding tatolet pages in tata elegant com? 4 Will you like to recomment table alsociat com to your friends?	Status Yes Yes Yes								

MS Excel provides context sensitive help on mouse over. To see context sensitive help for a particular Menu option, hover the mouse over the option for some time. Then you can see the context sensitive Help as shown below.

- C+ 12 -	(m + 1A		Book	1 - Microso	ft Excel			0000	×
File H	ome Insert	t Page Lay	rout Formu	ilas Dati	Review	View	v Developer	△ 🕜 =	1 (P) 2
Paste	Calibri B Z U ⊡ - 3a Font	- <u>A</u> -	E E E A	· · · · ·	neral - - % • - % • - %	A Styles	B** Insert * B* Delete * Ermat * Cells	Σ · 27 · . A · . Z · Editing	
81		e	<i>≸</i> Name	Merge &	Center				
3 4 5	B Name 1 ABC 2 DEF	C	D.	Excel	2	larger cel in the ne This is of	selected cells in i and centers th w cell. ten used to crea n multiple colum	e contents te labels	1
7				Press	F1 for more	help.			
9									-
.0					Press F1	to see	more help		
1							VALUE AND		
2									
.3									
A SH S	heet1 She	et2 Shee	13/22		040		10		► D

Keep Mouse over option you need to see help

Getting More Help

For getting more help with MS Excel from Microsoft you can press **F1** or by **File > Help -> Support -> Microsoft Office Help.**

Excel 2010



In **MS Excel**, there are **1048576*16384** cells. MS Excel cell can have **Text**, **Numeric value or formulas.** An MS Excel cell can have maximum of 32000 characters.

Inserting Data

For **inserting data** in **MS Excel**, just activate the cell type text or number and press enter or Navigation keys.

Z.	10.	(***) *	3	ample wo	orkbookadsx	Microsoft	Excel			10	0	×
G	de H	ome Insert	Page Layout Formu	ias D	lata Revi	ew View	v Develos	per		۵ (0 - 5	23
Pa	ne J	Calibri • 1 B Z U • A E • Or • A Fort	× × = = = =	च- s %	neral - - % + S 23 Sumber G		ional Formatti Las Table + yles + Styles	ing *	G**Insert * G* Delete * E Format * Cells	E · A Son a 2 · Filter Eddi	A Find & Select	
	C5	• (*	<i>f</i> 50000									1
4	A	8	с	D	8	F	G	Н	1	3	к	ES C
1 2		Salary C	Calculator									1
3	No.	Name	Salary Amount Ta									
4		1 Marc	2000	10%								
5	-	2 Stave	50000	20%								-
6			1									-
8												1
9		A	a call fax lacart	ine da	**							
10		ACUV	e cell for insert	ing da	ta							1
11												
12												1
13												
14												-
15												1
16 17												+
18												1
19												1
-		heet1 Sheet2	Chasta (2)				4)	ส่
	idy 🗂	neers Sneerz /	Success 2.04			-		ilimi	100%	 0 		

Inserting Formula

For inserting formula in MS Excel go to the formula bar, enter the formula and then press enter or navigation key. See the screen-shot below to understand it.

Excel 2010

z]	10.	(* +) =	3	sample workbook.visx	- Microsoft E	cel		000	· · · ×	
6	de H	me Insert	Page Layout Pormu	alas Data Rev	iew View	Develope	e .	۵ (000	ε
Par op	A De J Doard 7	B Z U - I ⊡ - I da - A Fent	Alignment	월 - S - % · 1년 2년 Number	避 Format a 同 Cell Style		2 * Similariet - Bin Delete - Elis Format - Cells		Find & Select *	
	SUM	* (*	× ✓ f. =C4*D4	~						1
2	A	8	C	DE	F	G	8 1	1	ĸ	Ę
1	-				<u> </u>					ſ
2	No.	Name	Calculator Salary Amount Ta	ax Tax Amou	~					ł
4	10000	Marc	2000	10%]=C4*D4	1 Ente	ering form	nula in MS E	xcel		1
		1 Stave	50000	20%		•				1
5										
5										1
8										1
3										
0										
1										
2										
3										1
4										ł
5										1
7	-									1
8	-									ł
9	-									1
		wet1 / Sheet2	Chanta Pl		5	10		1		i
	nt 🙄	HOULA DOBELL	Sugara Ca			the second s	HI CO CO LOCAL	01-1	1 22	1

Modifying Cell Content

For modifying the cell content just activate the cell, enter a new value and then press enter or navigation key to see the changes. See the screen-shot below to understand it.

311	H 17 +	00000		sample w	orkbook.xisx	 Microsoft 	Excel			10	0 2	3
R	le H	ome Insert	Page Layout Fo	ermulas D	ata Revi	ew View	v Devel	oper		0 (0 - 0	2
Par and	* * *	Calibri - 1 B Z U - A U - St A Font	x x 💷 🗉	≣≣- \$ ≫- %	mexal • • % • 8 2% Nomber · 1	Cell Sty		aung -	if ** Datert + I th Delete + Format * Cells	E · Ar	Find & Select •	
	C4	- (*	x 🗸 🎜 3500									
1	A	8	c	D	E	F	G	н	1	1	к	1
2		Salary (Calculator									
- 11	No.	Name	Salary Amoun	t Tax	Tax Amou	nt						
		1 Marc	350	10%	200							
		2 Stave	5000		10000							
1					~							
					-							
						~						
5						Modi	fying ce	II cor	ntent			
2												
3												
4												
5												
6												
7 8												
9												
29			(4		1	_		-
	FR S	heet1 Sheet2	Sheets 20					1.000	10005	~	•	빈

MS Excel provides various ways of selecting data in the sheet. Let us see those ways.

Select with Mouse

Drag the mouse over the data you want to select. It will select those cells as shown below.

X	10.	(* <) z		sample w	orkbook.xlsx -	Microsoft Ex	cel			100	• *
R	le H	ome Insert	Page Layout Fo	imulas I	Data Revie	w View	Developer			0 0	
Pas		Calibri • B Z ∐ • ⊡ • ⊘a • A Fort	A' A' IF I I	1 <u></u> 5 8	eneral • • % • 8 28 Number 5	窗 Format a 同 Cell Style		G™Ins G™ Dei ∭For Ce	iete + mat +	Σ·Α a. Z Sort & C Filter Editing	
	A2	• (**	<i>f</i> ₂ Salary	Calculator	4	_					~
d.	A	В	c	D	E	F	G	н	1	1	× S
1											1
2	THO:	Contraction of the Contraction o	Calculator	CHARGO .							
2 3 4	No.	Name	Salary Amount		Tax Amoun	100					-
		L Marc	3500	C							-
5		2 Stave	50000	20%	5 1000	0					-
7											
8				T							
9											
10											
11											
12			Select da	ata with	mouse						
13											
14											
15											
16 17											
18											
19											1
-			1	_		0			_		
		neet1 / Sheet2	Sneet3 Ty	Income The	11 66 16 6	[] • []	m 63553.3	1210		0 U	•0
неа	dy 🗂			Average: 79	51.6625 Ci	ouncite su	m 05053.3 [11]]	541 <u>111</u>	100%	9	۲

Select with Special

If you want to select specific region, select any cell in that region. Pressing **F5** will show the below dialogue box.

				Excel 2	20
	sample work	bookalse - Microsoft Excel		- 9 1	3
File Home Insert Pag	e Layout Formulas Data	Review View Developer		a 🙆 🗆 🖗	83
$\cdot \circ \bullet \cdot \Delta \cdot \Box$	· · · · · · · · · · · · · · · · · · ·	% • W Format as Table •	g** Insert * g# Delete * E Format * Cells	E · Z · A Sort & Find & 2 · Filter · Select · Editing	
85 • (*	fr Stave				4
A 8	C D	E F G H	 I) 	J K	5
^{1 Marc} 2 Stave	3500 10% 50000 20% v the dialogue	Go to:	2 ×		
2 3 4 5 6 Clicko	n special	Seference:	+ Cancel		
7 8 9 • • • • Sheet1 _ Sheet2 _ Sh izady *]					

Click on **Special button** to see the below dialogue box. Select **current region** from the radio buttons. Click on **ok** to see the current region selected.

2	10.	(* •) *		sample wo	rkbook.xlsx	- Microsoft	Excel			-	9 22
1180	ile H	ome Insert P	agelayout Fo	emulas Da	ta Rev	new. Vie	w Devel	oper		a (0 - # 33
120	A A A board G	Calibri + 11 B Z ∐ + A ⊞ - 3 - A Font		I⊡- S ≫- %	eral • • % • 43 unber : 4	窗 Forma 同 Cell St	tional Format t as Table * yies * Styles	3	*=Insert + * Delete +]} Format + Cells		Find & Select
_	85	• (*	f* Stave								*
1	A	8	C	D	Ε	E.	6	н	1	1	K .
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17		Salary Co Name 1 Marc 2 Stave	sloulator Salary Amount 3500 Sociol Sociol	0 10%		omments] gristints ormulas [] Numbers [] Text [] Logicals [] Errors	000 0000	Roy differ Colugn dif Precedents Dependent () Al leve Lagt cell Visble cells Condigonal Data yalda () Al Same	ferences s ts ority is conly_ i formats ation		
Per-control of	() H S	heet1 / Sheet2 /	Sheet3 / 9						Cancel		

	1 17 1	15/2	and the second	sample v	vorkbook.xisx -	Microsoft	Excel			10	= ×
-	-		Page Layout Form	ulas -	Data Revie	w View	w Develop	er		0 0	0 9
Pas	te J	Calibri - 1 B Z U - A ⊡ - Ôn - ▲ Font	· · · · · · · · · · · · · · · · · · ·	H	ieneral - S - % + & 23 Number G	B Format	tional Formattin Las Table = yles = Styles	34	Inseit + Delete + Format + Cells	E · A B · ZI 2 · Sort & Editing	
	A2	• (*	∫∗ Salary Ca	lculator	r.						
al.	A	8	c	D	ε	F	G	н	1	1	к
1		Calhard	alculator	_	-	n –					
-	No.	Name	Salary Amount T	av	Tax Amoun						
		Marc	3500	109		S2					
5		Stave	50000	209		0					
5					·						
7			*			17.4					
8											
9											
0											
11			Selected Data								
2			Selected Data								
13											
4											
5											
6											
7											
8											
19											
1		eet1 Sheet2	Sheet3 . 93] 4 [► [
Rea	ay 🛄		A	erage: 75	81.6625 C	punt: 16	Sum: 63853.3	田口田	100%	⊖ 0	

As you can see in the below screen, the data is selected for the current region.

MS Excel provides various ways of deleting data in the sheet. Let us see those ways.

Delete with Mouse

Select the data you want to delete. **Right Click** on the sheet. Select the **delete option**, to delete the data.


X)	a 17 -	(* - j.e	sam	ple worl	kbook	alse - Mic	rosoft Exc	el			10	(iii) - X
0	de la	one Insert F	age Layout Formulas	Dat	a i	Review	View	Develop	er		~ G	
Pa Cio		Calibri - 11 B Z U - A ⊡ - ③ - ▲ Font	(# (# &··	*4	- %	• 🕸	Format as Cell Styles		and and a	nsert = lelete = ormat = lelis	E · Ar	Find & Select *
	A2	• (**	🎜 Salary Calcul	lator								8
	A	в	C I	D	1	E	F	G	H	1	1	K S
1			1 1	1	_	C			1			i i
2		Salary G	alculator		Calib	6 - 11	- A' A	* \$ * %	• 33			
3	No.	Name	Salary Amount Tax	1	в.		· A ·	E · *4	233			_
4		1 Marc	3500	10%		350L			-			
5	1 3	2 Stave	50000	20%	×.	cut .	-					-
6					aa	Copy		-	-			
7					23	Paste Opti	005		100.000	1200	277 012	12019
9						A		Rig	ht Click	after	selecting	gdata
10						Paste Spec	sat					
11						Insert						
12						Delete			(
13		Select delete	option		-	Clear Cont	ents		1			-
14						Filter		÷				-
15						Sert						-
16 17					1	Insert Cog			-			-
18					-	And show the			-			
19					a,	Eormat Ce						
		and there a	Champs			Pick From		m List			_	1
	idy 🗂	heet1 Sheet2 /	CONTRACTOR REPORT	e: 7931		Define Na				IN MORE L	G) = 0	
040	the state		- ALL AL	14. 19-04.	12.	Hyperlink.			COD CLAR 2001	100/0	<u>v</u>	

Delete with Delete Key

Select the data you want to delete. Press on the **Delete Button** from the keyboardto delete the data.

Selective Delete for Rows

Select the rows, which you want to delete with **Mouse click + Control Key.** Then right click to show the various options. Select the **Delete option** to delete the selected rows.



17. MOVE DATA

Let us see how we can Move Data with MS Excel.

Step 1: Select the data you want to Move. Right Click and select the cut option.

1 1 2	• ((r.+)) •	547	nple workbo	okaise -	Microsoft Ex	cel			100	
File	Home Insert P	age Layout Formula	s Data	Rede	w View	Develop	er		~ G	000
Paste	Cashes - 11 B Z U - A ⊡ - Ôs - A Font	· = = = = = = = = = = = = = = = = = = =	Genera S - Sd -Sd To Numb	Yo ,	Condition Format a Cell Style	Table =	34	Insert * Delete * Format * Cells	2 · Ar	Find & Select
A	2 • (*	J. Salary Calc	ulator							1
A I	В	c	D	3	. F	G	н	1	1.1.12	K
2 3 4 5 6 7 8 9 10 11 12 13	Salary Ca Name 1 Marc 2 Stave	Salary Amount Tax 3500 50000 ta with mouse	10% 20%	Amc	Cut Coty	ons:	×		t cut opt	on
14 15 16 17 18 19	Sheet1 / Sheet2 / ?	Chaet? 91		3		ll1 Drop-down	* *) •8

Step 2: Select the first cell where you want to move the data. Right click on it and **paste the data.** You can see the data is moved now.

File	H2 H2		age Layout F	ormulas	Data Re	New	View	Developer					a @ = 1	9
Paste	Х Ца- Ј	Calibri - 11 B I \underline{U} - A^{*} \underline{H} - \Im - \underline{A} - Font	- = =	■ 37 ■ 337 *** ent 5.	General • \$ • % • *& *% Number 5	彩 印 の	ormat a ell Style	nal Formatting is Table * is * Styles	3*1 120	nsert = Delete = ^c ormat = Casis		The second	ind &	
	G2	• (*	<i>f</i> ≈ Salar	y Calcula	tor	1.1							12.15	
d.	А	B	c	D	E		F	G	н	1	ŝ.,	J	K	
1									Calani	Calculat	-		-	e - 1
2								No. M	lame		AmTa	ax	Tax Amou	at
									Marc		500	10%		
1								2 5	tave	50	0000	20%	12	
_								•						
1														
1														
0							Mo	ved Data						
1														
2														
3				11										
4														
5														
6														
7														
8														
9	10.001 (95)	Incomentation		_				124.000			-			20
4. 1	H St	eet1 Sheet2 S	Sheet3 / PJ					3 ∢1.		10			1	

Row and Column Basics

MS Excel is in tabular format consisting of rows and columns.

- Row runs horizontally while Column runs vertically.
- Each row is identified by row number, which runs vertically at the left side of the sheet.
- Each column is identified by column header, which runs horizontally at the top of the sheet.

For MSExcel 2010, Row numbersrangesfrom 1to104857; in total 1048576 rows,andColumnsrangesfrom AtoXFD; in total 16384 columns.

Navigation with Rows and Columns

Let us see how to move to the last row or the last column.

- You can go to the last row by clicking **Control + Down Navigation arrow.**
- You can go to the last column by clicking **Control + Right Navigation arrow.**

2 5 つ・	(N - 1 2)			sample	workbooka	dsx - Mi	crosoft B	icel			(HED)	0 ×	
File	Home Insert	Page Lay	out F	ormulas	Data	Review	Vie	v Dev	eloper		a (0 - 9	83
Paste	⊞ • ð• •		部 著 译 译	■ 部 ■ 図・ ● ·	General S = % S\$ \$\$ Number	• 38		i as Table des *	natting * •	ii → Insert + ii → Delete + []]) Format + Cells	2* Filt	tà Findà er* Select*	
81	9 -	(* J											10
A	B	C	D.	Ε	F	G	ē il	н	1	1	к	L	E
5 1 7 1 8 9 10	Row 2 sele	cted • Rows fr	rom 1	to 1048	Colum 576	ns froi	m A te	o XFD					
11 12 13													
5 6 7 8 9													
	Sheet1 Shee	t2 Sheet3	122				D	•		- 84			
Ready 2									1003	四 100% (-	· · · · · ·		

Cell Introduction

The intersection of rows and columns is called **cell**.

Cell is identified with **Combination of column header and row number.** For example: A1, A2

Z 2 17		sar Page Layout Formul		ikbookadsx - Mie lata Bevlew	view	Developer			9 8 - 9 8
Paste J Clipboard	Calibri * 11 ■ Z U * A □ * ③* Δ Font	(x) 臣参王 · 译译 》·	g- s %	- % · 12	Conditiona Format as T Cell Styles - Styl	5	ii ** Insert * ii ** Delete * Eii Format * Cells	Sort &	Find & Select +
م	13	fr No.							1
A	В	4	D	E	E.	G	н	1	*
1 2	Salary	alculator	- ce	ell Number	in Name	Box			- 1
3 No.	Name	Salary Amount Ta	×	Tax Amount					
4	1 Marc	3500	10%						
5	2 Stave	50000	20%	10000					
б									
7									
8 Int	orroction of col	umn A and row	2 ma						-
9 Int	ersection of con	unin A and TOW	Jina	Kes ten As					-
10									
12									
13									
14									
15									
16									_
17									-
18									-
19					112000				1
NAPH	Sheet1 Sheet2	Sheet3 22			0.4		=		•
Ready 🛅						(B)	四 100%		•

MS Excel provides **copy paste** option in different ways. The simplest method of copy paste is as below.

Copy Paste

- To copy and paste, just select the cells you want to copy. Choose **copy option** after right click or press **Control + C.**
- Select the cell where you need to paste this copied content. Right click and select paste option or press Control + V.

R	Concession of the local division of the loca	(* * I =	Insert	Page L	wout	For	sample w	orkbook Data	Revi		soft Exce View		loper				Same	
Past		Calibri B / E -	<u>u</u> -	п А` л`	■ 。 ■ [] ()に 〔 Alig			eneral 5 - % 6 28 Number	• •	18 Fo	nditional mat as T I Styles • Styl	able =	stting *	1.000		Σ· ④·	ZI	Fina & Select -
	F2		• (*		f. 51	alary C	alculator	(
4	A		в		С		D	E	51	E.		G	1.00	11	- 10	1.3	3	к
1				-											_			
	No.	Name		Calcula	itor iry Am		Tax		-	No.	Nar	and a second second	Calculat Salary	the day of the local division of the local d				
		1 Marc		5414	iry Am	2000	10%	2		NO.	1 Mar		Charles Contracts	000	10%	-		
		2 Stave			0	50000	209				2 51	Sec		000	20%			
Ū,											-	-	-			•	(Ctrl) +	
7			1													. 440	Could -	
C.C.L.				1.11					-	ht all	ch and				- Cont			
-																		
1			1						Rig	ni ch	CK and	1 pa	ste or	pres	5 com	trol		
9			1	/					Rig	nt ch	CK and	ı pa	ste or	pres	5 COM	trol		
0	Sele	ctthe	cellst		y. Rig	ght c	lick and							pres	5 COM	trol		
0	Sele	ct the	cellst	o cop	y. Rig	ght c	lick and							pres	Scon	trol		
0 1 2 3	Sele	ct the	cellst	o cop	y. Rig	ght c	lick and							pres	scon	trol		
01234	Sele	ct the	cells to	o cop	y. Rig	ght c	lick and							pres	5 COM	trol		
0 1 2 3 4 5	Sele	ct the	cells t	o cop	y. Rig	ght c	lick and							pres	5 COM	trol		
8 9 0 1 2 3 4 5 6	Sele	ct the	cells to	o cop	y. Rig	ght c	lick and							pres	5 COM	trol		
8 9 0 1 2 3 4 5 6 7	Sele	ct the	cells to	o cop	y. Rig	ght c	lick and							pres	S COM	trol		
8 9 0 1 2 3 4 5 6 7 8 9	Sele	ct the	cells to	o cop	y. Rig	ght c	lick and							pres	S COM	trol		

In this case, **MS Excel** will copy everything such as values, formulas, Formats, Comments and validation. MS Excel will overwrite the content with paste. If you want to undo this, press **Control + Z** from the keyboard.


Copy Paste using Office Clipboard

When you copy data in MS Excel, it puts the copied content in Windows and Office Clipboard. You can view the clipboard content by **Home -> Clipboard**. View the clipboard content. Select the cell where you need to paste. Click on paste, to paste the content.

0 6 7.0	sampl	e workbook.xlsx	- Microsoft E	cel	_	(D)	-X
File Mome Insert P	age Layout Formulas	Data Rev	iew View	Developer		0 0	- 6 8
Paste J Calibri - 11 B Z U - A D - Or - A Cipboard - Or - A	* = * * * * * * * * * * * * * * * * * *	General - S - % • *8 +8 Number /2	窗 Format a 同 Cell Style		G**Insert * G# Delete * (G) Format * Cells	Σ· Δ· Sort & C· Filter· Edding	Select *
E2 . (*)	fe						5
cof 24 - Clipboard 🔷 🕶 🛪	A	8	с	D	E F	G	нς
Poste Al Clock an item to paste: Dick an item to paste: Solary Calculator No. Name Salary Amount Tax 1 Marc 2000 10% 2 Stave Soloo0 20%	2 3 No. Name 4 1 Marc 5 6 7 2 Stave 6 7 C	Salary Calcul. Sal	ary Amount 2000 50000	10% 20%			
	11 12 13 14 15 16 17 18	pboard cor	ntent				
Options •	19 R C H Sheet1 (S	Sheet2 Shee	3/92/		100%	j j	*0

Copy Paste in Special way

You may not want to copy everything in some cases. For example, you want to copy only Values or you want to copy only the formatting of cells. Select the paste special option as shown below.



Below are the various options available in paste special.

- **All:** Pastes the cell's contents, formats, and data validation from the Windows Clipboard.
- **Formulas:** Pastes formulas, but not formatting.
- Values: Pastes only values not the formulas.
- **Formats:** Pastes only the formatting of the source range.
- **Comments:** Pastes the comments with the respective cells.
- Validation: Pastes validation applied in the cells.
- All using source theme: Pastes formulas, and all formatting.
- All except borders: Pastes everything except borders that appear in the source range.
- Column Width: Pastes formulas, and also duplicates the column width of the copied cells.
- Formulas & Number Formats: Pastes formulas and number formatting only.
- Values & Number Formats: Pastes the results of formulas, plus the number.
- Merge Conditional Formatting: This icon is displayed only when the copied cells contain conditional formatting. When clicked, it merges the copied conditional formatting with any conditional formatting in the destination range.
- **Transpose:** Changes the orientation of the copied range. Rows become columns, and columns become rows. Any formulas in the copied range are adjusted so that they work properly when transposed.

20. FIND AND REPLACE

	Home H & Cali D - B	пі - 11 7 <u> </u>		Ger 1 1 1 1 S	ita Revi iseral -	路 Condit 認 Format	ional Form. Las Table =	CONSTR	a [™] Insert * ≩ ⁴ Detete *	E · AT Sont &		2
-	board G	· Or · A ·	Aborimen		mber 74	III) Cell St	styles =		Cells	2. Filter -	Select *	
citig	E2	- (*	f.	1 9 10	moet /s		50(6)	_		Luide	9	1
	A	8	D	ε	F	G	н	1	J	ĸ	¢	
1	~	0	C		e .	1	0					7
		Salary C	alculator				-	-				
2	No. Na	ne	Salary Amount	Tax	Paste Spe	cial			0	0 X		
4	1 Ma	rc .	2000	10%	Paste							
5	2 Sta	/e	50000	20%	@ [A]			© Al	using Source the	one		
6				_	O Form	ulas		© Al	except borders			
7	Paste s	pecial dia	logue		O Yalu				kumn <u>w</u> idths	No. Contractor of the	-	-
9	2.000000000				O Form				gnulas and numb	Contract of the second s		-
0	-			-	Com Vald				Ages and number merging conditio			-
ĩ					10.0000000			000	merging contrast	ne omag		-
2					Operation @ None			0.8	and I			1
3					© Add			0.0				
4					O Subt							
5				_								
6	-			_	Skip	glanks		Th	ansposg		-	1
7					Pastel	rik			OK	Cancel		-
8				_		10022		_			-	-1
9					-							

MS Excel provides Find & Replace option for finding text within the sheet.

Find and Replace Dialogue

Let us see how to access the Find & Replace Dialogue.

To access the Find & Replace, Choose **Home -> Find & Select -> Find**, or press **Control + F Key**. See the image below.

2	10-	(* +) *		sample wor	rkbook.xlsx - Me	crosoft Exce	1		0	E)	Xiem 0
17	с н	ine Inset	Page Layout For	mulas D	ata Review	View.	Developer.		0	0.4	13
And And			11 · = = = = A' A' = = = = (# (# = A Alignment	B- 5	• % • B	§ Format as § Cell Styles		G*Finiset * G* Delete * G) Format * Celli	E · A B· Z Sonta 2· Fater Eddin	Select	End.
	54	• (*)	f.						10	1	Find (Ctrt+F)
a)	A	8	c	D	E	F.	G	н	/	-	gato
									/		Go To Special
1		Salary	Calculator						/		Formulat
1	No.	Name	Salary Amount	Tax	Tax Amount				4		Comments
6		Marc	3500						1		Conditional Formatting
5	2	2 Stave	50000	20%	10000			/			Constants
5						1000	25 1/ 2019/07				Data Validation
7.						IN HO	me tab s	elect Fin	option		
5											Select Objects
7 8 9										54	Selection Pane
1											
2											
3											
4											
5											
6											
7											
18											
19											
	1 H S	weet1 / Sheet2	Sheet3 93			340		1100		>	อไป
	y 21	COLOR CONTRACTOR	all the second			114	1000	I 200% (-		5

You can see the **Find and Replace dialogue** as below.

Z	a .	(u - =		sample w	orkbook.xlsx + N	licrosoft Exce	d			- 0	83
Ľ,	He H	lome. Inseit	Page Layout	Formulas	Data Review	View	Developer			0 0 D	1 R
Pa	ste J		1 · 三 二	■ 国· ●	\$ - % ·	Format as		if the Insert If Delete Forma Cells	e. j.	Sort & Fi Filter - Se Editing	A nd & steet •
	D7	• (*)	f.								1
1	A	8	C	D	E	F	G	н	1	-1	r,
1 2		Salary	Calculator								
3	No.	Name	Salary Amou	int Tax	Tax Amount						
4		1 Marc	3	500 10	% 350) – – – – – – – – – – – – – – – – – – –					-
5		2 Stave	50	000 20	% 10000	ŝ.					
6				Find and Re					9 - 8	(June	_
7				Find and M	place						_
8	Find Ta	b in Find and	Replace -	Find	Reglace						_
9	1.000	100000000000000000000000000000000000000	012224255	Find what	and the		No Forma	i Set	Format •	2	_
10	-				7		The second		A Carter		-
11 12	1									18	
13	1	Text to	find /	Withins	Sheet 💌	Match ga				18	-
14	1		2010/07/04 - 359	Search:	By Rows	Match en	the cell contents				
15	1			Lookins	Formulas .			6	Options <<		
16					1.000			10	_		
17						Fin	d Al End	Next	Close		
18				L		- Germania	ana ana	acrosses of	New York Course		-1
19				100000000000000000000000000000000000000	1			_	_	-	
	() 1 6	heet1 Sheet2	Sheet3 PJ	v		614		10		10	•
	ady 197	INCLASSINGLE	anero - Ca			10.04	ino-	1005	0	0	(†)


You can replace the found text with the new text in the **Replace tab**.

2	sample workbook.xlsx - Microsoft Exce	1		
EIC Home Insert Page Layout	Formulas Data Review View	Developer		A () - # X
Image: A state Calibri 11 Image: A state Paste Image: A state Image: A state Image: A state Paste Image: A state Image: A state Image: A state Chipboard Image: A state Image: A state Image: A state Chipboard Image: A state Image: A state Image: A state	■ 図・S・%・ 減Format as 参・ 1歳 章 ■ Setti Styles		g**Insert * g₩ Delete * E Format * Cells	Σ· Sort & Find & 2· Editing
D7 •				
A B C	D E F	G	н	J F
1 2 Salary Calculator				
3 No. Name Salary Amou 4 1 Marc 33 5 2 Stave 500	00 10% 350			
6 7 Replace Tab	Find and Replace		69	
9 Text to find	Find Mame	• No Forma	t Set Form	at
11 New text to replace	Biglissen Employee Name Witten: Sheet Rame Search: By Rows Rame Match en	No Forma No Forma tre cell contents	t Set Form	at •
15	Look in: Formulas		Optio	rs <<
17 18	Replace Al Beplace Fin	d Al End	Next	Cose
19	D.+1.		11 100% 💬	

Exploring Options

Now, let us see the various options available under the Find dialogue.

- Within: Specifying the search should be in Sheet or workbook.
- Search By: Specifying the internal search method by rows or by columns.
- Look In: If you want to find text in formula as well, then select this option.
- **Match Case:** If you want to match the case like lower case or upper case of words, then check this option.
- **Match Entire Cell Content:** If you want the exact match of the word with cell, then check this option.



IF you need exact cell content match

MS Excel provides a feature of Word Processing program called **Spelling check.** We can get rid of the spelling mistakes with the help of spelling check feature.

Spell Check Basis

Let us see how to access the spell check.

- To access the spell checker, Choose **Review** ⇒ **Spelling** or press **F7**.
- To check the spelling in just a particular range, **select the range** before you activate the spell checker.
- If the spell checker finds any words it does not recognize as correct, it displays the **Spelling dialogue** with suggested options.

2			ample workbo	okadsa - Mie	rosoft E	ixcel			0	13
File Home	Insert Pa	ge Layout Form	ulas Data	Review	View	v Developer	e		~ @ =	
ABC EQ Spelling Research Proofing	Langu	te New Comment 2	Previous 10 S	how Ink		编 Protect She 영국 Protect Wo J Share Wor	rkbook 🚮			ges
83	• (*	∫x Nama			-					Y
A	В	c	D	E	F	G	Н	1	3	1
1 2	Salary Cal	Spelling: Englis	h (U.S.)				8	×		
Contraction (C)		Se Not in Dictionary	17							
4 1 M		Nama	46			11	Ignore One	e		
5 2 M	arck									
6		1					Ignore Al			
7							Add to Dictor	sary		
8		Suggestions:								
9		Mama				- I -	Change			
10		Nampa				1	Change A			
11		Nana Napa					Change A			
12		Nava				Ψ.	AutoCorre	ct		-
13		Dictionary langu	age: English (U.S.)				- 18		
14		Qotions			1	lido Last	Cancel			-
15		7000000				0.007 1:095	COND			
17		-			_	-				
18										
19										
Sheel	t1 Sheet2 S	heet3 24			0		u	-		•
Ready 🛄						1/0	回四 100	× 🕘	0	٠

Exploring Options

Let us see the various options available in **spell check** dialogue.

- **Ignore Once:** Ignores the word and continues the spell check.
- **Ignore All:** Ignores the word and all subsequent occurrences of it.
- Add to Dictionary: Adds the word to the dictionary.
- **Change:** Changes the word to the selected word in the Suggestions list.
- **Change All:** Changes the word to the selected word in the Suggestions list and changes all subsequent occurrences of it without asking.

• **AutoCorrect:** Adds the misspelled word and its correct spelling (which you select from the list) to the AutoCorrect list.

22. ZOOM IN/OUT **Zoom Slider**

By default, everything on screen is displayed at 100% in MS Excel. You can change the zoom percentage from 10% (tiny) to 400% (huge). Zooming doesn't change the font size, so it has no effect on the printed output.

	ия. но но		Page Layout For	a constantion	orkbook.xlsx lata Revi			per		10000		
Pat	te J	Calibri + 11 B Z U + A ⊡ + ⊴t + A Font		ख- s	neral - - % • 3 -33 tumber - 7-	窗 Format 同 Cell Sty	ional Format as Table * fles * Styles	ting *	G™ Insert * G™ Delete * E Format * Cells	E · A	Find & Select *	
	F11	• (*	f.]
1	A	8	C	D	E	F	G	н	1	1	К	ļ
2		Salary C	alculator									1
3	No.	Name	Salary Amount	Tax								1
4	1	Marc	2000									
5	2	Stave	50000	20%								1
6												
7												1
8												
9												
10	-					i 2	N					
11												
12												_
13												4
14	-								Zoom s	lider		4
15										1		-
16										1		
17										1		
18												1
19										1		-
0		eet1 Sheet2	Sheet3 20			1	4			*	•	0
Rea	NOV 🛄							田	四四 100%	0 0		2

You can view the zoom slider at the right bottom of the workbook as shown below.

Zoom In

You can zoom in the workbook by moving the slider to the right. It will change the only view of the workbook. You can have maximum of 400% zoom in. See the below screen-shot.

Z	sample w	orkbook.xlsx - Microsoft Excel	() () ×
File	e Insert Page Layout Formulas D	ata Review View Developer	▲ Ø □ Ø Ξ
	B / U・A' 本 臣言言道・S - ②・ <u>△</u> ・ 译律 ※・ %	neral · ﷺ Conditional Formating · · % · ﷺ Format as Table · · ∰ Cell Styles - umber · Styles	S ^{ac} Insert • Σ • A S ^{ac} Delete • Delete • Delete • Delete • Cells
A3	• (* 🖌 No.		
/	A	E	3
2			Salary Cal
3	No.	Name	
4	1	Marc _{zoon}	n in to 400% with slider
5	2	Stave	\backslash
Ready	et1 / Sheet2 / Sheet3 / 10	[] * []	□ ···· · · · · · · · · · · · · · · · ·

Zoom Out

You can zoom out the workbook by moving the slider to the left. It will change the only view of the workbook. You can have maximum of 10% zoom in. See the below screen-shot.


For H Foste J Clipboard T	Catibri B Z U H - 3 Fon	- 1 - A - A	š xř		 部 2日・	Ger S	ita veral - % _% pmber	•	国家国	ormat ell 5ty	ional I as Tat	Develo Formatt ble *	ning +	34	Delet Porm Cells	e = 3	Σ· 3. 2.	ŻT	C Eine Sele ng	9
F19		- Cr		224																
	An Contract of Sector	66.4		3						z	oom	1 out	to 1	.8%	wit	h sl	ider			

If you want to insert some symbols or special characters that are not found on the keyboard in that case you need to use the **Symbols option**.

Using Symbols

Go to **Insert » Symbols » Symbol** to view available symbols. You can see many symbols available there like Pi, alpha, beta, etc.


Select the symbol you want to add and click insert to use the symbol.



Using Special Characters

Go to **Insert** » **Symbols** » **Special Characters** to view the available special characters. You can see many special characters available there like Copyright, Registered etc.

Select the special character you want to add and click insert, to use the special character.



Adding Comment to Cell

Adding comment to cell helps in understanding the purpose of cell, what input it should have, etc. It helps in proper documentation.

To add comment to a cell, select the cell and perform any of the actions mentioned below.

- Choose Review » Comments » New Comment.
- Right-click the cell and choose Insert Comment from available options.
- Press Shift+F2.

Initially, a comment consists of Computer's user name. You have to modify it with text for the cell comment.

K	19.	× • +			sample w	orkbook.xlsx +	Microsoft	Excel			hp	@ \	8
	_	me Insert	C. Priget	Layout	Formulas	Data Revie	w Vie	w Deve	loper		0.6	000	1.8
٩	BY Resear	ch Thesaurus	Translate	Commer	Previous et Mext	Show/Hide Show All Co Show Ink ments		B Protec	t Workbook	Protect ar Allow Use Track Cha Changes	vs to Edit R		
	C5	•	(×.	fr 500	000								
4	A	В		c	D	E	E.	G	н	1	1	к	
1		Sal	lary Calcul	lator					2				
3	No.	Name	Sa	lary Amo	unt Tax			Entered	d comm	ents			
4	1	Marc		4	2000 Enter	your salary	-						
5	2	Stave		50	0000								
6				1	100								
7	_			_		-							
8				_									
9			a la abla										
0		2	electin	gcenw	ill show co	omment							
11													
12													
3													
15													
16													
7													
8													
19													
-				44	191	1 1		141				1	
Contraction of the local distribution of the	ay 2	eet1 Shee	12 500	ets ind	20		1	191	1 (million)	100% (-)			E
0.64	101 - 3								11/100 2000 1	102 A0076 1.	M		E.

Modifying Comment

You can modify the comment you have entered before as mentioned below.

- Select the cell on which the comment appears.
- Right-click the cell and choose the Edit Comment from the available options.
- Modify the comment.

2]	10-0	V = 1.8					sample workbook vise - Mici	osoft	Excel			ne:	(C) -	×
Q.	P Ho	me Inse	rt Page	Layout	F	orm	ulas Data Review	Viev	v Devel	oper		00	000	23
AE Spei		ch Thesauru	Translat Languas	e E Con	203	83	Delete 🔄 Show/Hide Com Previous 🕤 Show All Comme Next 🔄 Show Ink Comments			t Workbook		and Share We sers to Edit R hanges *		
	C5		(e.	Se.	50000	Ó.,								.2
-1	A	8	6 T	0	2	Calit	- 11 - A + S -		• ai	H	1.	J.	- K -	1
1					1			78						1
2		5	alary Cale	ulator		в	$\chi \equiv \Im \cdot \nabla \cdot \Pi \cdot \chi$	8 28	1					_
	No.	Name	5	alary A										_
4		Marc	_			¥.	Cut							
5	2	Stave			_	-ta	≲opy	_						_
6						25	Paste Options:	- 1.1						
7					-		A							
8					-		Paste Special							
9							Insert							-1
10					_		Delete							
11							Clear Contents							-
12														
14					-		Filter							-
15							Sort	2						-
16					- 1	4	Edit Comment	-	- E	dit com	ment of	otion		-1
17						2	Delete Comment							
18					- 1		Hide Comment							
19					-	ar l	Format Cells	- 11						
24		eet1 She	100 100		-	-	Pick From Drop-down List	1	4		14		1	D
	dy 🙄	eets _ She	etz 2 Sh	eet.s	Cat		Define Hame	2		100001070.0	100% (5 0	- 2	
nee	2	100	_	-	-					11000 0.00 2	and and the C	20 <u> </u>		6
				1.00		100.	Hyperlink							

Formatting Comment

Various formatting options are available for comments. For formatting a comment, **Right click on cell » Edit comment » Select comment » Right click on it » Format comment**. With formatting of comment you can change the color, font,

size,	,		et	с.		of			the	!	CO	mment.
	1.9.1	- De	* 1. D. T	1.00	sample work	kbookaisa - Micros	oft Exc	el				X(0))
file	Ho		Pagelay	out Fe	ormulas Data	Review Vie	ŵ	Developer			~ @ = #	83
Sprilin	USR	ch Thesaurus	age Translate Language	123	Previous 🖘 St	Now/Hide Comment how All Comments how Ink	Prote	o um	Sha k Workb	Allow Use	id Share Workboo vs to Edit Ranges nges *	k
0	Commen	t1 •	c 1	6		Format Comme	e				2 8	
1	A	8		с	D	Protection	Acres 1	Properte	. 1	Margins	Alt Text	
2		Sal	ary Calculat	or	/	Font	1	Alignment	0	olors and Lines	Sze	
3 N	o.	Name		y Amoun	t Tax	Eonti			Pont styl	e: Sze:		
4	1	Marc		200	Ester your	Tahoma			-	9		
5 6 7 8	2	Stave		5000		T Sylfaen T Symbol System TeamVerse Teiston Pro	r8		Regular Italic Sold Bold Ita	10	- â	
9				1		Underline:			Color:	111 [14		18
10				1		None			and the second second	matc 💌 🗔 t	formal font	
11						Effects		. 000	Preview	in the second	estimotivitori	
12 13 14			Form	atting	comments	Striketivo Superiori Subscript			E	AaBbCcYy2	a	
15												
16						This font style	c mitab	ed for the disc	lay. The	dosest matching sty	le wil be used for	
17						printing.						
18	H Sh	eet1 Shee	t2 Sheet3	3 . 22						OK	Cancel	

Text Boxes

Text boxes are special graphic objects that combine the text with a rectangular graphic object. Text boxes and cell comments are similar in displaying the text in rectangular box. But text boxes are always visible, while cell comments become visible after selecting the cell.

Adding Text Boxes

To add a text box, perform the below actions.

□ Choose Insert » Text Box » choose text box or draw it.


Initially, the comment consists of Computer's user name. You have to modify it with text for the cell comment.

6.37	10 -1	Carlos Carlos	٠	_		×	unbug aut		MARA + W	N. 14340	LEVEL		- 14	4,000,010	1910.		1000	-
E	ile	Home	1.22	seit	Pagelo	ijout.	Forms	ilas -	Data	Revie	w View	Dev	eloper	Format	£		A 🚱 🛛	a de la
-	atable Table	Table	Pide	Ar II	티 관 Si e 윤 Si Iustration	hapes * martArt creensh s		olumn	Ar Line - Pie - Bar - harts	CEE	j2g Sparkilines	Sheer Filter	Etyperfink Links	A Test Box	Header & Foote Text	4 3 3	Ω Symbols	
	Text	Box 1		• (e		f.			COPU PEI					Text 8				11
a.	A			B		С		D	1	E	F	G	н		t a text b			
1														post	ioned an	ywhere	on the pag	-
2	20111	1.5	100	Salary	Calcula		10.00.000				~	0						
Georg	No.	- 252	me	_	Sala	iry Am	ount T				9	0	-	9				
4		1 Ma					2000	-	3%									
5		2 Sta	ve	_			0000	20	1%		T			Ĩ -				-
6 7			-								- ó -	-0	-	φ				
3			-								1							
9			-															
10			3															
11																		
12		Ins	ert	Tab						Inse	rtedte	xt bo	×					
13																		
14																		
15																		
16																		
17																		
18																		
14 4	Statements and American	ويعاريك والعرق الربان	1/3	heet2	Sheet	3 28	2					14	-		h		11	+
Rea	idy 1 😤	3											1/6		200%	0:	0	•

Formatting Text Box

After you have added the text box, you can format it by changing the font, font size, font style, and alignment, etc. Let us see some of the important options of formatting a text box.

- **Fill:** Specifies the filling of text box like No fill, solid fill. Also specifying the transparency of text box fill.
- Line Color: Specifies the line color and transparency of the line.
- Line Style: Specifies the line style and width.
- **Size:** Specifies the size of the text box.
- **Properties:** Specifies some properties of the text box.
- **Text Box:** Specifies text box layout, Auto-fit option and internal margins.



Undo Changes

You can reverse almost every action in Excel by using the Undo command. We can undo changes in following two ways.

- From the Quick access tool-bar » Click Undo.
- Press Control + Z.

z,	10.	-	sample	workbookatak	- Microsoft I	facel			100	- X.
file	Aping '5000' and	Page Layout	Formulat	Data Revi	ew View	Devel	oper		06	0-08
Facto	Format Cells		■ ● 田・	General - \$ - % + % -% Number /4	Vormat		tting -	G**Insert * G# Delete * (B) Format * Cells	Σ· Ξ· Δ· Sort 0 Constant Const	A Find & Select -
	Faite	C 5. 2	0000							1
	Undo 5 Actions	c		ε	E.	G	н	- II-	- a -	к
1										- 1
1 2 3 N 4	A CONTRACTOR OF A CONTRACTOR O	lary Calculator Salary An	ount Tax 5000 10 2000 20	96	lick acce	ss tooll	bar			
6	2 stave		2000 20							
5 6 7 8 9										
10	Undo and list	t of steps on	clicking an	wor						
13										
15 16										
18										-
2.	H Sheet1 She	et2 / Sheet3 //	2		D	•	1/000)	100%		


You can reverse the effects of the past 100 actions that you performed by executing Undo more than once. If you click the arrow on the right side of the

Undo button, you see a list of the actions that you can reverse. Click an item in that list to undo that action and all the subsequent actions you performed.

Redo Changes

You can again reverse back the action done with undo in Excel by using the Redo command. We can redo changes in following two ways.

- From the Quick access tool-bar » Click Redo.
- Press Control + Y.



Formatting Cell

MS Excel Cell can hold different types of data like Numbers, Currency, Dates, etc. You can set the cell type in various ways as shown below:

- Right Click on the cell » Format cells » Number.
- Click on the Ribbon from the ribbon.

2 2 7 - 0 70 10 10 10 10 10 10 10 10 10 10	ne Insert Page Calibri - 11 - B / Q - A' A' □ - Ĵt - ▲ -	tayout farmuta 可一定可定 可可可见 可可可可 使作 多・	nple workbook.slov i Data Rev S - 1% - 1% -23	Microsoft Exce iew View Sonditional Sonditional Sonditional Sonditional Sonditional Sonditional Sonditional	Developer A Formatting * able *	g** Insert + g# Delete + Eg) Format +		
Olphoard (%)	Fact (a	Algement	a Number is	Format Cells				D- 102300
5 1002 6 7 8 9 10 11 12 13	Name Au Marc Stave	ss con and some states and ormat cells	9.2014	Number Cartegory: General Number Carteny Accounts Nacrosofic Scentific Scentific Scentific Castom		Font Border Sample 15.99.2014 Type: ad/(1/2023) *VedmesSay, M 3/14 3/1401 637.401 637.401 14.402 14		•
15 16 17 18		e or format	/	asteriok (*) respond to th	ariges in regional d	nbers as date values. Date form late and time settings that are spe ak are not affected by sperating i	sofied for the

Various Cell Formats

Below are the various cell formats.


- **General:** This is the default cell format of Cell.
- **Number:** This displays cell as number with separator.
- **Currency:** This displays cell as currency i.e. with currency sign.
- Accounting: Similar to Currency, used for accounting purpose.
- **Date:** Various date formats are available under this, like 17-09-2013, 17th-Sep-2013, etc.
- **Time:** Various Time formats are available under this like 1.30PM, 13.30, etc.
- **Percentage:** This displays cell as percentage with decimal places like 50.00%.
- **Fraction:** This displays cell as fraction like 1/4, 1/2 etc.

- **Scientific:** This displays cell as exponential like 5.6E+01.
- **Text:** This displays cell as normal text.
- **Special:** Special formats of cell like Zip code, Phone Number.
- **Custom:** You can use custom format by using this.

You can assign any of the fonts that is installed for your printer to cells in a worksheet.

Setting Font from Home

You can set the font of the selected text from **Home » Font group » select the font**.



Setting Font from Format Cell Dialogue

- Right click on cell » Format cells » Font Tab
- Press Control + 1 or Shift + Control + F

Z . •? • (* • *	sample workbooka/sx + Microsoft Excel	1 0 a
Ele Home Insert	Page Layout Formulas Data Review View Developer	a () = # X
Paste J Clipboard / Font	11 Image: Second sec	Sont & Find & Filter - Select - Eating
83 • (Font: Font style: Sze:	*
A B	Calbri Bold 11	J 5
1	Tr Cambria (Headings) . Regular . 8 .	
2	ADMUTIKO	
3 No. Name	ADMULISIM DATalic 11	
4 1001 Marc	Adobe Casion Pro * 14 *	
5 1002 Stave	Underline: Coler:	
6	None V Research V Ligemai font	
7 8	Effects Preview	
9	E Strikettrough	
10	Supersolut AaBbCcYyZz	
11	E Subscript	
12		
13	This is a TrueType font. The same font will be used on both your printer and your screen.	
14		
15	Set Font Style Select Font Size	
16	SelectFont	
17		
18	OK Cancel	
10 H Sheet1 Sheet	는 Sheet의 / 외 / · · · · · · · · · · · · · · · · ·	1 20
Ready 2		0

You can change the text decoration of the cell to change its look and feel.

Text-Decoration

Various options are available in Home tab of the ribbon as mentioned below.

- Bold: It makes the text in bold by choosing Home » Font Group » Click
 B or Press Control + B.
- Italic: It makes the text italic by choosing Home » Font Group » Click I or Press Control + B.
- Underline: It makes the text as underlined by choosing Home » Font Group » Click U or Press Control + B.
- Double Underline: It makes the text highlighted as double underlined by choose Home » Font Group » Click arrow near U » Select Double Underline.

X M	19	¥7.	\$	ample workboo	katise - Mi	crosoft Ex	cel			100	(n) - X
File	Home	Insert Page	e Layout - Pormu	las Data	Review	View	Develop	er:		A	0 - 0 1
Paste Clipboar	· .		and the second second per	General	• 18	Format as Cell Style		ng -	g** Insert * g# Deiete * E Format * Cells	Σ·A III · ZI 2· Sort Content Edit	å Find & • Select •
	A2	• (*)	f. Salary se	culator							
1	A	В	1	DE		₽>	G	H	/ 1. K	3	K
2		Salary Calc	ulator		-	Makir	ıg text ı	inde	arlined		
3 No.			alary Amount Ta	and the second se		Wakn	ig tentt	max	innea		
4	1 Mar		2000	1050							
5	a Stav	<u>e</u>	50000	20%	•						
7 8	Makin	g text Bold		Maki	ng tex	t italic					
9 10											
11											
12											
13											
14											
15											
16											
17											
18 19											
	New York States					-	(an)				1
Ready		Sheet2 Sh	0013 . 12					lines	TI COR. LOOM		
increase.	Sheet 1							(internal)	100%		· · · · · · · · · · · · · · · · · · ·

More Text-Decoration Options

There are more options available for text decoration in Formatting cells » Font Tab »Effects cells as mentioned below.


- **Strike-through:** It strikes the text in the center vertically.
- **Super Script:** It makes the content to appear as a super script.
- **Sub Script:** It makes content to appear as a sub script.

Z	39.00			sample workbook.ds	ox - Microsoft Exc	el		9	6	2
-	ile Home		age Layou	t Formulas Data R	eview View	Developer		~ (00	23
3	te J	hbri - 11 I U - A - ③ - ▲ - Font	ij	E ■ ■ → S · % ·	Format as		G⇔losert + G™ Delete + EFormat + Cells		Find & Select -	
	A2	• (*	4	Format Cells				9 X	1	-
1	A	В		Number Alignment Font	Border Fi	Protection]		к	1.1
2		Salary Ca	Iculat	Eonti		Font style:	Şze:			f
3	No. N	ame	Salar	Calbri		Bold	11			
4	1 M	larc		T Canòria (Headrigs)	· ·	Regular Italic	· 8			
5	2 <u>St</u>	ave		Adobe Arabic		Bold	10			
6			_	Adobe Casion Pro		Sold Italic	12			
7	Chock th	nisto strike		Adobe Devanagari			* 14			
8		is to suike		Underline:		Çolor:	the second s	20175232		
9	text			None		12	No.	rmal font		
10				Effects		Preview				11
11	Maketov	t Suporcerly		Strikethrough			CONSIGNA-			
12	wake tex	t Superscrip	л - 1	Superscript		- 1	aBbCcYyZz			
13	NIVINYOUSSEE IN U		1	🖉 🖾 Subscript		2				1
14	Make tex	t Superscrip	ot 👘							
15			-	This is a TrueType font. The sam	ne font will be used	on both your print	ter and your son	een,		
16			- 1	and and an						1
17			- 8							
18			-							1
19				L				1		¥
8C.	Shee	t1 / Sheet2 /	Sheet3				OK	Cancel	•	E
Re	NO/ 3		1				-		•	

You can rotate the cell by any degree to change the orientation of the cell.

Rotating Cell from Home Tab

Click on the **orientation** in the **Home tab**. Choose options available like Angle Counter Clockwise, Angle Clockwise, etc.



Rotating Cell from Formatting Cell

Right Click on the cell. Choose Format cells » Alignment » Set the degree for rotation.

X . · · · ·	sample workbook.xlsx - Microsoft Excel	c 🖽 🖾
File Home Inset PageLayout Formulas	Data Review View Developer	
$\begin{bmatrix} X \\ U_{\Delta} \\ F_{D} & U_{\Delta} \\ J \\ $		27 A
C5 • (* 1/2 2000	Format Cells	
A B C 1 Calculator Calculator 3 No. Name Amount Trans 4 1001 Marc 55,000.00 17.09. 5 1002 Stave \$2,000.000 15.09. 6 7 7 7 8 9 10 11 12 13 14 15 16 17 18 16		
10 H + + H Sheet1 / Sheet2 / Sheet3 / (2) Ready / 2	OK Can	

31. SETTING COLORS

You can change the background color of the cell or text color.


Changing Background Color

By default the background color of the cell is white in MS Excel. You can change it as per your need from **Home tab > Font group > Background color**.


8	a 17 • 01	* (v .		sample work	book size + M	icrosoft	Ercel					00	
17.	Hom	e biseit	Page Layout Formu	nas Data Review	C. Mini-	Develo	iper					∩ @ ==	88
Past	23- 2	alibei B Z Y - For	· · · · · ·		5 - %	• 1		tional Forma 8 as Table * Sples	ting -	Genter - Genter - Genter - Cen		A Find &	
	D3	• (*)	fe Theme O	olors									1
1	A	В	¢	\sim	E F		6	н	1	2	к	L	5
1			Calcul										
1	No. M	lame	Amount 📕 🖬 🖬		Click	here	tor	hange	hack	ground	color		
4	1001 M	Marc	SS, Standard	Colors	CIICA	nere	= 10 0	nange	Jack	ground	color		
5	1002 5	tay	\$2.0 🗰 🕮 🗐										
6		/	7 10	ange //									
7													
8 9	Backgr	ound co	lor change to	Orange									
	10.0000		1970 A. M. COURTE OF SE	STADA ROOM									
0													
11													
2													
4													
5													
5													
7													
18													
a.,			Sheet3 / 13				140				_		-
6.6	500	nu // 5neel2	Sinters (Ta				1.1.1			Contraction of the Instance			1

Changing Foreground Color

By default, the foreground or text color is black in MS Excel. You can change it as per your need from **Home tab » Font group » Foreground color**.




Also you can change the foreground color by selecting the cell **Right click** » **Format cells** » **Font Tab** » **Color**.



If you don't like the default alignment of the cell, you can make changes in the alignment of the cell. Below are the various ways of doing it.


Change Alignment from Home Tab

You can change the Horizontal and vertical alignment of the cell. By default, Excel aligns numbers to the right and text to the left. Click on the available option in the Alignment group in Home tab to change alignment.



Change Alignment from Format Cells

Right click on the cell and choose format cell. In format cells dialogue, choose **Alignment Tab.** Select the available options from the Vertical alignment and Horizontal alignment options.



Exploring Alignment Options

1. Horizontal Alignment: You can set horizontal alignment to Left, Centre, Right, etc.

- Left: Aligns the cell contents to the left side of the cell.
- **Center:** Centers the cell contents in the cell.

- **Right:** Aligns the cell contents to the right side of the cell.
- **Fill:** Repeats the contents of the cell until the cell's width is filled.
- **Justify:** Justifies the text to the left and right of the cell. This option is applicable only if the cell is formatted as wrapped text and uses more than one line.

2. Vertical Alignment: You can set Vertical alignment to top, Middle, bottom, etc.

- **Top:** Aligns the cell contents to the top of the cell.
- **Center:** Centers the cell contents vertically in the cell.
- **Bottom:** Aligns the cell contents to the bottom of the cell.
- **Justify:** Justifies the text vertically in the cell; this option is applicable only if the cell is formatted as wrapped text and uses more than one line.

Merge Cells

MS Excel enables you to merge two or more cells. When you merge cells, you don't combine the contents of the cells. Rather, you combine a group of cells into a single cell that occupies the same space.

You can merge cells by various ways as mentioned below.

 Choose Merge & Center control on the Ribbon, which is simpler. To merge cells, select the cells that you want to merge and then click the Merge & Center button.

Easter Factor	Mon A c	e Insert P	Page Layout Form				aakudux - Micros	OLENCE					Contraction	-See
Paste			493,003,461, 3,870	ulas Da	ta Re	niew.	View Deve	loper					• 0 =	1 S 10
Пресса	9		$ \mathbf{u} + \mathbf{A}^* \mathbf{A}^*$ + $\partial \mathbf{A} \cdot \underline{\mathbf{A}} \cdot$	E E E	≫·· 使使	AN RUN	General • \$ • % • •A -M Mare & Senter	器 Format a 写 Cell Shite		P=Snor P=DeS DeS Cet	ete + nat +	Σ · Α Ξ· Στ 2· Son & Lotin	Select *	
	A2	• (*	Ja Salary C	alculator		3	Merge Bores							- 10
4	A	8	C	D	E	2	Merge Cells	н	1	E	∹К.	L	M	-
2	-	Salary C	alculator			F	and the second state of the second							
3	No.	Name 4	Salary Amount	Tax			n	nerge C	ontrol in	Angn	mer	itgroup		
4		Marc	2000	10%										
5	2 5	tave	50000	20%										_
6 7														
7														_
8 9	Mei	ged cells f	rom A2 to D	2										
10														
11														
2														
13														
14 15														
-														
16														-
17 18														
19														
÷	101 101	et1 / Sheet2 /	Children (197)			1		100			-		1	10
Ready		ect . 206612 .	soletta / ty]¥[100	000 000	(A) (A)	0	•

• Choose **Alignment tab** of the Format Cells dialogue box to merge the cells.

2 2 · · · · · ·	sample workbookutur - Microsoft Excel	0 8 X
Image: Solution of the set of the	Review View Developer 	• Q - # = 7 A)
13 14 15 15 15 17 18 19 **** * Sheet1_Sheet2_Sheet3_*3 **********************************	() × () × () × () × () × () × () × () ×	

Additional Options

The **Home » Alignment group » Merge & Center control** contains a dropdown list with these additional options:

- **Merge Across:** When a multi-row range is selected, this command creates multiple merged cells one for each row.
- **Merge Cells:** Merges the selected cells without applying the Center attribute.
- **Unmerge Cells:** Unmerges the selected cells.

Wrap Text and Shrink to Fit

If the text is too wide to fit the column width but don't want that text to spill over into adjacent cells, you can use either the Wrap Text option or the Shrink to Fit option to accommodate that text.

	The second second	Page Layout Form	inder Odd	and the second		
Paste J Cipboard	B Z U - E	<u>-</u> δ· <u>Δ</u> ·	Abgne		S • % • 20 Format as Table • 24 Oelete • 2 Format Cells	1. Zi ura 2 militari
A 1 2 3 No 4 5 6 7 8 9	8 Salary C	Je adsdasc C alculator Salary Amount 2000 50000	D Tax 10% 20%	E E Isdasda Iasdasd Sasd	Text alignment. borcontal: General Dident. Yerboat 0 0 Bottom 2 Aastfr dor/builed Text control W Wroo text Strive to tex Borge colls Right-co-left Yest direction:	Orientation T t t t t t t t t t t t t t t t t t t
10 11 12 13 14 15 16 17 17 Ready	Sheet1 Sheet2	Sheet3 . *3	wrap 🖌			0K Cancel

34. BORDERS AND SHAES

Apply Borders

MS Excel enables you to apply borders to the cells. For applying border, select the range of cells **Right Click » Format cells » Border Tab » Select the Border Style**.

□ • (• • ≠	sample workbook.xlsx - Microsoft Excel 😄 🔟 🧏
File Home Insert PageLayout F	ormulas Data Review View Developer 🛛 🖓 🗆 🔗
A Calleri · II · ■ ■ · □ · · · · · · · · · · · · · · · · · · ·	Image: Second stress General Image: Second stress Second stres Second stress Second stress
pboard /2 Font /2 Alignme	Format Cells
C6 • (* 54 1000	
A 8 C	Number Alignment Font Border Fill Protection
	Line Presets
Salary Calculator	Styles [197] [17]
No. Name Salary Amour	t None
1 Marc 200	None Qutine Inside
2 Stave 50	8 Border
3 Abhay 100	
4 John 40	
5 Jay 60	Text
6 Michel 80	Q gelor:
7 Stephanie 30	0 Automatic 💌 💽
8 Lesi 40	
9 Elizabeith 70	
i 10 Jonson 50	in the second seco
11 Steve 80	Select border style
i 12 Pippa 50	N1 State Sta
5 13 Clarck 350	· · · · · · · · · · · · · · · · · · ·
14 Mario 450	d
15 Connie 550	¢
8	OK Cancel
+ + H Sheet1 Sheet2 Sheet3 . PJ	

Then you can apply border by Home Tab » Font group »Apply Borders.

Excel 2010

2 2 7.		¥.		sampl	e workbool	calar-	· Microsoft 8	ixcel	-		10		8
Fide Ho	me	Insert Page L	ayout For	multes	Data	Revi	ew View	Deve	loper) - 18	1 2
Paste	Calib B E	a + 11 + Z ∐ + A' A' A + 	(* (* * E = =	11 H H	General S - % % % Number		路 Conditio 認 Format 図 Cell Styl	as Table =	itting =	G≪Insert = G≪ Delete = E Format = Cells	E · A	Find & Select -	
C6		Bottom Donter		(Interest	and desired and the second			-alteri-			11		
A	E	Top Border		D	E	8 1	F	G	н	1	1	K.	1
1	E	Left Border	-	-				- C	1111		1.1		1
2 Sala		Bight Border			Set	Bor	der from	Home	Tab				
3 No.		No Bordet		XX.									
4 1		All Borders		3	10%								
5 2	· ····	7 (S. S. S. L. S. L. S. L. S. L. S. L. S. S. L. S. S. S. L. S.		2	20%								
6 3		Outgide Borders			10%								
7 4		Thick Box Burder			10%								
8 5		Bottom Double Bor		- 7	10%					_			
9 6	_	Thick Bottom Borde	1		10%								-
10 7	1.144	Top and Bottom Bo	rder		10%					-			-
11 8 12 9		Top and Thick Botto	m Border		80%					1			
13 10	6.612	Top and Doyble Bo	ttom Border		20%					- 1			
14 11	Ora	w Borders			10%					1			
15 12	102	Drag Border		1	10%								
16 13	14	Draw Border Grid		1	10%								
17 14	2	Erase Border		2	10%								
18 15	2	Line Color		2	20%								
19		Line Style		-									
CON Sh	田	More Borders						4					Ð
Ready 2		all contractors and		-			194	2002 - C	1	回日 100%	0 0		Đ

Apply Shading

You can add shading to the cell from the **Home tab » Font Group » Select the Color**.

35. APPLY FORMATTING

63)	10.1	(H + 14					sampl	e wor	kbook.xlsx	- Microse	oft Ex	cel				(ic)	(E) - 3	×
17	ie He	ome 🗄	Incert	Page	Layout	Fórr	nutas	Da	ta Rei	iew v	iew	Develo	per			00	005	3
Pat .	1 24-	Calibri B Z E ·	U -	-		(r 4) 8 8	18 . J	\$ 74	eral • • % • 22 mber /2	ਡ Form 夢 Cell	nat a Style	nai Format s Table * s * tyles	ting *	G** Insert * G** Delete * (B) Format * Cells	Σ 3. 2.	Sort & Filter	Select *	
	C13			B														- 5
4	A		10	日相日	10.00	10.00	D		E	F		G	н	6 I.		j.	к	- 5
1					前日:	1 i i i	-											T
2	Sala	iry Calci	н.				-		lect to	annly	sh	ading						
	No.	Name	Stan	dard Colo	r6		'ax	36	ieccio	appiy	311	aumg						
4	1	Marc		100.00	20.00		1 0	10%										
5	2	t Stave		N. Orang	1		1	10%										
6	3	Abhay		More Col			13	0%										
7	4	1 John				4000	1	10%										
8		s Jay				6000	- 3	0%										
9	6	5 Miche	5			8000		20%										
10	2	5teph	anie			3000		0%										
ц		3 Lesi				4000		10%						1				
12		Elizabe				7000	the second second	10%		1000				1				-1
13		Jonson	3			5000	<u> </u>	10 ⁵	_ >	hadeo	1 CE	511		-				
14		t Steve				8000		1056						_				-1
15		2 Pippa				5000		0%						_				-
16		3 Clarck				3500		.0%						-				-1
17		4 Mario				4500		10%										1
18	15	Connie	0			5500	1.2	10%										-1
19														_				4
ĩ.	* # St	heet1	Shee	t2 / 5he	et3	12	_					e la						6
Rea	1 5												1 TOUR	ICH (13 100%)	0	0		

Formatting Cells

In MS Excel, you can apply formatting to the cell or range of cells by **Right Click» Format cells» Select the tab.** Various tabs are available as shown below.

	ata Review View Developer	000B
🖞 🔏 Calibri - 11 - 🗮 📰 📰 Ger		~ 9 ~ %
A DIG AA B B B S V	teral · Image: Conditional Formatting * Image: Conditi	Sort & Find & Fi
C6 Format Cells	<u>.</u> ?	Citing
A B Number Alignment For	t Border Fill Protection	K
Category:		
	ample	
No. Name Durnery	000	
1 Marc Accounting Ge	nera format cels have no specific number format.	
2 Stave Date		
3 Abhay Percentage Fraction	Format cell dialogue with	
4 John Scientific	various tabs	
5 Jay Text Specal		
6 Michel Custom		
7 Stephanie		
8 Lesi		
9 Elizabeith		
10 Jonson		
11 Steve		
12 Pippa		
13 Clarck		
14 Mario		
15 Connie		
	OK Cancel	1
* K Sheet1 / Sheet2 / 1 dy *1		

Alternative to Placing Background

- **Number:** You can set the Format of the cell depending on the cell content. Find tutorial on this at **MS Excel - Setting Cell Type**.
- Alignment: You can set the alignment of text on this tab. Find tutorial on this at MS Excel Text Alignments.
- Font: You can set the Font of text on this tab. Find tutorial on this at MS Excel Setting Fonts.
- **Border:** You can set the border of cell with this tab. Find tutorial on this at **MS Excel Borders and Shades**.
- Fill: You can set fill of the cell with this tab. Find tutorial on this at MS Excel
 Borders and Shades.
- **Protection:** You can set cell protection option with this tab.

36. SHEET OPTIONS

Sheet Options

MS Excel provides various sheet options for printing purpose like generally cell gridlines aren't printed. If you want your printout to include the gridlines, Choose **Page Layout » Sheet Options group » Gridlines » Check Print**.

A	mes Margins	Page Layout Formulas Data Review View Developer Crientation Size Print Breaks Background Print Page Setup Scale to Fit (1996)	Gridlines Headings Wiew Wiew Print Print Sheet Options	Arrange
	C6 • (*	Page Setup	1	
1 2	A B Set Print area Salary Calculator	Page Margins Header/Footer Sheet	Lick to open	x sheet
3	No. Name	Print bles	Open sheet o	ption
5	2 Stave	Bows to repeat at top:		
6	3 Abhay	Columns to repeat at left:	Dialogue	
7	4 John	Print	-	
8	5 Jay	Cogments: (None)	Check this	to
9	6 Michel	Elizadi and white Cell errors as: displayed	print grid li	ines
0	7 Stephanie	Draft gualty		
1	8 Lesi	Row and column headings		
2	9 Elizabeith	Page order		
3	10 Jonson	Qown, then over		
4	11 Steve	Oger, then down		
5	12 Pippa	I Lucasiand		
6	13 Clarck	Print titles to		
7	14 Mario	repeat Print., Print Preview Conform.,		
18	15 Connie	Print Print Preview Options		
19	F.M. Sheet1 / Sheet2	OK Cancel		1

Options in Sheet Options Dialogue

- **Print Area:** You can set the print area with this option.
- **Print Titles:** You can set titles to appear at the top for rows and at the left for columns.
- Print:
 - **Gridlines:** Gridlines to appear while printing worksheet.
 - **Black & White:** Select this check box to have your color printer print the chart in black and white.

- **Draft quality:** Select this check box to print the chart using your printer's draft-quality setting.
- **Rows & Column Heading:** Select this check box to have rows and column heading to print.
- Page Order:
 - **Down, then Over:** It prints the down pages first and then the right pages.
 - **Over, then Down:** It prints right pages first and then comes to print the down pages.


37. ADJUST MARGINS

Margins


Margins are the unprinted areas along the sides, top, and bottom of a printed page. All printed pages in MS Excel have the same margins. You can't specify different margins for different pages.

You can set margins by various ways as explained below.


• Choose Page Layout » Page Setup » Margins drop-down list, you can select Normal, Wide, Narrow, or the custom Setting.



These options are also available when you choose File » Print.



If none of these settings does the job, choose Custom Margins to display the Margins tab of the Page Setup dialog box, as shown below.



Center on Page

By default, Excel aligns the printed page at the top and left margins. If you want the output to be centered vertically or horizontally, select the appropriate check box in the Center on Page section of the Margins tab as shown in the above screenshot.

Page Orientation


Page orientation refers to how output is printed on the page. If you change the orientation, the onscreen page breaks adjust automatically to accommodate the new paper orientation.

Types of Page Orientation

- **Portrait:** Portrait to print tall pages (the default).
- **Landscape:** Landscape to print wide pages. Landscape orientation is useful when you have a wide range that doesn't fit on a vertically oriented page.


Changing Page Orientation

• Choose Page Layout » Page Setup » Orientation » Portrait or Landscape.



Choose File » Print.

•



Header and Footer

A header is the information that appears at the top of each printed page and a footer is the information that appears at the bottom of each printed page. By default, new workbooks do not have headers or footers.

Adding Header and Footer

• Choose Page Setup dialog box » Header or Footer tab.

X . ····	sample workbook.visx - Microsoft Excel	0 B
File Home In	ert Page Layout Formulas Data Review View Developer	a 🕜 🗆 🛱 🎗
Themes Colors - Themes O Effects - Themes	rgins Orientation Size Print Breaks Background Print Titles Scale: 100 Page Setup Scale to Fit	atic • 🗹 View 😥 View Arrange
E9	Page Setup	19
A		н і ј к 🕻
1	Page Margins Header/Footer Sheet	
2 3 No. Name	ABC Corp Page 1	Click to go to page
4 1 Marc		setup dialogue
5 2 Stave	Hegder:	
6	ABC Corp, Page 1	
7		Custom Header
8	Gustom Header Cystom Pooter	
9	Ecoter:	
10	Confidential, 9/22/2011, Page 1	
11		
12	Confidential 9/20/2013 Fage 1	
13		
15	Different odd and even pages Different first page	Custom Footer
16	V Scale with document	Customrooter
17	V Align with page margins	
18	Print Preview Gotons	Various options
19		
KAN Sheet1 S	OK Cancel	
Ready 🔄		III 100% (+) (+)

You can choose the predefined header and footer or create your custom ones.

- **&[Page] :** Displays the page number.
- **&[Pages] :** Displays the total number of pages to be printed.
- **&[Date] :** Displays the current date.
- **&[Time] :** Displays the current time.
- **&[Path]&[File] :** Displays the workbook's complete path and filename.
- **&[File] :** Displays the workbook name.
- **&[Tab] :** Displays the sheet's name.

Other Header and Footer Options

When a header or footer is selected in Page Layout view, the **Header & Footer > Design > Options** group contains controls that let you specify other options:

- **Different First Page:** Check this to specify a different header or footer for the first printed page.
- **Different Odd & Even Pages:** Check this to specify a different header or footer for odd and even pages.

- Scale with Document: If checked, the font size in the header and footer will be sized. Accordingly if the document is scaled when printed. This option is enabled, by default.
- Align with Page Margins: If checked, the left header and footer will be aligned with the left margin, and the right header and footer will be aligned with the right margin. This option is enabled, by default.

Page Breaks

If you don't want a row to print on a page by itself or you don't want a table header row to be the last line on a page. MS Excel gives you precise control over **page breaks.**

MS Excel handles page breaks automatically, but sometimes you may want to force a page break **either a vertical or a horizontal one**, so that the report prints the way you want.

For example, if your worksheet consists of several distinct sections, you may want to print each section on a separate sheet of paper. **Insert Horizontal Page Break:** For example, if you want row 14 to be the first row of a new page, select cell A14. Then choose **Page Layout » Page Setup Group » Breaks» Insert Page Break.**

R	з н	ome	Insert I	age Liyou	n For	mula	s C	ata Re	dev V	new Deve	loper			000	2
A	A Fo	rects =	Margins Ori	entation	- At	net ea.	1040	Backgroun	Titlei	1 Height:	Automatic * Automatic * 100% :	Gridlines	Headings	Arrange	
-	Themes A14	2	• (*	f.	Page 5	etup		Insert Page I Bemove Page		Scale t	o Pit i G	Sheet O	ptions 74		-5
4	A	1	8	1070.00	c		E 125	Reset All Pag		G	н	L.	Ű.	ĸ	ţ
1							-	(A.) / H. C. C.	in an interest	~			161		1
2			Salary C	alculator	0.					Ins	ert Page	Break			
3 1	No.	Nam	e	Salary	Amount	Tax									
4		I Marc	1		2000	1	10%	(
5	- 3	2 Stave	8		5000	Ē	20%								
б	3	3 Abha	iy .		10000	6	10%	ê							
7		4 John			4000	£	20%	(-				
8	1	5 Jay			6000	ę	10%								
9		6 Mich	A CONTRACTOR OF A CONTRACTOR OFTA CONTRACTOR O		8000		20%								4
10		7 Stepl	hanie		3000		10%								. [
11		8 Lesi			4000		20%								_
12		9 Elizat			7000		20%								1
13	1	0 Jonso	on		5000		20%								4
14		Steve			8000		20%		- Row	v 14th wil	lappear	on next	page		-1
15		2 Pippi			5000		10%				0.03		PL/VES		-
16		3 Clarc			3500		10%								_
17		4 Mario			4500		20%								-1
18	1	S Conn	ie		5500	E.	20%	ř.							-1
19											-				.,
4 4	P H S	heeti	Sheet2	Sheet3	183					0.41					D
Real	dy 🛅	1									100 03 0	100%) 0		

Insert vertical Page break: In this case, make sure to place the pointer in row 1. Choose **Page Layout » Page Setup » Breaks » Insert Page Break** to create the page break.

K 1	d 17 . (- I - .	54	mple workbook.ds	· Microso	oft Excel			10	(8)	8.
	Ho	me Insert	Page Layout Formula	n Data Re	wew V	new Deve	loper			0 - 0	2
A		6 - Marsina Or	nentation Size Print Page Setup	Breaks Backgroun	Titles		Automatic · Automatic · 100% [or Fit		Headings	Ch Arrange	1
	C1	• (**)	f.v.	Bemove Pag							
4	A	в	c	Reset All Poo		G	н	1	-3	к	1
1											
2		ry Calculator	-			Inse	rt Page B	reak			_
0.00	No.	Name	Salary Amount Tea	<u> </u>							_
4		Marc	2000	1070							
5		Stave	5000	20%	<				2012100000		
6		Abhay	10000	10%	- 0	olumn C	to appea	ar on nea	xt page		
7		John	4000	20%							
8		Jay	6000	10%							-
9		Michel	8000	20%							
0		Stephanie	3000	10%							4
11		Lesi	4000	20%							
2		Elizabeith	7000	20%							-
13		Jonson	5000	20%							-
14		Steve	8000	20%							_
15		Pippa	5000	10%							-
16	0.011	Clarck	3500	10%							-
17		Mario	4500	20%							-
18	15	Connie	5500	20%							-1
9			1								
	F B Shi	eet1 Sheet2	Sheet3 CJ			1341		1.00) F	0
Read	1 2						1/000/0000 0	100%	0 0	6	+)

Removing Page Breaks

- Remove a page break you've added: Move the cell pointer to the first row beneath the manual page break and then choose Page Layout » Page Setup » Breaks » Remove Page Break.
- **Remove all manual page breaks:** Choose Page Layout » Page Setup » Breaks » Reset All Page Breaks.

Background Image

Unfortunately, you cannot have a background image on your printouts. You may have noticed the **Page Layout » Page Setup » Background command.** This button displays a dialogue box that lets you select an image to display as a background. Placing this control among the other print-related commands is very misleading. Background images placed on a worksheet are never printed.

Alternative to Placing Background

- You can insert a Shape, WordArt, or a picture on your worksheet and then adjust its transparency. Then copy the image to all printed pages.
- You can insert an object in a page header or footer.

X)	29.6.14	sample workbook.xkx - Microsoft Excel 🚥 🛙	9 83
f	Home	Insert Page Layout Formulas Data Review View Developer 🗠 🚱	- Ø 83
A	Alronts *	Argons Orientation Size Print Area Page Setup Print Page Setup G Scale to Fit G S	Sa nange
	C6 (2 Sheet Background	
al.	A		K C
1		G v + Libraries + Pictures + Sample Pictures + 49 Search Sample Pictures P	1
2	Salary Cal	Organize • New folder Add Background for display in sheet 🗐 • 🗇 🔞	
3	No. Nam	Add background for display in sheet	
4	1 Marg	Z Microsoft Excel Pictures library Anange by Folder •	
5	2 Stave	Sample Pictures	
б	3 Abha	🕆 Favorites .	
7	4 John	The Desktop	
8	5 Jay	& Downloads	
9	6 Mich	9 Recent Places	
10	7 Step	A SkyDrive	
11	8 Lesi	Libraries Chrysanthemum. Desert.jpg Hydrangeas.jpg Jellyfish.jpg	
12	9 Eliza	jpg totales chysionalitic beaupy rhoundes, py register, py	
13	10 Jonse	Libraries	
14	11 Steve	Documents	
15	12 Pipp	J Music And	
16	13 Clard	Pictures	
17	14 Mari		
18	15 Conn		12
19		File name: 11.jpg	
14 4	FH Sheet1	Tools - Open - Cancel	14
Rea	wy 🗂		•

42. FREEZE PANES

Freezing Panes

If you set up a worksheet with row or column headings, these headings will not be visible when you scroll down or to the right. MS Excel provides a handy solution to this problem with freezing panes. Freezing panes keeps the headings visible while you're scrolling through the worksheet.

Using Freeze Panes

Follow the steps mentioned below to freeze panes.

- Select the First row or First Column or the row Below, which you want to freeze, or Column right to area, which you want to freeze.
- Choose View Tab » Freeze Panes.
- Select the suitable option:

◦ **Freeze Panes:** To freeze area of cells. ◦ **Freeze Top Row:**

To freeze first row of worksheet. \circ Freeze First Column: To

(m) (m) (m) 2 2 9.000 sample workbook siss - Microsoft Excel Home Insert Page Layout Data Review View Developer 0 0 m # # Formulas **File** Page Break Preview New Window -國 33 Q 123 3 115 10 - G Custom Views Arrange All 102 Page Layout I Full Screen Zoom to Selection Save Workspace W Show Zoom 100% Switch Macros III Freeze Panes * -33 Workbook Views Zoom Evena Keep s and columns visible while the rest of A1 • f. OrderiD the w iheet scrolls (based on current selection). A B C Ð E. Freeze P Bow 2 . لللل Keep the p row visible while scrolling through he worksheet. inntity 1 Orderib Customer Lastr Cole 1 Cagle Green/Navy 2 3 1 Freeze Fix Column (III) Keep the fit 3 Green/Navy column visible while scrolling est of the worksheet. 2 Cantwell 18 3 Snell Green/Navy 4 24 5 4 Lunt Green/Navy 9 45 405 6 **5** Rentel Green/Navy 3 67 201 7 6 Kennedy Red/Navy 6 48 288 Green/Navy 7 Miller 9 441 2 49 **Freeze pane options** 9 8 Zanitsch-Prentice Green/Navy 6 52 312 10 9 Zanitsch-Prentice Red/Navy 0 56 0 10 Morrison Green/Navy 1392 11 24 58 11 Ritchie Blue/Grey 12 18 35 630 13 12 Ritchie Yellow/Grey 3 40 120 14 13 Ritchie Green/Navy 6 75 450 14 cluxton Red/Navy 80 720 15 9 16 15 marguardt Green/Navy 12 70 840 17 16 marquardt Blue/Grey 18 60 1080 18 17 Brian Green/Navy 0 10 0 19 18 Brian Blue/Grey 3 23 69 19 Cordova Green/Navy 20 6 25 150 14 Sheet1 Sheet2 Sheet3 Sheet4 123 100 Ready | 🗂 Count: 6 100 100% (--) 64

freeze first Column of worksheet.

•

If you have selected Freeze top row you can see the first row appears at the top, after scrolling also. See the below screen-shot.

X][10.	(**)¥	51	imple workbo	okadsx - M	icrosoft Excel			19	(e) - X	×
6	ile H	iome Insert Pag	e Layout Fo	rmulas Da	ta Revi	iew View	Developer		~ G) - #	5
Nor		Page Break Preview Page Break Preview Custom Views t Pull Screen arkbook Views	ts G show Zoo			Arrange All	I III IIII IIII Vindow	Save Vorkspace	Switch Windows •	Macros Macros	
	F7	· · (*)	∫x =D7*E	7							
2	A	8	c	D	ε	F	G	н	1	1	100
1	OrderID	Customer Lastname	Color	Quantity	Price	Total Amount					
14	13	Ritchie	Green/Navy	6	75	K 450					
15	14	cluxton	Red/Navy	9	80	720					
16	15	marquardt	Green/Navy	12	70	140					
17	16	marquardt	Blue/Grey	18	60	1080					
18	17	Brian	Green/Navy	0	10	0	1				
19	18	Brian	Blue/Grey	3	23	69		~			
20	19	Cordova	Green/Navy	6	25	150	Firs	t row as	opear on	top	
21	20	Cordova	Yellow/Grey	3	10	30			200		
22	21	Cordova	Blue/Grey	6	8	48					
23	22	Livingston	Yellow/Grey	3	30	90					
24	23	Andy	Green/Navy	18	100	1800					
25	24	Armold	Green/Navy	12	80	960					
26	25	Bowlby	Red/Navy	9	90	810					
27	26	Mandel	Green/Navy	9	85	765					
28	27	Mandel	Blue/Grey	9	75	675					
29	28	Cottrell	Green/Navy	9	95	855					
30	29	Chickey	Green/Navy	9	67	603					
31	30	stash	Green/Navy	3	70	210					
32		and the second se									3
¢ (C. C. Martin and C. Martin and	Sheet1 Sheet2 Sh	eet3 Sheet4	192			200	1011		and the second se	F
Rea	idy 🛅				1000			100%) 0		Ē

Unfreeze Panes

To unfreeze Panes, choose View Tab » Unfreeze Panes.

Conditional Formatting

MS Excel 2010 Conditional Formatting feature enables you to format a range of values so that the values outside certain limits, are automatically formatted.

Choose Home Tab » Style group » Conditional Formatting dropdown.

Various Conditional Formatting Options

• **Highlight Cells Rules:** It opens a continuation menu with various options for defining the formatting rules that highlight the cells in the cell selection

. 43 CONDITIONAL FORMATING

that contain certain values, text, or dates, or that have values greater or less than a particular value, or that fall within a certain ranges of values.

Suppose you want to find cell with Amount 0 and Mark them as red. Choose Range of cell » Home Tab » Conditional Formatting DropDown » Highlight Cell Rules » Equal To.

	es. N	iome Inseit Pag	e Layout For	mulas	Data	Revi	ew View	Developer			A 0 -	d 1
	ile of a	⊡ - <u>ð</u> t - A - Font	Alignment		Gener \$ - *33 - Num	₩. + 8	Conditional Format as fa Cell Styles - Style	oble -	Bertinte Jak Dele Bill Form Celt	nst - Q.	Son & Fin Filter - Sele Editing	
	F1	• (*	∫ Total A						7.62	1 28	1	
4	A	В	C	D	10 M.	E	F	G	н	1	1	
1		Customer Lastname	PARTICIPATION CONTRACTOR	Quant		Price	Total Amount 300					-
2		Cagle	Green/Navy Green/Navy		3 18	100	1080					
1		Snell	Green/Navy	-	24	60 50	1000					
5		Lunt	Green/Navy	Equal						4) x)	£
6		Rentel	Green/Navy	202002	1950	552	11111 111		_		1	-
7		Kennedy	Red/Navy	Form	at cell	s that ar	e EQUAL TO:					-
e		territer .	secol seash	1000				TO MORE TRANSPORT		1012101213	Chrone and	
2	7	Miller	Green/Navy	0			1	with Light	ht Red Fill v	with Dark Red	Text 💌	
8		Miller Zanitsch-Prentice	Green/Navy Green/Navy	d			1	with Light	ht Red Fill v	with Dark Red	Text 💌	
5	8	Miller Zanitsch-Prentice Zanitsch-Prentice	Green/Navy	0				≦ with Lig≯	OK		Cancel	
0	8	Zanitsch-Prentice	Green/Navy Red/Navy	d	474	00		Sg with ∐g			Land I	
0	8 9 10	Zanitsch-Prentice Zanitsch-Prentice	Green/Navy		18	35	630				Land I	
0 1 2	8 9 10 11	Zanitsch-Prentice Zanitsch-Prentice Morrison	Green/Navy Red/Navy Green/Navy			35 40					Land I	
0 1 2 3	8 9 10 11 12	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie	Green/Navy Red/Navy Green/Navy Blue/Grey		18		630				Land I	
9 0 1 2 3 4	8 9 10 11 12 13	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie	Green/Navy Red/Navy Green/Navy Blue/Grey Yellow/Grey		18 3	40	630 120				Land I	
0 1 2 3 4 5	8 9 10 11 12 13 14	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie	Green/Navy Red/Navy Green/Navy Blue/Grey Yellow/Grey Green/Navy		18 3 6	40 75	630 120 450				Land I	
0 1 2 3 4 5 6	8 9 10 11 12 13 14 15	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton	Green/Navy Red/Navy Green/Navy Blue/Grey Yellow/Grey Green/Navy Red/Navy		18 3 6 9	40 75 80	630 120 450 720				Land I	
0 1 2 3 4 5 6 7	8 9 10 11 12 13 14 15 26	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton marquardt	Green/Navy Red/Navy Green/Navy Blue/Grey Yellow/Grey Green/Navy Red/Navy Green/Navy		18 3 6 9 12	40 75 80 70	630 120 450 720 840				Land I	
012345678	8 9 10 11 12 13 14 15 16 17	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton marquardt marquardt	Green/Navy Red/Navy Green/Navy Blue/Grey Yellow/Grey Green/Navy Red/Navy Blue/Grey		18 3 6 9 12 18	40 75 80 70 60	630 120 450 720 840 1080				Land I	
8 9 0 1 2 3 4 5 6 7 8 9 0	8 9 10 11 12 13 14 15 16 17 18	Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton marquardt marquardt Brian	Green/Navy Red/Navy Blue/Grey Yellow/Grey Green/Navy Red/Navy Blue/Grey Green/Navy		18 3 9 12 18 0	40 75 80 70 60 10	630 120 450 720 840 1080 0				Land I	* 1

After Clicking ok, the cells with value zero are marked as red.

2	G 17 -	(* · 14	10. In all 1	sample w	orkbookadax	 Microsoft Excel 				- Q	1 23
8	ile il	ome Insert Pag	e Layout For	mulas I	Data Rev	iew View I	Developer			○ @ =	
13	ste J	Calibri + 11 B J U + A ⊡ - 3a - A - Font	· · · · · · · · · · · · · · · · · · ·	- s	eneral - \$ - % • \$ 4% Number - ~	Conditional F Format as Tab Cell Styles = Styles	le -	Statisert State Format Cells	· @·	Sort & Fir Fater - Set Editing	
	F1	+ (*	🕼 Total A	mount							-
ыł	A	В	c	D	E	F	G	н	1	11	1
1	OrderID	Customer Lastname	Color	Quantity	Price	Total Amount					1
2	1	Cagle	Green/Navy		3 100	300					
3	2	Cantwell	Green/Navy	18	8 60	1080					
4	3	Snell	Green/Navy	24							
5	4	Lunt	Green/Navy	5	9 45						
6	5	Rentel	Green/Navy		3 67						
7		Kennedy	Red/Navy		5 48						
8		Miller	Green/Navy		9 49						
9		Zanitsch-Prentice	Green/Navy		5 52						
10		Zanitsch-Prentice	Red/Navy		56	0					
11		Morrison	Green/Navy	24							
12		Ritchie	Blue/Grey	18							
13	17.12	Ritchie	Yellow/Grey		3 40						
14		Ritchie	Green/Navy		5 75						
15		cluxton	Red/Navy		9 80						
16		marquardt	Green/Navy	13		1.27					
17		marquardt	Blue/Grey	18							
18		Brian	Green/Navy	9		161 - 161 -					
19	8	Brian	Blue/Grey		3 23						
20	and the state of the	Cordova	Green/Navy sheet3 Sheet4		5 25	150					*0
	ady 🙄	heet1 Sheet2 Sh	sheets Sheet4	183		0.41	(Sim)	III (III 100	s (=)/-	0	- * U (+)

• **Top/Bottom Rules:** It opens a continuation menu with various options for defining the formatting rules that highlight the top and bottom values, percentages, and above and below average values in the cell selection.

Suppose you want to highlight the top 10% rows, you can do this with these Top/Bottom rules.

100	J-0-	tome		Page Layo		rmutas	Data	Revie	Microsoft Excel	Developer				
101	1000		Insert	Page Layo	ut ro					The Real Con-	14.5			- 14ª
1	X	Calibri	* 1	and the second s		1 III	General		The Conditional I				37 6	23
Pat	- 22 -	BI	<u>u</u> • A	X X I	E 😹 3	1 38 -		× •	Format as Tab	ble *	34 Delete		Sort & Fi	200
22	1	· 88 • 1	3+ - A	· 3	常課 3	8/-	16 .23		G Cell Styles *		E format	· 2·	Filter = Se	flect =
Clip	board is	-	Foot	15	Abgomen	it in	Numbe	67 (%)	Style	1	Cetts	_	Editing	
	F1	ê.	• (n)	f.	Total A	Amount								
A	A		8		C	D		E	F	G	н	101	1	
1	OrderiD	Custon	er Lastna	me	Color	Quant	sty P	rice	Total Amount					
2	1	Cagle		Gree	en/Navy		3	100	300					
3	2	Cantwo	-11	Gree	en/Navy		18	60	1080					
4	3	Snell		Gree	en/Navy	1	24	50	1200					
5	4	Top 105	2	- 1997	Contraction of the local division of the loc	2	×	45	405	- To	p rows m	arked	with G	reen
6	5	100 10		-	and the second	2 million		67	201		with Gre			
7	6	Forma	t cells that	rank in t	he TOP:			48	288		with Gre	enva	IN IEAL	
8	2	10	- 15 with	Green Fil	with Dark	Green Tev		49	441					
9	8	1.00	Ell - se more	Service a	CONTRACTOR OF	or contraction of	- LDS	52	312					
10	9			E	OK	Car	icel	50	0					
11	10	No. of Concession, Name		-				58	1392	Cone	litional F	ormati	ting of	
12		Ritchie			Grey		18	35	630				ung or	
13		Ritchie			ow/Grey		3	40	120	top	10% rows			
14		Ritchie			en/Navy		6	75	450					
15		cluxtor			/Navy		9	80	720					
16		marqua			en/Navy		12	70	840					
17		marqua	indt		/Grey		18	60	1080					
		Brian			en/Navy		0	10	0					
18	18	Brian			e/Grey en/Navy		3	23	69 150					
18 19 20		Cordov												

• **Data Bars:** It opens a palette with different color data bars that you can apply to the cell selection to indicate their values relative to each other by clicking the data bar thumbnail.

With this conditional Formatting, data Bars will appear in each cell.

z] (🔓	1	01 - 91				sample v	orkbool	endor -	Micros	oft Excel						here and	
Film		iome Ini	ert Pa	pe Leyout	Form	ulas	Cuta .	Revi	ny I	view 1	Developer					0 0 c	
123	x	Calibri	- 11			-	eneral		Si Cor	ditional F	ocmatting	- 5	N# Brises		Σ.	37 6	6
Paste	1	B 2 3 ⊞• 0	- A -	A* ■目 (例)	x %	-	s - % 21 -23	-	1	Highligh	t Cells Rule	• •	Form	iat =		Filter + Sel	nd di est =
190-0	F1	Fo	- (~	The second second	otal An	CONTRACTOR OF A DESCRIPTION OF A DESCRIP	Number	<u></u>	10	Iop/Both	tom Rules		Celli		-	Editing	-
111	A		n :	6	and the second	D	Ť	1.0					1.22		-	10.	-
1 10		Customer	other and the second second	Cole	or i	Quantit	A CONTRACTOR OF A CONTRACTOR O		圓	Date flar	612		Grad	ient fill	1.1		-
2		Cagle		Green/	and the second se		3	100			*		招	目接	111	8	
3		Cantwell		Green/1		1	8	60	1001	Color Sci	Jes		10000	1.1.1	1.18		
4	3	Snell		Green/I	Navy	2	4	50			1		13	113	11	8	
5	4	Lunt		Green/I	Navy		9	45	1111	Icon Sets	1		Solid	na		100	
6	5	Rentel		Green/I	Navy		3	67	Case of	84004000	1		Bath	1.825	1 HR	5H	
7	6	Kennedy		Red/Na	vy		6	48	町 :	jew Rute			(A)	CHARLES .	1.38	8	
8	7	Miller		Green/	Navy		9	49	1.05 (Jear Rules		1.	(B4E)	1.645	1.84	B	
9	8	Zanitsch-F	Prentice	Green/t	Navy		6	52	面	Annage Bu	det	۱.	UBCH	- Here	1.186	88	
10	9	Zanitsch-S	Prentice	Red/Na	Contraction in the		0	56	_	0		1		More II.	ules_	- I	
11		Morrison		Green/I	and the second se		4	58		1392			/				
17		Ritchie		Blue/Gr	(11) (11) (11) (11) (11) (11) (11) (11)		8	35		630		Ann	lvin	g dat	a ha	ar	
u		Ritchie		Yellow/	Contraction of the last		3	40		120	/	~~~		5 uat	and		
14		Ritchle		Green/			6	75	100 million (1990)	450							
15		cluxton		Red/Na			9	80	1000	720							
16		marquard		Green/I	0.00 × 4		2	70		840		r	ata	Bary	ville	appear	
17		marquard	L.	Blue/Gr			8	60	-	-			, ara			oppedi	
LS		Brian		Green/1			0	10		0							
19		Brian		Blue/Gr	1		3	23		69							
20		Cordova heat1 St	neet2 /S	Green/I	heats	2	6	25	8	150		-	- 14		_		10
Ready		tinder De	HOULE - SI	ineca - 5			erage: 55		Count: 1	a contract of the laterature	16524		المحققة والمسالم	00% (- 1	0	

• **Color Scales:** It opens a palette with different three- and two-colored scales that you can apply to the cell selection to indicate their values relative to each other by clicking the color scale thumbnail.

See the below screenshot with Color Scales, conditional formatting applied.

Z] 6	1	Piniw.		sample w	orkbook.dsx	- Micros	oft Excel				- de	1
141	Ho	me pricert	Page Layout Fo	rmutas I	Data Rev	ew)	View Developer				00	a (6)
胞	18	Set of the second	11 - = = =		eneral =	1 Con	nditional Formatting	9 3	- Insert		· 47 6	65
Paste	3		A* A* 副 副 3 读 读 读	»·· ·	8 - % 8 - 23 Number - 14	-20	Highlight Cells Rul	es •	* Deleta) Forma Cells	1000	Sort & Fit Fitter - Sel	nd & leit •
Culter	F1	* (*	and welling the second	Amount	Number 1.	10	Top/Notion Rules	٠	C405		Long	
4	A	8	c	D	τ	lines:			H	1	1.	1 3
1 0	orderID.	Customer Lastna	ame Color	Quantity	Price		Data Bars					
2		Cagle	Green/Navy			i were a			Case	1361	and Land	1
3		Cantwell	Green/Navy	14			Color Scales	T.	1221	(1)		ų
4		Snell Lont	Green/Navy Green/Navy	2	4 50 9 45	(32)		1	10000	5883	538 HMG	-
6		Rentel	Green/Navy	1	3 67		Joon Sets	1	1993	Childel 1		-
7	1.1.5	Kennedy	Red/Navy		6 48	119 1	Jew Rule	1	目開目	日朝日	調理	
8	71	Miller	Green/Navy		9 49	100	Sear Rules				times cames	
9	8 2	Zanitsch-Prentic	e Green/Navy	1	5 52		Manage Bules		1 1	Sore Rules		1
10	93	Zanitsch-Prentic		3	0 56		0	1	1			
11		Morrison	Green/Navy	2			1392		1			
12		Ritchie	Blue/Grey	11			630		54,000			
13		Ritchie	Yellow/Grey		3 40	\$	120		Appl	ying co	olor scal	es
14		Ritchie cluxton	Green/Navy Red/Navy		6 75 9 80		450					
16		marguardt	Green/Navy	1			840					
17		marquardt	Blue/Grey	1			1080	0	alored	dealle	as per	
18		Brian	Green/Navy		0 10	5	0	u	nored	rcens	as per	
19	18 1	Brian	Blue/Grey	1	3 23		69					
20	and the second sec	Cordova	Green/Navy		6 25		150					
+ + Read		eet1 Sheet2	< Sheet3 Sheet	and the second second second	riage: \$50.8	Count: 3	1 Sum: 16524	-			0	+ E (+)

• **Icon Sets:** It opens a palette with different sets of icons that you can apply to the cell selection to indicate their values relative to each other by clicking the icon set.

See the below screenshot with Icon Sets, conditional formatting applied.

S D Ref		(* - (* ome Insett Pag	e Layout For	sample mulat	Data Reni	Microsoft Excel			12	n 23
P	×	Calibri + 11	1		General +	$J^{\!$	anser .		47	A
Paste	1.	$\begin{array}{c c} \mathbf{B} & \mathbf{f} & \underline{\mathbf{U}} & \mathbf{-} & \mathbf{A}^* \\ \hline \blacksquare & \mathbf{-} & \mathbf{O} \mathbf{s} + \mathbf{A} & \mathbf{-} \end{array}$	(田澤道 決決 (国· 8·•	5 - % · % -3	Highlight Cells Rules	* Delet		Sort & I Filter = 5	lind &
ilpb:		Forit	Alignmen	A DESCRIPTION OF THE OWNER	Number /2	11 Top/Bottom Rules	Cells		Editing	
	F1	+ (*	🖍 🛛 Total A	mount		-10 Toby portions spaces				*
4	A	8	с	D	E	Data Bars	H	1	1	1.
1.00	sociality and	Customer Lastname	Color	Quanti	A second s	and a second sec	<u>د ان </u>			
2		Cagle	Green/Navy		3 100	1.000	Courses			18
8		Cantwell	Green/Navy		18 60	Color Scales	" Direct			
1		Snell	Green/Navy	-	24 50	(12)	10	> &	6	中令
5		Lunt Rentel	Green/Navy		9 45	kon Sets	1 .	3 Arrows (0	(bered)	
		Kentei Kennedy	Green/Navy Red/Navy		128 0123	H Bew Rule	\$			m the abov
7		Miller	Green/Navy		9 49	And a second sec				 Each icon in the cell.
3		Zanitsch-Prentice	Green/Navy		6 52		**************************************			10110100000
0		Zanitsch-Prentice	Red/Navy		0 56	1. 1.44	Shap	0.0		
1		Morrison	Green/Navy		24 58	and the second se	0	90		00
2		Ritchie	Blue/Grey		18 35	44 mm	0		0	00
3	12	Ritchie	Yellow/Grev		3 40	- ICON SET O	ption			
4	13	Ritchie	Green/Navy		6 75	450	Indica	ators		
5	14	cluxton	Red/Navy		9 80	720	00	30		1 2
6	15	marquardt	Green/Navy		12 70	\$ 840	14.	p. 16		0.17.0025
7	16	marquardt	Blue/Grey			> 1080	Ratin	5 - 87		
8	17	Brian	Green/Navy		0 10				1.0	1.1.1
9	18	Brian	Blue/Grey		3 23	54 HD 1	1.4	13 13	all	all all a
0		Cordova	Green/Navy		6 25	A CONTRACTOR OF A CONTRACTOR O	•		O all	all all a
		heet1 Sheet2 Sh	eet3 Sheet4						88	
Read	x 23	I		. A	verage: 550.8	Count: 31 Sum: 16524		More Rules		

- **New Rule:** It opens the New Formatting Rule dialog box, where you define a custom conditional formatting rule to apply to the cell selection.
- Clear Rules: It opens a continuation menu, where you can remove the conditional formatting rules for the cell selection by clicking the Selected Cells option, for the entire worksheet by clicking the Entire Sheet option, or for just the current data table by clicking the This Table option.
- Manage Rules: It opens the Conditional Formatting Rules Manager dialog box, where you edit and delete particular rules as well as adjust their rule precedence by moving them up or down in the Rules list box.

Formulas in MS Excel

Formulas are the Bread and butter of worksheet. Without formula, worksheet will be just simple tabular representation of data. A formula consists of special code, which is entered into a cell. It performs some calculations and returns a result, which is displayed in the cell.

Formulas use a variety of operators and worksheet functions to work with values and text. The values and text used in formulas can be located in other cells, which makes changing data easy and gives worksheets their dynamic nature. For example, you can quickly change the data in a worksheet and formulas works.

Elements of Formulas

A formula can consist of any of these elements:

Mathematical operators, such as +(for addition) and *(for multiplication)

Example:

 \circ =A1+A2 Adds the values in cells A1 and A2.

Values or text

Example:

- \circ =200*0.5 Multiplies 200 times 0.15. This formula uses only values, and it always returns the same result as 100.
- Cell references (including named cells and ranges)
 Example:
 - =A1=C12 Compares cell A1 with cell C12. If the cells are identical, the formula returns TRUE; otherwise, it returns FALSE.
- Worksheet functions (such as SUMor AVERAGE) Example:
 - \circ =SUM(A1:A12) Adds the values in the range A1:A12.

Creating Formula

For creating a formula, you need to type in the Formula Bar. Formula begins with '=' sign. When building formulas manually, you can either type in the cell addresses or you can point to them in the worksheet. Using the **Pointing method** to supply the cell addresses for formulas is often easier and more powerful method of formula building. When you are using built-in functions, you click the cell or drag through the cell range that you want to use when defining the function's arguments in the Function Arguments dialog box. See the below screen shot.

	ial in - C Re Ho		age Layout For	sample work nulas Dati	bookala - Micro Review		loper	-		000	
	ste J	Calibri - 11 B I U - A ⊡ - 39 - A Font		Gene - S - - % - Num	% · 遂的 第一号0	onditional Form ormat as Table * ell Styles * Styles		G* Insert * G* Delete * E Format * Cells	2º F	T & Find & ter - Select - diting	
	E4	• (*	fx =C4*D4	*	11100						1
d.	A	8	c	D	E	F	G	H	1	- J.	1
1					~						1
2		Salary Ca			CHARLEN COMPANY	Formula	a Bar t	o write fo	rmula		
3	No.	Name	Salary Amount		ix Payable	0000000000					-
4		Marc	2000	10%	200						-
5	2	Stave	50000	20%	↑						-
6											-
7											-
9					Result cel	where fo	rmula	is written	6		
10								See Presserved			
11											
12											
13											
14											
15											
16											_
17											
18	-										4
19											
	And in case of the local distance of the	eet1 Sheet2	Sheet3 . 82			14		- M.,	_		D
Rei	idy 🛅						(00)	100%	Θ	0 (Ð

As soon as you complete a formula entry, Excel calculates the result, which is then displayed inside the cell within the worksheet (the contents of the formula, however, continue to be visible on the Formula bar anytime the cell is active). If you make an error in the formula that prevents Excel from being able to calculate the formula at all, Excel displays an Alert dialog box suggesting how to fix the problem.

Copying Formulas in MS Excel

Copying formulas is one of the most common tasks that you do in a typical spreadsheet that relies primarily on formulas. When a formula uses cell references rather than constant values, Excel makes the task of copying an original formula to every place that requires a similar formula.

Relative Cell Addresses

MS Excel does it automatically adjusting the cell references in the original formula to suit the position of the copies that you make. It does this through a system known as **relative cell addresses**, where by the column references in the cell address in the formula change to suit their new column position and the row references change to suit their new row position.

Let us see this with the help of example. Suppose we want the sum of all the rows at last, then we will write a formula for first column i.e. B. We want sum of the rows from 3 to 8 in the 9^{th} row.

Z.	5d 19 - 0		The sub-	54	imple work	kbook.xlsx	- Micro	osoft E	xcel	-	P	10000	2.5
R.	de Hor	ne Inse	rt Page L	nyout Fo	rmulas	Data	Review	- 1	lew Devel	oper		• @ =	98
		Calibri B I U E • Sa Form	• 11 • A' A' • <u>A</u> •		i ⊠i • ≽⊷	General S - % % -% Number		A bites	Gells	2.1	ort & Find & Rec - Select - diting		
_	89		C	Jx =SUM	83:88)								1
64	A	8	с	7 C	£	F		1 8 ()	H	- TC	(a))	к	E
1				sales of	içana 👘								1
2	Part No.	Jan-13	Feb-13	Mar-13	Apr-13	May-1	ut é	n-13	Total Sale				
3	Part 100	204	200	180	70	23	9	245	1229				
4	Part 101	248	300	280	220	210	9	200	1458				
5	Part 102	674	600	450	400	450		400	2974				
ő	Part 103	656	195	300	350	320	0	315	2136				
7	Part104	180	300	295	270	31	5	328	1688				
8	Part 105	200	400	410	435	- 4		392	2238				
9	Tota 🗇 ie	2162	1995	1915	1845	192	× .	1880					
10			N				Sugar	1			1		- 1
11	8					FO	rmuia	a pa	r showing	tormu	la		
12	3												-
13	Dr	an this t	to right c	alls to co	ny forn	auta wi	th rel	lativ	e cell add	ressin	7		
14		op ans a	to right c	-113 10 10	PJ 1011	ind wi	unrei	aciv	cucinadu	ressing	5		
15	1												
16													
17													
18 19													- U
	1												
20	C H Shi	eet1 She	share	13/22	_		-	-0-	0	10			+0
	ady 2		and anoe	0.0.00							0%	0	

After writing formula in the 9th row, we can drag it to remaining columns and the formula gets copied. After dragging we can see the formula in the remaining columns as below.

- **column C :** =SUM(C3:C8)
- **column D :** =SUM(D3:D8)
- **column E :** =SUM(E3:E8)
- **column F :** =SUM(F3:F8)
- **column G :** =SUM(G3:G8)

2 10 - 0		-	5	ample wor	kbook.xlsx - I	Aicrosoft E	xcel			000	
File Hor	ne insert	Page La	yout Fo	ermutas	Data Re	view 1	View Deve	toper			di di i
Rate da -	Calibri B Z U · E · Ar ·	и А́х́ Д		· 图·	General S • % • % 28 Number	A Styles	G**Insert * I* Delete * E Pormat * Cells	2.1	ort & Find & iter - Select - Editing		
C9	*	(r	fx =SUM	(C3:C8)							
- A.	8	C.	DN	E	E	G	в	1	1	ĸ	1
1				light)							
2 Part No.	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Total Sale				
3 Part 100	204	200	180	170	230	245	1229				
4 Part 101	248	300	280	2.0	210	200	1458				
5 Part 102	674	600	450	400	450	400	2974				
6 Part 103	656	195	300	350	320	315	2136				
7 Part104	180	300	295	270	315	328	1688				
8 Part 105	200	400	410	435	101	392	2238				
9 Total Sale	@ 52	1995	1915	1845	192	1880					
10		•			_						
11		10			Form	ula bai	r showing	torm	ula		
12		_									
13											
14	Con	ied Forn	nula wit	h drage	ing using	relati	ve addres	sing			
15 16	cop	icor orn		in an a BE	Sun B annua		re oran es	Sing			
10											
18											
19											
20											
2.0.3	eet1 Shee	t2 Sheet	13 / 12			11	4		1	11	35
Ready 2						110	The second secon	1 U I	00% (=)	0	-(+)

Cell References in Formulas

Most formulas you create include references to cells or ranges. These references enable your formulas to work dynamically with the data contained in those cells or ranges. For example, if your formula refers to cell C2 and you change the value contained in C2, the formula result reflects new value automatically. If you didn't use references in your formulas, you would need to edit the formulas themselves in order to change the values used in the formulas.

When you use a cell (or range) reference in a formula, you can use three types of references: relative, absolute, and mixed references.


Relative Cell References

The row and column references can change when you copy the formula to another cell because the references are actually offsets from the current row and column. By default, Excel creates relative cell references in formulas.

Z]	10 - 1	N - 17	Statistics.	-	ample wor	kbook.slsx	- Microso	ft Exce	1	-	1 m	(cm)(m)	1002.50
HET.	ale Ho	me Insert	Page Li	ayout Fe	ormulas	Data	Review	View	v Deve	loper		- 0 -	g⊋ 2
	nte J.	Calibri B Z U E • A Font	• 11 • A A • A	= = a E = i (k (k Alignme	111 111 111 111 111 111 111 1	General \$ - % % +% Number	• A style	. (P	• Insert - * Delete -) Format - Cells	2.1	ort & Find & itter • Select • Editing		
	B9	-	(*	fr =SUM	(83:88)								18
4	A.	8	C	D	RE	F	G		H	TC		К	- E
1		X		sales o	Links.								1
2	Part No.	Jan-13	Feb-13	Mar-13	Apr 13	May-13	Jun	13 To	tal Sale				
3	Part 100	204	200	180	17	230) :	45	1229				
4	Part 101	248	300	280	220	210) 3	00	1458				
5	Part 102	674	600	450	400	450) 4	00	2974				
6	Part 103	656	195	300	350	320) 1	15	2136				
7	Part104	180	300	295	270	A.	5 3	28	1688				
8	Part 105	200	400	410	435	and the second se		92	2238				
9	Tota 👁 le	2162	1995	1915	1845	1926	11	180					
10		T					1						
11													
12						3	Formu	la us	ingrela	ntive re	ferences		
13		65											-
14	D	esult cell											
15	, n	esuitten											-
16													-
17													-
18	-												- 1
19													
20	< F H	eet1 Shee	The	13/92			-	1141	_				•0
	ady 🗂	ever 2004	CAR DEPENDENCE	Car Car				and a	1 (True)	-	the local distance of	0	()
100	Contraction of the						_	_	1 (time)	State Sold 1114			and the second

Absolute Cell References

The row and column references do not change when you copy the formula because the reference is to an actual cell address. An absolute reference uses two dollar signs in its address: one for the column letter and one for the row number (for example, \$A\$5).



Mixed Cell References

Both the row or column reference is relative and the other is absolute. Only one of the address parts is absolute (for example, \$A5 or A\$5).

21	A 19 . C				sample wor	kbook.slss	- M	crosoft	Excel			0	- 22
G	te Hom	se Insert	Page L	ryout F	ormulas	Data	Revi	ew	View Deve	loper		- O -	- iSI 5
Pa	i	Calibri B J U ∘ ⊞ • I ∰ • Font	- ін А` л` Д`	in the second se	■ 📅 ■ 🖾 - ≫-	General \$ - % % \$8 Number	• •	A Styles	Generate Recenter Generate Cens		Sort & Find & Fifter - Select - Edding		
	нз		C X	fr =SUN	(8\$3:G\$3)							
- 4	A	8	C	0	R.E	F	10	G	н	- 10	(J0)	ĸ	- ¢
1				Sel Philo									1
2	Part No.	Jan-13	Feb-13	Mar-13	AAT-13	May-18	3	Jun-13	Total Sale				
3	Part 100	204	200	180	70	230)	245	1229	←	Result ce	1	
4	Part 101	248	300	280	2.0	210	2	200	1458	-			
5	Part 102	674	600	450	400	450)	400	2974				
6	Part 103	656	195	300	350	320	2	315	2136				
7	Part104	180	300	295	270	315	5	328	1688				
15	Part 105	200	400	410	435	401	L .	392	2238				
9	Total Sale	2162	1995	1915	1845	920	5	1880	6				
10													
11						1							
12					Form	nula wit	hn	hexid	reference	Irelat	ive to colu	mns	
13										2010 C 11 C 11			
14					anu	absolute	ere	ieren	ices to row	13]			
15													
16													
17													_
18													
19													
20			the second s	la series									-
• •	t H She	et1 Shee	t2 Sheet	13 / 23				1			100% (o	*

Functions in Formula

Many formulas you create use available worksheet functions. These functions enable you to greatly enhance the power of your formulas and perform calculations that are difficult if you use only the operators. For example, you can use the LOG or SIN function to calculate the Logarithm or Sin ratio. You can't do this complicated calculation by using the mathematical operators alone.

Using Functions

2 2 17 . (. . . sample workbook.xisx - Microsoft Excel 0 0 . 2.4 0 0 0 F B File Home Insert Page Layout Formulas Data Developer Review View General · A Strategie AN 100 100 100 $\Sigma \cdot \Delta T$ X + 11 × æ 5 - 16 + HA Delete -Styles Paste 2. Filter - Select -- A - (\$ - A -3 课课 沙 28 23 3 Format -Editing Clipboard 14 Font Alignment Number Cells · · × · fx =M SHM C (6) Note: A Returns the relative position of an item in an array that matches a specifie Δ 8 1 (D MAX Feb (MDETE r-13 May-13 Jun-13 Total Sale 2 Part No. Jan-13 3 Part 100 204 = 170 230 245 1229 MOURA 1458 4 Part 101 248 220 210 200 (6) MEDIAN 674 (6) MID 400 450 400 2974 5 Part 102 (OMIN 315 2135 6 Part 103 656 350 320 (C) MINA 180 270 315 328 1688 7 Part104 MINUTE 200 392 2 Part 105 435 401 2238 @ MINVERSE 9 Total Sale 845 1926 1880 2162 6 MIRR 10 Maximum Sold Part =M 11 Minimum Sold Part 12 13 Typing M will show number of functions starting with M 14 15 16 17 18 19 20 K + + H Sheet1 Sheet2 Sheet3 114 FIL HI [] 107% Edit 🔄

When you type = sign and then type any alphabet you will see the searched functions as below.

Suppose you need to determine the largest value in a range. A formula can't tell you the answer without using a function. We will use formula that uses the MAX function to return the largest value in the range B3:B8 as **=MAX(A1:D100)**.

2		sam	ple workt	ook.xlsx - M	licrosoft E	xcel		3	0	- *
File Home Insert	Page Lay	out Form	utas I	Data Rev	iew V	new Dev	eloper			G 8
Poste J Calibri B J U - Poste J E - 22 - Clipboard G Font	$ \mathbf{n}$ \mathbf{A} \mathbf{A} \mathbf{A} \mathbf{A}	harrist.	· ·	eneral • \$ • % • & 48 Number //	A Styles	G⇔Insert • G⇔Delete • E) Format • Cells	Sort	r = Select =		
810 •	6 1	=MAX(B3	3:88)							
A A	B	c k	D	E	F	G	н	18	1	ł
1		Sulps	of 2013	0						
2 Part No.	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Total Sale			
3 Part 100	204	200	180	170	230	245	1229			
4 Part 101	248	300	280	220	210	200	1458			
5 Part 102	674	600	460	400	450	400	2974			
6 Part 103	656	195	300	350	320	315	2136			
7 Part104	180	300	295	270	315	328	1688			
8 Part 105	200	400	410	435	401	392	2238			
9 Total Sale	2162	1995	1915	1845	1925	· VOLAP				
10 Maximum Sold Irt	674	600	450	435	450					
11 Minimum Sold Part	180	195	180	170	210					
12							5			
13		100 10		6 - 19 s		4 22				
14		Max fur	iction	is used in	Formu	ila Bar				_
15										
16										
17										
18										
19										
20		100			D .	-				ingin .
• • • H Sheet1 Shee	t2 Sheet3	1. CO					1009	000		10
Ready 🔄				_	_	100	100 Mile 2001		~	•

Another example of functions. Suppose you want to find if the cell of month is greater than 1900 then we can give Bonus to Sales representative. The we can achieve it with writing formula with IF functions as **=IF(B9>1900,"Yes","No")**

X	1000	-	sample wor	kbook.xlsx -	Microsoft I	Excel	-			×
File Home Inse	rt Page L	ayout F	ormulas:	Data P	Review	View De	veloper			@ E
Paste J Calibri Paste J Calibri Paste J Calibri B Z U Clipboard Is For	$ \stackrel{11}{\cdot} \stackrel{11}{A} \stackrel{1}{\cdot} \stackrel{1}{A} \stackrel{1}{\cdot} \stackrel{1}{\bullet} \stackrel{1}{\cdot} \stackrel{1}{\bullet} \stackrel$	■ ■ ■ ■ 注注 Alignme	■ 田・ ● 田・ ※・ ent 「」	*** ***	* A Styles	Galansert - Galansert - Galansert - Cells	· · ZI	& Find & * Select *		
B12 •	· (*	fx =IF{B	9>1900,"Y	es","No")						1
A	8	с	D	E	F	G	н	- 3C - [1.10	- E
1		5	ules of 201	ù -						1 F
2 Part No.	Jan-13	Feb-13	Mar-13	Apr-13	May-13	3 Jun-13	Total Sale			
3 Part 100	204	200	180	170	230	245	1229			
4 Part 101	248	300	2.80	220	210	200	1458			
5 Part 102	674	600	450	400	450	400	2974			
6 Part 103	656	195	300	350	320	315	2136			
7 Part104	180	300	295	270	315	5 328	1688			
8 Part 105	200	400	410	435	401	L 392	2238			
9 Total Sale	2162	1995	1915	1845	1926	5 1880				_
10 Maximum Sold Part	674	600	450	and the second second		a las la companya de				
11 Minimum Sold Part	180	195	180	170	210	200				
12 Good/Bad	Yes	Yes	Yes	No	Yes	No				
13							17			_
14										
15										
16										
17										
18										_
19										
20	Long to the second				-					
and the second	eet2 Shee	t3 (9)			0		El .		-	P []
Ready C						1	100%		-0	-(+)

Function Arguments

In the above examples, you may have noticed that all the functions used parentheses. The information inside the parentheses is the list of arguments.

Functions vary in how they use arguments. Depending on what it has to do, a function may use.

- **No arguments:** Examples: Now(),Date(),etc.
- **One argument:** UPPER(),LOWER(),etc.
- **A fixed number of arguments:** IF(),MAX(),MIN(),AVERGAGE(),etc.
- Infinite number of arguments
- Optional arguments

48 . BUILT IN FUNCTION

Built In Functions

MS Excel has many built in functions, which we can use in our formula. To see all the functions by category, choose **Formulas Tab > Insert Function.** Then Insert function Dialog appears from which we can choose the function.

2 0 0 0 0 0 0	sample workbook.xlsx - Microsoft Excel	9 53
File Home Insert Page Layout	Formulas Data Review View Developer a @ c	- # X
Function B Financial • Er Date & Time •	Image: Name Name Name Name Name Name Name Name	alculation
D15 • (* X ✓ f= = A 8 C	Insert Function	Ē
1 2 Part No. Jan-13 Feb- 3 Part 100 204 20 4 Part 101 248 34 5 Part 102 674 66 6 Part 103 656 13 7 Part 104 180 34 8 Part 105 200 44 9 Total Sale 2162 19 10 Maxmum Sold Part 674 674 12 Good /Bad Yes Yes 13 14 14 14	Exper a brief description of what you want to do and then click go Go Or select a gategory: Most Recently Used Select a functory: All Financial	
15 16 Insert function button	Held on this function	
20	nction dialogue Function categories	
tot 2 Sheet1 Sheet2 Sheet3 / 22 Edgt 2 2		*

Functions by Categories

Let us see some of the built in functions in MS Excel.

- Text Functions
 - LOWER: Converts all characters in a supplied text string to lower case
 - UPPER: Converts all characters in a supplied text string to upper case
 - TRIM: Removes duplicate spaces, and spaces at the start and end of a text string.

- **CONCATENATE:** Joins together two or more text strings.
- LEFT: Returns a specified number of characters from the start of a supplied text string.
- **MID:** Returns a specified number of characters from the middle of a supplied text string.
- **RIGHT:** Returns a specified number of characters from the end of a supplied text string.
- **LEN:** Returns the length of a supplied text string.
- **FIND:** Returns the position of a supplied character or text string from within a supplied text string (case-sensitive).
- **Date & Time** o **DATE:** Returns a date, from a user-supplied year, month and day.

- TIME: Returns a time, from a user-supplied hour, minute and second.
- **DATEVALUE:** Converts a text string showing a date, to an integer that represents the date in Excel's date-time code.
- **TIMEVALUE:** Converts a text string showing a time, to a decimal that represents the time in Excel.
- **NOW:** Returns the current date & time.
- **TODAY:** Returns today's date.
- **Statistical** o **MAX:** Returns the largest value from a list of supplied •

numbers. o MIN: Returns the smallest value from a list of supplied

numbers. • **AVERAGE:** Returns the Average of a list of supplied numbers.

- **COUNT:** Returns the number of numerical values in a supplied set of cells or values.
- **COUNTIF:** Returns the number of cells (of a supplied range), that satisfies a given criteria.
- **SUM:** Returns the sum of a supplied list of numbers.
- Logical

- **AND:** Tests a number of user-defined conditions and returns TRUE if ALL of the conditions evaluate to TRUE, or FALSE otherwise.
- **OR:** Tests a number of user-defined conditions and returns TRUE if ANY of the conditions evaluate to TRUE, or FALSE otherwise.

49. DATA FILTERING

• **NOT**: Returns a logical value that is the opposite of a user supplied logical value or expression i.e. returns FALSE if the supplied argument is TRUE and returns TRUE if the supplied argument is FALSE).

Math & Trig

•

- **ABS:** Returns the absolute value (i.e. the modulus) of a supplied number.
- \circ **SIGN:** Returns the sign (+1, -1 or 0) of a supplied number. \circ **SQRT:**

Returns the positive square root of a given number.

• **MOD:** Returns the remainder from a division between two supplied numbers.

Filters in MS Excel

Filtering data in MS Excel refers to displaying only the rows that meet certain conditions. (The other rows gets hidden.)

Using the store data, if you are interested in seeing data where Shoe Size is 36, then you can set filter to do this. Follow the below mentioned steps to do this.

- Place a cursor on the Header Row.
- Choose **Data Tab** » **Filter** to set filter.

Z)	30	•	0= +3(#1)			sampl	e word	kboc	skadsa -	Microsof	t Excel	į.				100		*
91.	lile	н	ome Ins	ert Pag	e Layout	Formul	ht.	Da	ta R	exterv	New		level	oper		0	0 -	G
	Uð External Data -		E an	onnections operties bit Links bioos	1.000	Sort &	1		ay app3y vanced	Text to Column			12	Data Valida Consolidate What-If Aru N		∳ Un ∭Sut	group = group = stotal tline	5 at 10
	A	1		• (=	fa	store				~ c	lickh	nere	to	apply fi	lter			
14	A	1	В	1	с	D	1		E	F		G		н	1	1	1.5	1
1	store		sku -	config_a	ttributi	- type	- at	trib	ute_s -	model	- 3	olor		shoe_st-	UPC	6	- cate	goi -
2	admin		3508RK36	RTR13FAL		simple	5	21	Sort At	o Z					84752	2005061	6	
3	admin		350BRK37	TRI3FAL	1	simple	5	31	SpitZt	o A					84752	2005062	3	
4	admin		350BRK38	LTR13FAL	y	simple	5		Sort by	Color					84752	2005064	7	
5	admin		350BRK35	LTR13FAL		simple	5	3	0.000						84752	2005065	4	
5	admin		350BRK40	LTR13FAL	1	simple	5	*	2000	Iter From	Mage	3996			84752	2005066	1	
7	admin		350BRK41	LTR13FAL		simple	5		Fjiter D					1.1	84752	2005067	8	
8	admin		350CFE36	LTR13FAL		simple	5		Text Eilt	ters					84752	2005068	5	
9	admin		350CFE37	LTR13FAL		simple	5		Search					P	84752	2005069	2	
0	admin		350CFE38	LTR13FAL		simple	s		100	(Select All)				84752	2005070	8	
1	admin		350CFE39	LTR13FAL		simple	5		-83	*					84752	2005071	5	
2	admin		350CFE40	LTR13FAL		simple	\$		2.2						84752	2005072	2	
3	admin		350CFE41	LTR13FAL		simple	5		5	20		Ph. 50 (100) 100			84752	2005073	9	
4	admin		356CFE36	LTR13FAL		simple	5		-20	40 1 0	Chec	k or	una	check	84752	2005074	6	
5	admin		356CFE37	LTR13FAL		simple	5		12	41 1	his t	o se	t di	fferent	84752	2005075	3	
б	admin		356CFE38	LTR13FAL		simple	5			110	ond	itior	10	0.0000000000000000000000000000000000000	84752	2005077	7	
7	admin		356CFE39	LTR13FAL		simple	5				Unu	au	15		84752	2005078	4	
8	admin		356CFE40	LTR13FAL		simple	5								84752	2005079	1	
9	admin		356CFE41	LTR13FAL		simple	5			0	ÔK.			Cancel	84752	2005080	7	
0	admin			LTR13FAL		simple	5			1	01		<u> </u>	Sectoral	84752	2005081	4	
	< > > 1		neet1 Sh	eet2 Sh	eet3	Sheet4	2	-	_		191	- 11	-	J				1
2e	ady 2										Count	38	100	二日 100	% ())	10

- Click the drop-down arrow in the Area Row Header and remove the check mark from Select All, which unselects everything.
- Then select the check mark for Size 36, which will filter the data and displays data of Shoe Size 36.
- Some of the row numbers are missing; these rows contain the filtered (hidden) data.
- There is drop-down arrow in the Area column now shows a different graphic

 an icon that indicates the column is filtered.

Z	10	·	-	-	-	sample	workbook.xlsx	- Microsoft E	kcel			100	(ii) - X	5
0.	de	Home	Ins	ert Pag	ge Layout	Formula	is Data	Review V	iew De	veloper		06) - 6	æ
	External late *	Refres All	Di n	annections roperties dit Links	24 2 21 50	and the second se	Advanced	Text to Columns E	Remove	g Data Vəlidə 늘 Consolidate 후 What & Ans		 Grou Ungr Subt Outi 	oup3	
-	н	10		• (m)	fx 3		I DART		Date	006		(Juli	() (A	h
9			в	1	c	D	E	F	G	н	1	10	2.00	ŝ
1	store	~ sk		config a	attribute -	type	- attribute s	- model	-	shoe sta	UPC		categor	ą
2	admin		and the second se	6LTR13FA		simple	shoe	350	Brick	and the second se	847520	Contraction of the local division of the loc	Concerning on the	1
8	admin	35	OCFE36	LTR13FAL		simple	shoe	350	Coffee	36		050685		
14	Mimin	35	6CFE36	SLTR13FAL		simple	shoe	356	Coffee	36	847520	050746		
20	adipin	35	6TUP3	6LTR13FA	L	simple	shoe	356	Taupe	36	847520	050814		
26	admin	43	OCFE36	LTR13FAL		simple	shoe	430	Coffee	36	847520	051088		
32	admin	43	OTUP3	6LTR13FA	L	simple	shoe	430	Taupe	36	847520	051149		
38		1												
39														
\$0			1						Eilt.	erset for	choo	170 26		
\$1			1						rite	ei set ivi	SHOE	MZC 30		
12		1	Rema	iningro	ws gets	hidde	n							
43														
\$4														
45	1													
16														
17														
18														
19														
50										_				į
4.0		Sheet		and the second	heet3 S	heet4	9	0.		Dates and	-		*	
Rei	idy 6 o	136 16	ords for	und 🔛					1/04	100 EB	$m \oplus$	0	÷	

Using Multiple Filters

You can filter the records by multiple conditions i.e. by multiple column values. Suppose after size 36 is filtered, you need to have the filter where color is equal to Coffee. After setting filter for Shoe Size, choose Color column and then set filter for color.

K I	10	•	(** ** E.#				sam	ple v	vorkbook.xlsx +	Microsoft E	xcel			() (c.c.s	0	×
10	ile	н	me	Inse	rt Pa	ige Layout	Form	utas	Data R	eview V	iew De	veloper		~ (রু হ
	60	1	C 41		nnection	24 2	X	1	K Clear		100 - LT.	🗿 Data Valida Pe Consolidat		- Gros	ip - 1	124 7
	External		efresh	_	it Links	ž1 5	ort F	itter	Advanced	Text to		What-B An		梁 Ung		-
	bata ~	- 3		nech			C.a.d	5. 19		Columns D	Data 1		alysis +	Out		14
								05.750			- Data s	990			inse .	
		1			CC .		color									
A	A		8			C	D		E	F	G	н		1.	3	
1	store	-	Canal Street of			attributs	type	-	attribute_s -		- Contraction of the local division of the l	shoe_sia	UPC	-	catego	38 ~
8	admin				TR13FA		simpl	e	shoe	350	Coffee			20050685		
4	dmin		356CF	E36L	TR13FA	L.	simpl	e	shoe	356	Coffee	36	84753	20050746		
6	admin		430CF	E36L	TR13FA	a,	simpl	le	shoe	430	Coffee	36	84752	20051088		
8																
9	1															
0																
1	10	•	Filtor	ho	Record	le										
2	1		rincer	eu	necon	12						4	1000			
3											Fil	terset on	Colo	11 ⁻		
4																
5																
6																
7																
8																
9	1															
0																
1																
2																
3						general sector -		-		11						
			neet1		iet2 5	iheet3 5	sheet4	100	2			The second se	-	-		•
Rei	ady Fill	er l	Mode	23	-				1		1/0	8	2% ()	0		Ð

50. DATA SORTING

Sorting in MS Excel

Sorting data in MS Excel rearranges the rows based on the contents of a particular column. You may want to sort a table to put names in alphabetical order. Or, maybe you want to sort data by Amount from smallest to largest or largest to smallest.

To Sort the data follow the steps mentioned below.

- Select the Column by which you want to sort data.
- Choose Data Tab » Sort Below dialog appears.

-	17 H	iome Insert Pag	e Layout For	nulas Data	Review	View	Developer		0 0	0 8 1
Get t	lið Sternal s ata *	Connections Properties All * East Data Connections	21 <u>21</u> 31	W Clear To Steappi Titter G Advance	Test to	ns Duplicates	Exconse	/alidation + lidate If Analysis +	 ➡ Group ➡ Ungrou ∰ Subtot Outlin 	E" • qu
	81	• (*	∫ Custom	er Lastname						Į.
-41	A:	n 4	C	D	E	E	G	н	1	1
1	OrderID	Customer Lastname	Color	Quantity	Tot	I Amount				1
2	1	Cagle	Green/Navy	3	190	300	0.1			
3	2	Cantwell	Green/Navy	18	60	1080	Sele	ect the o	corumn	
4	3	Snell	grandalina			ane -	- 83	1		
5	4	Lunt	Sort Warning	. 95		- Nitter	Contraction of the local division of the loc			
6	5	Rentel	Mcrosoft Exce	found data next t	o your selecti	on. Since you	bave not			
7	6	Kennedy	selected this d	ata, it will not be so	rted.					
7	-7	Kennedy Miller	selected this d	ata, it will not be so	rted.					
8	7	SS3077335A	CONTRACTOR -	ata, it will not be so vant to do?	rted.		$\overline{\}$			
-	7	Miller	What do you w @ Expand t	ata, it will not be so vant to do?	rted.			Clicks	ort to so	ort data
8 9 10	7 8 9	Miller Zanitsch-Prentice	What do you w @ Expand t	ata, it will not be so vant to do? he selection	rted. slection			Click S	ort to so	ort data
8 9 10	7 8 9 10	Miller Zanitsch-Prentice Zanitsch-Prentice	What do you w @ Expand t	ata, it will not be so vant to do? he selection	rted.		ancel	Click S	ort to so	ort data
8 9	7 8 9 10 11	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison	What do you v @ Expand B @ Continue	ata, it will not be so vant to do? he selection	rted. dection			Click S	ort to so	ort data
8 9 10 11 12 13 14	7 8 9 10 11 12	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie	What do you w @ Expand B @ Continue Green/Navy	ata, it will not be so vant to do? he selection with the current se 6	rted. slection			Click S	ort to so	ort data
8 9 10 11 12	7 8 9 10 11 12 13	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie	What do you v @ Expand B @ Continue	ata, it will not be so vant to do? he selection with the current se	rted. dection			ClickS	ort to so	rt data
8 9 10 11 12 13 14	7 8 9 10 11 12 13 14	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie	What do you w @ Expand B @ Continue Green/Navy	ata, it will not be so vant to do? he selection with the current se 6	rted. dection Sort 75) [450		ClickS	ort to so	rt data
8 9 10 11 12 13 14 15	7 8 9 10 11 12 13 14 15	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton	What do you v @ Expand II @ Continue Green/Navy Red/Navy	ata, it will not be so vant to do? he selection with the current se 6 9	rted. dection Sort 75 80			Click S	ort to so	rt data
8 9 10 11 12 13 14 15 16	7 8 9 10 11 12 13 14 15 16	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton marquardt	What do you v @ Expand I @ Continue Green/Navy Red/Navy Green/Navy	ata, it will not be so want to do? he selection with the current se 6 9 12	rted. Jection Sort 75 80 70	450 720 840		ClickS	ort to so	ort data
8 9 10 11 12 13 14 15 16 17 18	7 8 9 10 11 12 13 14 15 16 17	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton marquardt marquardt	What do you v © Expand t © Continue Green/Navy Red/Navy Green/Navy Blue/Grey	ata, it will not be so want to do? he selection with the current se 6 9 12 18	rted. dection 75 80 70 60	450 720 840 1080		Click S	ort to so	rt data
8 9 10 11 12 13 14 15 16 17	7 8 9 10 11 12 13 14 15 16 17 18	Miller Zanitsch-Prentice Zanitsch-Prentice Morrison Ritchie Ritchie Ritchie cluxton marquardt marquardt Brian Brian	What do you # @ Expand B @ Continue Green/Navy Red/Navy Blue/Grey Green/Navy Green/Navy	ata, it will not be so vant to do? he selection with the current se 6 9 12 18 0	rted. dection 75 80 70 60 10	450 720 840 1080 0		Click S	ort to so	rt data

- If you want to sort data based on a selected column, Choose **Continue** with the selection or if you want sorting based on other columns, choose **Expand Selection.**
- You can Sort based on the below Conditions.

 Values: Alphabetically or numerically.
 Cell Color: Based on Color of Cell.
 Font Color: Based on Font color.
 - \circ Cell Icon: Based on Cell Icon.

Get	External Refres	Connections	21 21 21 Sort		ear apply	view View Text to Remove Columns Duplicate Dat	Ea Conse	/alidation = Hidate & Analysis =	⇔ Group ⇒ Group ⇒ Ungro ∰ Subtot Outlin	• •3 up • *3
i	82	• (*	f* Cagle							
A.	A	в	C	D	E	F	G	H	1	J
1	OrderID Cus	tomer Lastname	Color	Quantity	Price	Total Amount				
2	1 Cag	le	Green/Navy	3	100	300				
3	2 Ca	Sort	and the second			1000		0.90	weither]	
4	3 Sn	*		1			2.24	920.00M	1000	
5	4 Lu	PilAddLevel	X Relete Level	Ca Copy Le	vel 🗠	✓ Qpbors	(9)	My data has	beaders	
6	5 Re	dum		Sort On		Orc	ier .			
7	6 Ke	Sot by Custome	er Lastname 🛛 👻	Values		- At	οZ			
a 1										
ð:	7 Mi		7			, knot i L				
8	8 Za		5			- Annel - L				
9 10	8 Za 9 Za		2	\backslash		, kand () I				-
9	8 Za 9 Za 10 Mi		2	\backslash		, Long O L				-
9 10 11	8 Za 9 Za 10 M 11 Ri	Sort Dialo	que			. Long () i				
9 10 11 12	8 Za 9 Za 10 Mi 11 Ri 12 Ri	Sort Dialo	gue	Colu	mn to s	. Long () i				
9 10 11 12 13	8 2a 9 2a 10 Mi 11 Ri 12 Ri 13 Ri	Sort Dialo	gue	Colu	mn to s	. Long () i				
9 10 11 12 13 14	8 Za 9 Za 10 Mi 11 Ri 12 Ri 13 Ri 13 Ri 14 Clu		gue	Colu	mn to s	. Long () i				
9 10 11 12 13 14 15 16	8 2a 9 2a 10 Mi 11 Ri 12 Ri 13 Ri 14 Clu 15 ma		loiceitiort.			ort by	<u></u>			
9 10 11 12 13 14 15 16 17	8 2a 9 2a 10 Mi 11 Ri 12 Ri 13 Ri 14 Clu 15 ma 16 mai	quandt	Blue/Grey	12	60	ort by	_ ox			
9 10 11 12 13 14 15 16 17 18	8 2a 9 2a 10 Mi 11 Ri 12 Ri 13 Ri 13 Ri 14 Cl 15 ma 16 mai 17 Bria	quanta rquardt in	Blue/Grey Green/Navy	12	60	50rt by 0 1080 0 0	_ ox.			
9 10 11 12 13 14 15 16 17 18 19	8 2a 9 2a 10 Mi 11 Ri 12 Ri 13 Ri 13 Ri 14 Cl 15 mä 16 ma 16 ma 17 Bra 18 Bra	quant quardt in	Blue/Grey Green/Navy Blue/Grey	12 18 0 3	60 10 23	50rt by 0 1080 0 0 3 69	_ ox.			
9 10 11 12 13 14 15 16 17 18 19 20	8 2a 9 2a 10 Mi 11 Ri 12 Ri 13 Ri 13 Ri 14 Cl 15 ma 16 mai 17 Bria	rquardt in in dova	Blue/Grey Green/Navy	18 0 3 6	60	50rt by 0 1080 0 0 3 69	_ ox.			

□ Clicking Ok will sort the data.

X)	d 7	 In +1 	¥		58	mple w	orkboo	okadsx <	Micro	soft Excel				1000	0 - 2	×
G	ile	Home	Insert Pag	e Layo	ut For	idulas:	Da	ta P	eview	View	Devel	oper		\$ @	- 9	ε
	Enternal Ista *	Refresh All*	Connections Properties Edit Links ennections	21 31		Filter nt & Fil			Tex	t to Remov imns Duplicat	13.	Consol What-J	alidation + lidate f Analysis +	 ⇒ Group ⇒ Ungro ∰ Subtot Outlin 	up = =] tal	-
_	c	13	• (m	f.		_										
	A		В		с	E	ă. I	ε		F	0	3	н	1	J	ţ
1	Order	D Custo	omer Lastname		Color	Quar	itity	Price	To	tal Amount	e l					1
2		1 Andy		Gree	n/Navy	1.1.1	3	1	00	300	0					
3		2 Andy		Gree	n/Navy		18		50	1080	2					1
4		3 Armo	ld	Gree	n/Navy		24		50	1200						
5		4 Armo	ld	Gree	n/Navy		9		15	403	7					
6		5 Bowl	by	Gree	n/Navy		3		57	201		1				
7		6 Bowl	by	Red/	Navy		6		18	288	3					1
8		7 Brian		Gree	n/Navy		9		19	44)	1	1				
9	_	8 Brian		Gree	en/Navy		6		52	312	2	.)				
10		9 Brian		Red/	Navy		0		56	()		ed Reco			
11	1	0 Cagle	۱ <u>.</u>	Gree	en/Navy		24		58	1392	2	Cust	tomer La	ist name	Ē.	
12	1	1 Canty	vell	and the second s	/Grey		18		35	630						
13		2 Chick	1977 H	the second se	w/Grey		3		10	120						
14		3 Chick			n/Navy		6		75	450	-0					
15		4 cluxt			Navy		9		30	720						
16		5 Corde			n/Navy		12		70	840	54					
17		6 Cord	0.40		/Grey		18		50	1080	17					
18		7 Corde	SSD:	the state of the	n/Navy		0		10							
19	-	8 Corde			/Grey		3		23	65						
20	A 4 10 10 10 10 10 10 10 10 10 10 10 10 10	9 Corde	and the conception of the balance	and the second second	n/Navy		6		25	150	0				-	j
14 4	sdy 1	Sheet1	Sheet2 / Sh	eet3	Sheet4	2.63					1001	and investor	100% (-)	10		34

Sorting option is also available from the Home Tab. Choose Home Tab » Sort & Filter. You can see the same dialog to sort records.

z	d 17 . (V . v	sam	ple workbook	extsx - Micro	soft Excel		(CON)	e) X
R	Home Insert Pa	ge Layout Form	utas Data	a Review	View	Developer	~ 0	0 8 8
Past	Da. BIN A	· = = = = = = = = = = = = = = = = = = =	Gene 20] - S - 5.0 - 5.0 - Num	% • s	A Grainse tytes B for Cell	nat - 2 - Filter		
repière	B2 • (*	Cagle		and the second	100 938M	ži	Sort 2 to A	~
91	A B		D	E	F.	G 🔢	Custom Sort	J
1	OrderID Customer Lastnam		Quantity	Price To	otal Amount	74	Eitter	1
2	1 Cagle	Green/Navy	1	100	300	14	Clear	
3	2 Cantwell	Green/Navy	N.	60	1080		Reamon	
4	3 Snell	Green/Navy	24	50	1200		1722-80 (0.00)	- 1
5	4 Lunt	Green/Navy	9	45	405		•	
6	5 Rentel	Green/Navy	3	0	201		100 70	
7	6 Kennedy	Red/Navy	6	48	288	Sort	& Filter opti	on
8	7 Miller	Green/Navy	9	49	441		uni estation	
9.	8 Zanitsch-Prentice	Green/Navy	6	52	2			
10	9 Zanitsch-Prentice	Red/Navy	0	56	0			
11	10 Morrison	Green/Navy	24	58	1392	1		
12	11 Ritchie	Blue/Grey	18	35	630	Home	Tab	
13	12 Ritchie	Yellow/Grey	3	40	120	120-221200		
14	13 Ritchie	Green/Navy	6	75	450			
15	14 cluxton	Red/Navy	9	80	720			
16	15 marguardt	Green/Navy	12	70	840			
17	16 marquardt	Blue/Grey	18	60	1080			
18	17 Brian	Green/Navy	0	10	0			
19	18 Brian	Blue/Grey	3	23	69			
20	19 Cordova	Green/Navy	6	25	150	2		
• •	→ M Sheet1 Sheet2 / 1 dy 23	Sheet3 Sheet4	132.739726	Count: 232	1 4 Sum: 19380	1009 200 000 100%	0	*

51. USING RANGES

Ranges in MS Excel

A cell is a single element in a worksheet that can hold a value, some text, or a formula. A cell is identified by its address, which consists of its column letter and row number. For example, cell B1 is the cell in the second column and the first row.

A group of cells is called a range. You designate a range address by specifying its upper-left cell address and its lower-right cell address, separated by a colon

Example of Ranges:

- **C24**: A range that consists of a single cell.
- **A1:B1**: Two cells that occupy one row and two columns.
- A1:A100: 100 cells in column A.
- **A1:D4**: 16 cells (four rows by four columns).

Selecting Ranges

You can select a range in several ways:

- Press the left mouse button and drag, highlighting the range. Then release the mouse button. If you drag to the end of the screen, the worksheet will scroll.
- Press the Shift key while you use the navigation keys to select a range.
- Press F8 and then move the cell pointer with the navigation keys to highlight the range. Press F8 again to return the navigation keys to normal movement.
- Type the cell or range address into the Name box and press Enter. Excel selects the cell or range that you specified.

Z	19		*		5.0	mplev	vorkbog	skueles - I	Micros	oft Excel			100		×-
-	and the second se	Home		e Layse	ut For	mules	Da	ta Re	water	View	Developer		- 6	0	9 E
Get E	aternal ta *	Retrest AR-	Connections Properties = East Units Connections	24 %4	Sort So	Fitter riter			Text I	nns Duplicate	E Conse	validation = olidate -3 Analysis =	⇔ Grou ⇒ Ungr ∰ Subti Outi	oup - "	L 14 L
	11R	x 4C	- C	f.	Kenne	dy									1
out1	A		8	T:	c	1.11		THE .	1	F	G	н	1.	13	
1	Ordert	D Cust	omer Lastname			Qua	ntity	Price	Tot	at Amount					1
2		1 Cagle	0	Gree	m/Navy	_	3	10	Ö	300					
3		2 Cant	well	Gree	n/Navy		18		0	1080					
4		3 Snell	1	Gree	n/Navy		24	5	0	1200					
5		4 Lunt		Gree	n/Navy		9	4	5	405					
6		5 Rent	ol	Gree	m/Navy		3	6	7	201		a second second	1000 million		
7		6 Kenr	sedy	Red/	Navy		6	4	8	288	Name	Box Sh	owingF	lange	£ 1
8		7 Mille	er		n/Navy		9	4	9	441					
2		8 Zanit	tsch-Prentice	Gree	n/Navy		6	5	2	312					
10		9 Zanit	tsch-Prentice	Red/	Navy		0		6	0					
11	1	10 More	lison	Gree	n/Navy		24	5	8	1392					
12	1	11 Ritch	ile	Blue	/Grey		18	3	5	630					
13		12 Ritch	1220	Yello	w/Grey		3	- 4	0	120					
14	1	13 Ritch	sie		n/Navy		6	7	5	450					
15	1	4 cluxt	ion	Red/	Navy		9	8	0	720					
16	23	15 marc	quardt		n/Navy		12	7	° <	240	Se	lected R	ange		
17	1	16 marc	guardt	Blue	/Grey		18	6	0	1080					
18	1	17 Brian	8	Gree	n/Nevy		0	1	0	0					
19		18 Briar			/Grey		3		3	69					
20	1	19 Cord			n/Navy		6	2	5	150					
4 4	* *	Sheet1	Sheet2 Sh	net3	Sheet4						10000	- 10		1 1	•
Beas	17 C	3.3.1			Aver	age: 33	1.363656	36. Cos	ant: 44	5um 734	((an) (13) (13)	1 100% (-)	0		(\pm)

Selecting Complete Rows and Columns

When you need to select an entire row or column. You can select entire rows and columns in much the same manner as you select ranges:


- Click the row or column border to select a single row or column.
- To select multiple adjacent rows or columns, click a row or column border and drag to highlight additional rows or columns.
- To select multiple (nonadjacent) rows or columns, press Ctrl while you click the row or column borders that you want.

Z)	J .7 .	• (* •)•	5.81	nple workbook.	alex - Micr	osoft Excel			/ herest	·	38
-0	de	Home Incert Pag	e Layout Form	nulas Data	Review	v View	Developer		~ O	- 9	2
	113 External Nata -	Refrections Alt - Connections Connections	24 <u>2 x </u> 31 Sort 1	T Const Conter School	oly III	tto Remove umns Duplicate Da	Data Vi De Consol S (D) What-3 ta Toots	Idate	 ♦ Group ♦ Ungro ♦ Subto Outlin 	hup =3 tal	
	D	• (~	Le Quantit	Ŷ							T
- 4	A	0	c	D	E	Æ	G	H	2.00	3	5
1.	Orderit	D Customer Lastname	Color	vittow	Price T	otal Amount					1
2	1.00	1 Cagle	Green/Navy		100	300					
3		2 Cantwell	Green/Navy	18	-	1080					_
-4		3 Snell	Green/Navy	24	50	1200					
5		4 Lunt	Green/Navy	9	45	405	-				
6		5 Rentel	Green/Navy	3	67	201	10 P.				
7		6 Kennedy	Red/Navy	6	48	288	Multiple	column	as solort	hot	
8		7 Miller	Green/Navy	9	49	441	nuicipie	corunn	is seree	eu	
9		8 Zanitsch-Prentice	Green/Navy	6	52	312					
10		9 Zanitsch-Prentice	Red/Navy	0	56	0					
11	1	0 Morrison	Green/Navy	24	58	1392					
12	1	11 Ritchie	Blue/Grey	18	35	630					
13	1	12 Ritchie	Yellow/Grey	3	40	120					
14	1	13 Ritchie	Green/Navy	6	75	450					
15	1	14 cluxton	Red/Navy	9	80	720					
16	1	L5 marguardt	Green/Navy	12	70	840					
17		16 marquardt	Blue/Grey	18	60	1080					
18	1	17 Brian	Green/Navy	0	10	0					
19	1	18 Brian	Blue/Grey	3	23	69					
20		19 Cordova	Green/Navy	6	25	150					3
14	t to st tody PT		neet3 Sheet4	CJ e(8.511627907	Count: 1	14	1/000/028 039	100% ()	0		

52. DATA VALIDATION

Data Validation

MS Excel data validation feature allows you to set up certain rules that dictate what can be entered into a cell. For example, you may want to limit data entry in a particular cell to whole numbers between 0 and 10. If the user makes an invalid entry, you can display a custom message as shown below.



Validation Criteria

To specify the type of data allowable in a cell or range, follow the steps below, which shows all the three tabs of the Data Validation dialog box.

• Select the cell or range.

• Choose Data » Data Tools » Data Validation. Excel displays its Data Validation dialog box having 3 tabs settings, Input Message and Error alert.

Settings Tab

Here you can set the type of validation you need. Choose an option from the Allow drop-down list. The contents of the Data Validation dialog box will change, displaying controls based on your choice.

- **Any Value:** Selecting this option removes any existing data validation.
- Whole Number: The user must enter a whole number. For example, you can specify that the entry must be a whole number greater than or equal to 50.
- **Decimal:** The user must enter a number. For example, you can specify that the entry must be greater than or equal to 10 and less than or equal to 20.
- **List:** The user must choose from a list of entries you provide. You will create drop-down list with this validation. You have to give input ranges then those values will appear in the drop-down.
- **Date:** The user must enter a date. You specify a valid date range from choices in the Data drop-down list. For example, you can specify that the entered data must be greater than or equal to January 1, 2013, and less than or equal to December 31, 2013.
- **Time:** The user must enter a time. You specify a valid time range from choices in the Data drop-down list. For example, you can specify that the entered data must be later than 12:00 p.m.
- **Text Length:** The length of the data (number of characters) is limited. You specify a valid length by using the Data drop-down list. For example, you can specify that the length of the entered data be 1 (a single alphanumeric character).
- **Custom:** To use this option, you must supply a logical formula that determines the validity of the user's entry (a logical formula returns either TRUE or FALSE).

Excel 2010

z]: Le		• C* - 19	and the second	5	mple work	book.xisx - A	Aicrosoft Exc	el		-	89	.25
File		Home Insert	Page La	pout Form	ulas Dat	a Review	View	Developer I	Faxit Reader PD	F 0 6		9 1
Get Ext Data	ernal	after after	operties operties M. Links Dons	21 <u>2</u> <u>3</u> 1 Sort	Ty	k Clear 5 Respoly 2 Advanced	Text to Columns C	Remove Juplicates 50 -	Group Group Ungrou Subtota Outline	p3		
	c	4 •	. (*	f. 11								1
1	A	8	C	D	E	F	G	н	T.	3	ĸ	1
1												
2				C					0	52		
3					xata Validati	on			Course			
4			11	1	Settings	Input Messa	Error Al	ert		- 11		
5					Validation o							
6					Alow:	A DESCRIPTION					-	
7		c	T.L.	-	Whole n	mber		Ignore blank		- 13		
8 9		Setting	Tab		7 Data:		100			- 10		
10					between	Ω.				- 10		
11	0.1	teria of va	R.d. alter	-	Minimum;	54L	1203			- 18	-	
12	cn	teria orva	indation	1	0			154	1			
13					Magmum	ēć:				- 10		
14					30			154		- 10		
15					Acoly t	hese changes	to all other o	ells with the same	e settings	- 10		
16									*			
17.					Geor Al			OK	Cano	el		
18				L								
.9												
0												
21												
2	0.64	/ Sheet3 / S	and in			and the second	ts /114				_	
Ready			neers 5	neers / She	eco Sne	et/ 1 Shee	10 2114		100% (-):		-	$(\mathbf{\Phi})$
and a	al la l	#011						11000 (200 12	A AND A AND A		-	100.00


Input Message Tab

You can set the input help message with this tab. Fill the title and Input message of the Input message tab and the input message will appear when the cell is selected.

6 - C - I=	sample workbook.xlsx - Microsoft Excel	- @ I
File Home Insert Page Layout For	mulas Data Review View Developer Foxit Read	
External Data * Connections Connections 24 22	Filter S Advanced Columns Duplicates : Sul	igroup - "Ξ
C4 • 🤄 🎜 11		
A B C D	E F G H I	J K
	G	2 3
Input message tab	Data Validation	Contraction of the local division of the loc
	Settings Incut Message Error Alert	
11		
Value of Cell		
value should be between 1 to 10		
only	T\de:	
· · · · · ·	Value of Cell	
	Input message: value should be between 1 to 10 onlu	
Input message whe		^
cell is selected		
cell is selected		220
	Clear Al OK	Cancel
A > M Sheet3 Sheet4 Sheet5)) [
sdy 🔄	(III) [[]] [[]] 100%	⊕ 0

Error Alert Tab

You can specify an error message with this tab. Fill the title and error message. Select the style of the error as stop, warning or Information as per you need.



53. USING STYLES

Using Styles in MS Excel

With MS Excel 2010 **Named styles** make it very easy to apply a set of predefined formatting options to a cell or range. It saves time as well as makes sure that look of the cells are consistent.

A Style can consist of settings for up to six different attributes:

- Number format
- Font (type, size, and color)
- Alignment (vertical and horizontal)
- Borders
- Pattern
- Protection (locked and hidden)

Now, let us see how styles are helpful. Suppose that you apply a particular style to some twenty cells scattered throughout your worksheet. Later, you realize that these cells should have a font size of 12 pt. rather than 14 pt. Rather than changing each cell, simply edit the style. All cells with that particular style change automatically.

Applying Styles


Choose **Home** » **Styles** » **Cell Styles**. Note that this display is a live preview, that is, as you move your mouse over the style choices, the selected cell or range temporarily displays the style. When you see a style you like, click it to apply the style to the selection.

	1 17 - C 1				e workbookutor - M Data Review		der Font Frad	1.1.1	Se	lect cell sty	le
THE A	λ Cate ↓ - Β ^{Ac} J □ -	а- <u>А</u>	S 117	· · · · · · · · · · · · · · · · · · ·	General - 13 5 - 74 - 12 14 -13	View Develo Conditional Format Format as Table * Cell Styles		- 21 a	Ba and a second se	om Home Ta	
Chip	board is	Fort		Alignment /s	Custom						1
_	F10		ş.	*D10*E10	Style 1						
R		D	E	F	Good, Bad and Ne						
1	1	Quantity		Total Amount	Normal	Bad	Good	Neutral			
2	Green/Navy	3	100	300	Data and Model	~					
4	Green/Navy Green/Navy	18	60 50	1060 1200	Calculation	Check Co 1	Scolanatory	Input	Unixed Cell	Note	
4 5	Green/Navy		45	405	Output	Warning Text					
6	Green/Navy	3	67	201	Titles and Heading						
7	Red/Navy	6	48	280	Heading 1	Heading 2	Heading 3	Heading 4	Title	Total	÷.
	Green/Navy		49	-441	Contraction of the local division of the loc	and the second second second second	recounting a	nearing +	inte	TV-at	£.
9	Green/Navy	6	52	312	Themed Cell Style	and the second se	Caller Concernant	122411/2/10/22	And Designed		
10	Red/Navy	0	56	0	20% - Accent1	20% - Accent2	20% - Accent3	20% - Accent4	20% - Accent5	20% - Accentő	
11	Green/Navy	24	58	1392	40% - Accent1	40% - Accent2	40% - Accent3	40% - Accent4	40% - Accent5	40% - Accent6	
12	Blue/Grey	18	35	630	60% - Accentt	anti-Atcante	Contract of the	60% - Accenté	Inc. Advenues	Distant Internal Int	£.
13	Yellow/Grey	3	40	120	Accent1	Repaired to Automation		leased minister in the	Protocol Protocol	(Anno 11)	
14	Green/Navy	6.	75	450	added on the second sec	Accent2	doents	Accent4	Accentă	Allegerett	1
	Red/Navy		80	720	Number Format		1				
	Green/Navy	12	70	840	Comma	Commà [0]	Currency	Currency [0]	Percent		2
	Blue/Grey	18	60	1060	Sel Bew Call Styl	t	Select	style and c	lick to ann	lv	
	Green/Navy	0	10	0	in Merge Styles.	1	sereer	orfic and c	nen to app	.,	
	> M Sheet1	Sheet2	Sheet3	Sheets (D)							
2.20	dy 1	_					1009	· • · · ·	•		

Creating Custom Style in MS Excel

We can create new custom style in Excel 2010.To create a new style, follow these steps:

- Select a cell and click on Cell styles from Home Tab.
- Click on New Cell Style and give style name.
- Click on Format to apply formatting to the cell.



• After applying formatting click on OK. This will add new style in the styles. You can view it on **Home » Styles.**

2	1 9. Com	¥.		sampl	eworkbook.xbs - Mi	crosoft Excel		NC2460			
R	Home Home	Inset	Page Layo	at Fermulai	Data Review	View Develo	oei Fout Read	HPOP A 0 =	9 22		
-	3 X Cale 12 - B -	/ y ·		= = ::::::::::::::::::::::::::::::::::	5 - % + 3	Conditional Format Format as Table - Cell Styles -	ing * ä**Insert * 3**Deseta 3) Format	J. Zr u	A a a a a a a a a a a a a a a a a a a a		
	F10	• (*	f.	=D10*E10	Style 1	Test Style	- A	dded Custor	m Styles		
d	c	0	E	F	Good, Bad and Ne	utral	•				
1	Color	Quantity	Price	Total Amount	Normal	8ad	Good	Neutral			
2	Green/Navy	3	100	300	Data and Model						
2	Green/Navy	18	60	1080	Calculation	Check Cell	Explanatory	Input	Linked Cell	Note	1
4	Green/Navy	24	50	1200	Output	Warning Text	1100 B				
ŝ,	Green/Navy		45	405							
6	Green/Navy	3	67	201	Titles and Heading	address and the second	10.000.000	Discourse in	202000	1000000	1
2	Red/Navy	6	48	288	Heading 1	Heading 2	Heading 1	Heading 4	Title	Total	÷
8	Green/Navy Green/Navy	9	49	441	Themed Cell Styles	k					
	Red/Navy	0	56	312	20% - Accent1	20% - Accent2	20% - Accent3	20% - Accent4	20% - Accent5	20% - Accentó	
	Green/Navy	24	58	1392	40% - Accent1	40% - Accent2	40% - Accent3	40% - Accent4	40% - Accent5	40% - Accentó	à
	Blue/Grey	18	35	630	50% Accent	675 - A4co-412	Denery Permit	torn Arrenth	Bopennessonesenten	Auto-Director	ŝ
	Yellow/Grey	3	40	120	poercease	Second Advances of the	No. No. of Concession, Name	Con Brand Colle	ing are in-	Series and the series of the s	8
	Green/Navy	6	75	450	Accent1	Accent2	Accenti	Accent4	Accent5	Accentá	l
	Red/Navy	9	80	720	Number Format						
16	Green/Navy	12	70	\$40	Comma	Comma [0]	Currency	Currency [0]	Percent		
17	Blue/Grey	18	60	1080	Sal New Cell Style	r					
18	Green/Navy	0	10	0	in Merge Styles.						
	• • H Sheet1	Sheet2	Sheet3	Sheets (12)		2			1000 00		
Re	Hay 2						100	0			

54. USING THEMES

Using Themes in MS Excel

To help users create more professional-looking documents, MS Excel has incorporated a concept known as document themes. By using themes, it is easy to specify the colors, fonts, and a variety of graphic effects in a document. And best of all, changing the entire look of your document is a breeze. A few mouse clicks is all it takes to apply a different theme and change the look of your workbook.

Applying Themes

Choose **Page layout Tab** » **Themes Dropdown**. Note that this display is a live preview, that is, as you move your mouse over the Theme, it temporarily displays the theme effect. When you see a style you like, click it to apply the style to the selection.

Creating Custom Theme in MS Excel

We can create new custom Theme in Excel 2010. To create a new style, follow these steps:

- Click on the **save current theme option** under Theme in Page Layout Tab.
- This will save the current theme to office folder.
- You can browse the theme later to load the theme.


55. USING TEMPLATES

Using Templates in MS Excel

Template is essentially a model that serves as the basis for something. An Excel template is a workbook that's used to create other workbooks.


Viewing Available Templates

To view the Excel templates, choose **File** » **New** to display the available templates screen in Backstage View. You can select a template stored on your hard drive, or a template from Microsoft Office Online. If you choose a template from Microsoft Office Online, you must be connected to the Internet to download it. The Office Online Templates section contains a number of icons, which represents various categories of templates. Click an icon, and you'll see the available templates. When you select a template thumbnail, you can see a preview in the right panel.



On-line Templates

These template data is available online at the Microsoft server. When you select the template and click on it, it will download the template data from Microsoft server and opens it as shown below.



56. USING MACROS

Macros in MS Excel

Macros enable you to automate almost any task that you can undertake in Excel 2010. By using macro recorder from **View Tab** » **Macro Dropdown** to record tasks that you perform routinely, you not only speed up the procedure considerably but you are assured that each step in a task is carried out the same way each and every time you perform a task.

2 sample workbook.sts - Microsoft Excel 000 0 E Home Insert Page Layout Formulat Data Deview View Developer Foxit Reader PDF Page Break Preview 9 1 殿 New W 00 15 1 20 - 12; E Arrange Page Layout III Full Screen Show Zoom 100% Zoom to Selection Sace Switch wes • 🗔 🔠 Workspace Window Elfreete Workbook View View Macros f. 50000 C5 *.6 Ercord Macro... 2 G 8 1210 Relative References 1 2 Salary Calculator 3 Name Salary Amount Tax No **View Tab** 4 1 Marc 2000 10% 5 2 Stave 50000 20% 6 7 8 9 Macro dropdown to view 10 macro and record macro 11 12 13 14 15 16 17 18 19 20 H + + H Sheet1 Sheet2 Sheet3 Sheet4 93 0. ×П IB [] 100% -Ready 4

To view macros choose View Tab » Macro dropdown.

Macro Options

View tab contains a Macros command button to which a dropdown menu containing the following three options.

• **View Macros:** Opens the Macro dialog box where you can select a macro to run or edit.

• **Record Macro:** Opens the Record Macro dialog box where you define the settings for your new macro and then start the macro recorder; this is the same as clicking the Record Macro button on the Status bar.

Excel 2010

• Use Relative References: Uses relative cell addresses when recording a macro, making the macro more versatile by enabling you to run it in areas of a worksheet other than the ones originally used in the macro's recording.

Creating Macros

You can create macros in one of two ways:

- Use MS Excel's macro recorder to record your actions as you undertake them in a worksheet.
- Enter the instructions that you want to be followed in a VBA code in the Visual Basic Editor.

Now let's create a simple macro that will automate the task of making cell content Bold and apply cell color.

- Choose View Tab » Macro dropdown.
- Click on Record Macro as below.

	19	- (u - 1=	_	sample	workbook.	dax - Micr	osoft Exc	el			-	€ Σ	25
1	ile	Home Insert Page	Layout	Formulas	Data	Review	View	Develo	per Foxi	t Reader PDF	a 🕜	- 9	1
Vor		Page Break Preview Page Break Preview Page Custom Views Page Page Break Page Providence Page Break Page Brea	Pa Show z	Coom 100%	Selection	唱 New 目 Atran 即 Frees		1 10	Save Workspa	Switch ce Windows -	Macros Macros		
	C	5 • (*	<i>f</i> ≈ 5000	00					0.11				
4	A	8	с	D	E	F	6	G	н	1	J	κ.	1
1		Record Macro			5 5	Second							1
2	23227	Macro name:											
	No.	Test Macro											
4		Shortout key:											-
5		Cti+				18-							-
7		Store macro in:				10							1
8		This Workbook			1	•							1
9		Description:			3								
0		Personal Providence											1
11													1
12	-												
13	_		-	ox	Cancel								4
14				<u> </u>									
15 16				_	-								-
10													1
18													1
9													1
20													3
		Sheet1 Sheet2 She	et3 She	et4 🖓			14			8		•	het.
Rea	dy E	1							画目日	100% 😑	0		2

- Now Macro recording will start.
- Do the steps of action, which you want to perform repeatedly. Macro will record those steps.

	60.00	(* * j #			sample work	kbook.x	lsx - Microsoft	Excel			(in 197	•
0	(m) H	ome Insert	Page Layout	Form	ulas Dal	ta 1	Review View	v Dev	eloper Fo	wit Reader PDF	- 0 - # E	3 3
¥on	mal Page Layout	Page Break Pr Cuitom Views Full Screen Obook Views	64	Q Zoom		om to ection	New Winds		11 at at Works	switch	Magnes	
-	C5	• (**	fe	50000							. Stop Secondar	10
4	A	8	C		D	E	F	G	H	Formula		
1					14 14 1			10(175			1	
2		Salary	Calculator								12 I	н.
	No.	Name	Salary A							/		н.
4		1 Marc		2000	10%					/		а.
5		2 Stave	<u> </u>	50000	20%					/		н.
6								Clicks		dinata		н.
7 8										ording to		ш.
9							5	stop n	nacro			ж.
0												
1												н.
2												н.
3	_											н.
4												н.
5												
7	-											
8												
9												
0											1.	
	a part of the second seco	heet1 Sheet2	Sheet3	Sheet4	192		1		TRANSLUM			-
Rea	idy a								1000 1000 1	100% -		

• You can stop the macro recording once done with all steps.

Edit Macro

You can edit the created Macro at any time. Editing macro will take you to the VBA programming editor.


57. ADDING GRAPHICS

013		rmulas Dat			Foxit Reader PDF	~ 0	ର ଥି
formal P	The Custom Views Show Zoo		Arrange All	= a:	Sara Switch	Mazios	
	yout I Pull Screen Workbook Views	Zoom	thion III Freeze Panel	Window	orkspace Windows *	Macros	
	(u		2 × 1			a da da ser da da da da da	
41 A	Macro		F	G I	1 1	1	К
Ē.	Magro name:		-	View availa	able macros		
£	25701	16	Bun	incir aran	iore macros		
No.	Matrol	1	Step Into	- Run M			
			Edt 🗲	- Run W	acro		
ŝ.			Cot	Edit Ma	~~~		
			Oreate	Eurcivia	uo		
1		E	Delete				
0			Qotions				
1	Macrosin: Al Open Worlbooks			- D	elete Macro		
2	Description	152					
3	Conceptor 1						
4							
5		-	Cancel				
6			carce				
7							
8							
9							
0							

Graphic Objects in MS Excel

MS Excel supports various types of graphic objects like Shapes gallery,

SmartArt, Text Box, and WordArt available on the Insert tab of the Ribbon. Graphics are available in the **Insert Tab.** See the screenshots below for various available graphics in MS Excel 2010.



Insert Shape

- Choose Insert Tab » Shapes dropdown.
- Select the shape you want to insert. Click on shape to insert it.
- To edit the inserted shape just drag the shape with the mouse. Shape will adjust the shape.

X	sample workbook.xfsr - Microsoft Ex	cel		Presenta	tour line	- @	8
Rife Home Incent Pa	ge Layout Formulas Data Review View De	rveloper Fox	Reader PDP	Form	n o	Q - 4	A 23
Protable Later Picture Ch Tables 2		Sines Shoer	Rypertink Links	A He He Boy & F	ader 'M	Ω Symbols	
Oval 1 - 🕐	Lines						19
A B		H	1	3	K I	-E	1 C
1	Geogegee						1
2	Basic Shapes						
3	BOALDAODOOO						
4	06000FL/0000			9			
States and the state of the sta		0		-)	
Available shapes	00000		6				11
7	Block Arrows		100				
8	00000000000000000000000000000000000000		6				
9	62000000000000000	9					
10	000						19
11	Equation Shapes						-1
12	-O 32 -d- HH 28	1 2	-	1-			-
13	Howchart						-
14	000000000000000						-
15	ODDDOB I 0 AVGD			-			
15	QBOO						
17	Stars and Banners				22222		
18			ins	erted sl	napes		
19							-4
20	Callouts						-1
H C F H Sheet1 Sheet2	Term provides and an and an all the second	Dec	_	-	_		n
Ready 2	(v) 0,00,0	0. L	A COLUMN	18 100%			
			and the second s	time tradity (S	


Insert Smart Art

- Choose Insert Tab » SmartArt.
- Clicking SmartArt will open the SmartArt dialogue as shown below in the screen-shot. Choose from the list of available smartArts.
- Click on SmartArt to Insert it in the worksheet.
- Edit the SmartArt as per your need.

2 4 9.00		sample workbook sits - Micr			Manhout Trees		
Table Home	Divert Page Layout F	Column Data Revew Column Data Revew Column Data Revew Detail Column Column Column Column	March Street	Reader POF	Design Format A A A A A A A A A A A A A A A A A A A	n @ e π fasebon - Ω Symbol Symbol	. #
hoose a SmarbArt	Graphic			2 8	1	A N	0
No. 44 E Lat So Prosma Q Order Lit Herardhy B Robitrophy Matrix A A Prosma Q Potane Q Potane			Basic Block Liet Under Stock Liet Under information, Massier Instantial and vertical display shapes.	16.0001	BE	C ↑	
AT			OK	Cancel			
9 10 1 4 3 91 Sheet Keacy 20		rious Smart Artsa © shorts / 12	vailable		Inserted Sr	1	***


Insert Clip Art

- Choose Insert Tab » Clip Art.
- Clicking Clip Art will open the search box as shown in the below screenshot. Choose from the list of available Clip Arts.
- Click on Clip Art to Insert it in the worksheet.



Insert Word Art

- Choose Insert Tab » WordArt.
- Select the style of WordArt, which you like and click it to enter a text in it.



58. CROSS REFERENCING

Graphic Objects in MS Excel

When you have information spread across several different spreadsheets, it can seem a daunting task to bring all these different sets of data together into one meaningful list or table. This is where the Vlookup function comes into its own.

VLOOKUP

VlookUp searches for a value vertically down for the lookup table. VLOOKUP(lookup_value,table_array,col_index_num,range_lookup) has 4 parameters as below.

- **lookup_value:** It is the user input. This is the value that the function uses to search on.
- **The table_array:** It is the area of cells in which the table is located. This includes not only the column being searched on, but the data columns for which you are going to get the values that you need.
- **Col_index_num:** It is the column of data that contains the answer that you want.
- **Range_lookup**: It is a TRUE or FALSE value. When set to TRUE, the lookup function gives the closest match to the lookup_value without going over the lookup_value. When set to FALSE, an exact match must be found to the lookup_value or the function will return #N/A. Note, this requires that the column containing the lookup_value be formatted in ascending order.

VLOOKUP Example

Let's look at a very simple example of cross-referencing two spreadsheets. Each spreadsheet contains information about the same group of people. The first spreadsheet has their dates of birth, and the second shows their favorite color. How do we build a list showing the person's name, their date of birth and their favorite color? VLOOOKUP will help in this case. First of all, let us see data in both the sheets.

This is data in the first sheet.

Z 4	1 - 1- 1	· · · ·	and the second	sample	workbook	har - Mice	osoft Exce	Ч		- Cont	a) — X	1
File	Mo	me Insert	Page Layout	Formulas	Data F	tentew	View 3	Developer 1	anit Reader PDF		- 5	
Paste	Dard 12	Calibri B I U - E - On - Font	<u> </u>	=	- s -	% •	Styles	Prinsert = Delete = Format = Cells	E - A Sort & J 2 - Filter - S Editing			
	D7		~ fx									
1	A	В	С	D	E	F	G	н	1	1	ĸ	
Carlos Ca		PersonNam										1
2		Swapnil	18.11.1989									
3		Cordova	08.02.1980									
4	3	Livingston	18.07.1985									
5	4	Andy	27.09.1984									
6	5	Cordova	10.04.1988									
7	6	Bowlby	03.01.1990									
8	7	Mandel	02.10.1991									
9	8	Mandel	12.10.1987	<	- Dat	to in th	ofirst	sheet				
10	9	Cottrell	13.01.1986		Da	amu	emst	sneet				
11	10	Chickey	14.05.1986									
12	11	stash	13.02.1984									
13		2012										
14												
15												
16												
17												
18												
19												
20												
21												1
22												
4 4 3	and the local district for the second	Sheet6 . She	et7 Sheet8	Sheet9	Sheet10	123			85			
Read	1 2							(III) (IIII) (III)	J 100% -	0		

This is data in the second sheet.

0.505	e Hor	me	Insert Page	Layout	Formulas	Data	Review	View	Developer	Foxit Reader P	OF O	0 -	S 2
Past	3 ×.	Calif	- 11	· = ∧ ≡ (R	= 📰 🕯	문 Ge 립 - 5 1년	nerat - - % • - - - - - - - - - - - - - - - - - - -	A Styles	a Insert * # Delete Dermat Cells	Σ · ΔΤ Ξ. ΣΤ Sort δ	Find &		
	F14		• @	fr									1000
10	A	- U.	B	С	D	ε		R: 111.	G	H I		1	Ē.
1	Person ID	C	PersonName	Color									1
2.		1	Bowlby	Blue									
3		2	Mandel	red									
4		3	Mandel	green									_
5		-4	Cottrell	black									
6			Chickey	white									
7		6	stash	orange									
8			Swapnil	lime	<	D	ata in ti	he see	cond she	et			_
9		8	Cordova	pink	10								_
10			Livingston	Blue									_
11		11	Cordova	orange									
12													
13		_		-	-		_	_					_
14								_					-
15													-
16													_
17 18													-
18													-
20													-
20													
22													
	F H /S	Shee	to Sheet7	SheetB	Sheet9	Sheet	0/92	514	1			1	1.
Read	w 201								i/mig	100% C)	0	

Now for finding the respective favorite color for that person from another sheet we need to vlookup the data. First argument to the VLOOKUP is lookup value (In this case it is person name). Second argument is the table array, which is table **Excel 2010**

in the second sheet from B2 to C11. Third argument to VLOOKUP is Column index num, which is the answer we are looking for. In this case, it is 2 the color column number is 2. The fourth argument is True returning partial match or false returning exact match. After applying VLOOKUP formula it will calculate the color and the results are displayed as below.

1	19.1	· - [in Theater	sample	workbook.xl	sx + Micr	rosoft Ex	cel			1000	a x
file	Hot	ne losert	Page Layout	Formulas	Data Re	eview	View	Develo	per f	oxit Reader PDF	00	
Paste	1. 1. 1.	Calibri B Z U · E · At · Fort		i a a a a a a a a a a a a a a a a a a a	Genera 5 - 5 - 128 20 6 Nomb	* •	A Stytes	급~ Ins 같은 De [E]) Fo Ce	iete = cmat =	Σ· Αγγ (a. Sort & F 2· Fitter · So Editing		
	D8	• (*	fe	=VLOOKUP	(B8,Sheet	10!82:C	17,2,FA	LSE)				1
di la	A	В	c	0	-	F	3	G	н	1	J	K
1 94	erson ID	PersonName	BirthDate	Color		` \//	000	UDfo	rmul			
2	1	Swapnil	18.11.1989	lime		VL	.006	OPIC	mu	đ		
3	2	Cordova	08.02.1980	pink								
4	3	Livingston	18.07.1985			-						
5	4	Andy	27.09.1984	#N/A		. N/A	in ca	ase va	aluen	otfoundi	n	
5	5	Cordova	10.04.1988	pink		con	respo	ondin	g lool	kup value		
7	6	Bowlby	03.01.1990	Blue			p-					
8	7	Mandel	02.10.1991	red								
9	8	Mandel	12.10.1987	red								
0	9	Cottrell	13.01.1986	black								
1	10	Chickey	14.05.1986	white								
2	11	stash	13.02.1984	orange								
3												
4												
5												
6		-	C	ata in th	e secon	d she	et					
7		1272										
8												
9												
0												
1												
2				the second			10.0			1		
	ansa sika beer	sheet6 Shae	t7 Sheet8	Sheet9	Sheet10	192 / L	14		Contraction of the	-	1	- 21
leady				_			_	1		I 100% 🗩	0	(()

As you can see in the above screen-shot that results of VLOOKUP has searched for color in the second sheet table. It has returned #N/A in case where match is not found. In this case, Andy's data is not present in the second sheet so it returned #N/A.

59. PRINTING WORKSHETS

Quick Print

If you want to print a copy of a worksheet with no layout adjustment, use the Quick Print option. There are two ways in which we can use this option.

 Choose File >> Print (which displays the Print pane), and then click the Print button.

None Intert Page Layout Formulas Data Review View Developer Forth Reader PDF Col	and the second se		and a second second					
Left: 0.7" Right: 0.7"	Save & Send Finite Save & Send Help Options Save & Send Help Options	Printer Printer Send To On Settings Settings Settings Only print 1 Pages Collated 1,23 1,23 Portrait One Letter 8,5' + 11'	Formulas Print Copies 1 rint optio eNote 2013 Printae Prog Sheets ise active sheet to active s	Data C M O Settles	Review	Financial Financ	Developer ber	
1. GOD Print Sheets We then actual 5		Left: 0.7*	Right 0.7°	•				

• Press Ctrl+P and then click the Print button (or press Enter).


Adjusting Common Page Setup Settings

You can adjust the print settings available in the Page setup dialogue in different ways as discussed below. Page setup options include Page orientation, Page Size, Page Margins, etc.

- The Print screen in Backstage View, displayed when you choose File »
 Print.
- The **Page Layout tab** of the Ribbon.

Choosing Your Printer


To switch to a different printer, choose **File » Print** and use the drop-down control in the Printer section to select any other installed printer.



Specifying What You Want to Print

Sometimes you may want to print only a part of the worksheet rather than the entire active area. Choose **File > Print** and use the controls in the Settings section to specify what to print.

- Active Sheets: Prints the active sheet or sheets that you selected.
- Entire Workbook: Prints the entire workbook, including chart sheets.
- Selection: Prints only the range that you selected before choosing File >> Print.




60. EMAIL WORKBOOKS


Email Workbook

MS Excel allows you to email the workbook very easily. To email the workbook to anyone, follow the below mentioned steps.

• Choose **File > Save and Send.** It basically saves the document first and then the emails.



 Click on Send using E-mail if your email system is configured. MS Outlook will open with the file as attachment in the New Email Window. You can send mail this workbook to anyone with valid email address.



61. TRANSLATE WORKSHEET

Translate Worksheet

You can translate the text written in a different language, such as phrases or paragraphs, individual words (by using the Mini Translator), or translate your whole file with MS Excel 2010.

Translation is available in the review tab of the ribbon in MS Excel 2010. You can quickly translate cell into different language with this option.

Performing Translation Step By Step

- Select the content, which you want to translate to a different language.
- Choose review tab » translation.
- It will open the pane from which you can select the language to which you need to translate.
- You need to have an internet connection for performing translation. It will translate using the Microsoft Translator.
- Click on Insert to apply translation changes.

KIL	19.0-1	The second s	sample work	bookalex -	Microsoft Excel	1000		00-2	3-07
The	Home Insert	Page Layout For	mulas Det	a Revi	ew. View	Developer	Foxt Reader PDF		83
ABC	Research Thesaurus	Translate New Comment	Revious 40	Show Ink	omments 3	Protect Sheet Protect Workb Share Workbo	ook Allow Users		0
- 41	A 8	Contra C	D	E	F	Research			×
And the second second	rderID Customer Last	n me Color	Quantity	Price	Total Amount	Search for			1.000
2	1 Cagle	Green/Navy	3	100	300			11	a
з	2 Cantwell	Green/Navy	18	60	1080	and the second sec	100		Ξ.
4	3 Snell	Green/Navy	24	50	1200				-
5	4 Lunt	Green/Navy	9	45	405		and I branchement i		
6	S Rentel	Green/Navy	3	67	201		22 2 11 1 C		•
7	6 Kennedy	Red/Navy	6	48	288		e a word or sentence.	and a second sec	
-8	Click on T	vandato A	wailable	langu	-		English (U.S.)		
9	CIICK OFF	ransiate A	vailable	langu	ages				
10						Translat	ion options		38.
11 12						# Hici	usoft® Translator		
13		Tr	anslation	n		-> tr		·	
14						(Income	et les	1	71
15						1.000			
16						E	Chieve Ch		
17						35	Translator		
18						Getr	nore languages		•
19						G Get se	invices on Office Marks	etplace	
20			1000			* IL Resea	rch options		
a contraction of the second	Contraction of the second s	Sheet3 Sheet4	10141		≯0	the second se	1 (U) 100% (-)	0 4	-
	23					(111)04	A LOLE AND A		C

62. WORKBOOK SECURITY

Workbook Security


We can apply security to the workbook by the concept of protection available in the Review Tab of ribbon. MS Excel's protection-related features fall into three categories.

- **Worksheet protection:** Protecting a worksheet from being modified, or restricting the modifications to certain users.
- **Workbook protection:** Protecting a workbook from having sheets inserted or deleted, and also requiring the use of password to open the workbook.


Protect Worksheet

You may want to protect a worksheet for a variety of reasons. One reason is to prevent yourself or others from accidentally deleting the formulas or other critical data. A common scenario is to protect a worksheet, so that the data can be changed, but the formulas can't be changed.

To protect a worksheet, choose **Review** » **Changes group** »**Protect Sheet.** Excel displays the Protect Sheet dialog box. Note that providing a password is optional. If you enter a password, that password will be required to unprotect the worksheet. You can select various options in which the sheet should be protected. Suppose we checked Format Cells option then Excel will not allow to format cells.



When somebody tries to format the cells, he or she will get the error as shown in the screenshot below.



To unprotect a protected sheet, choose **Review** » **Changes group** » **Unprotect Sheet**. If the sheet was protected with a password, you're prompted to enter that password.

Protecting a Workbook

Excel provides three ways to protect a workbook.

- Requires a password to open the workbook.
- Prevents the users from adding sheets, deleting sheets, hiding sheets, and unhiding sheets.
- Prevents users from changing the size or position of windows.

Requiring a Password to Open a Workbook

Excel lets you save a workbook with a password. After doing so, whoever tries to open the workbook, must enter the password. To add a password to a workbook, follow these steps.

- Choose **File » Info » Protect Workbook » Encrypt With Password**. Excel displays the Encrypt Document dialog box.
- Type a password and click OK.
- Type the password again and click OK.
- Save the workbook.

1 m = c = 1		UPLOA	D REMOTE	Salsa - Mir	rosoft Exce	el		0.0
File Home Inse	rt Page Leyout	Formulas	Data	Review	View	Developer	Foot Reader PDF	00 = 0
Save Save As Open	Informatio		1000	1.4TO 1.4T	MOTE	S		den
Close	(1) Protect Workbook -	workbo	ord is required.	uired to ope he workboo unwanted o	k has been		Properties - Sov	11740 Augustus
New		Final res know the w e it read-only.	orkiba ok is	final	sets.		Tagi Categories	Add a taig Add a sets
Print Save & Send	Require workboo	urrent Sheet			c it conta ith and lities find		Related Dates Last Modified Created Last Proted	10/3/2013 1 16/3/2013 1
Help Dottons Exit	make to Protect y Prevent	what types of a the current she workbook Stru- anwanted chan arkbook, such	et. thure ges to the	inucture	Test Investors		Related People Author	John Netion
	Grant pe ability to	Permission by P ople access wh edd, copy, or s	leopte ile remover scient. En	crypt w	ith Pas		Last Modified by	John Nelson
	Add a Di	igital Signature he integrity of t in invisible digi	ne workbo	eek: by			Coren File Loc Show All Property	stion

To remove a password from a workbook, repeat the same procedure. In Step 2, however, delete the existing password symbols.

Protecting Workbook's Structure and Windows

To prevent others (or yourself) from performing certain actions in a workbook, you can protect the workbook's structure and windows. When a workbook's structure and windows are protected, the user may not Add a sheet, Delete a sheet, Hide a sheet, unhide a sheet, etc., and may not be allowed to change the size or position of a workbook's windows respectively.

To protect a worksheet's structure and windows, follow the below mentioned steps.

- Choose Review » Changes group » Protect Workbook to display the Protect Workbook dialog box.
- In the Protect Workbook dialog box, select the Structure check box and Windows check box.
- (Optional) Enter a password.
- Click OK.

Z	1 19 · (* - 1+			sample work	book.xlsx	- Microsoft	Excel				ca 9	8 22
	Home b	ised Page Layo	ut Form	nulles Da	ta Rev	oew Vie	w De	veloper	Foxit Reader	POF	4 Q	- 91
. 9	BC III III	nus Translate Ci	1000	Previous R		en an	Pro	leit Shee leit Work re Workt	ibsok gl Allov	Users		
_	Proofing	Language		Comm	rists		-	_	Change	1		
	F1.	• (*	Total An	nount								
2	A	8	c	D	E	F		G	н	1	3	5
1	OrderID Custome	r Lastname	रम	Quantity	Price	Total Am	ount					
2	1 Cagle	Gree	en/Navy	3	100		300					
3	2 Cantwell	Gree	en/Navy	18	60		1080					
4	3 Snell		en/Navy	24	50		1200					
5	4 Lunt	Gree	n/Navy	9	45		405					
6	5 Rentel	Protect Structure a	nd Window	- 38 - 4	×) 67	1	201					
7	6 Kenned		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	(207 - 11 - a)	48	L	288					
8		Protect workbook f	or	1	- 16-							
9		Stucture		1								
10		- Windows							-			
11		Eassword (optional)	10		X							
12		1				~						
13		6	OK	Cancel		1						
14		L	-			Protect	work	hook	structure	an	dwind	lows
15					-	riotect	mon		Structure	- am	a winte	10445
10	1											
18	1											
18												
20												
14	FRI Sheet2	Sheet3 / Sheet	Sheets	Sheeto	Sheet7	192 1	4	-			-	114
	Ndy 2	and and a second		and the second data	erage: 579	and the second	the second second	74 1158	100%	(a)	0	

63. DATA TABLES

Data Tables

In Excel, a Data Table is a way to see different results by altering an input cell in your formula. Data tables are available in **Data Tab >> What-If analysis dropdown >> Data table** in MS Excel.

215	19.	14 - 14	-	-		sample wor	kbook.xlsx	- Microsoft E	acel				22
00			nsed 1	Page Laj	iout Fo	mulas Di	ita Rev	oew View	v Developer	Foxt Rea	der POF	+ 0 -	9.1
AB	9 10	(190	0.1.0	6	ung 3	Delete D	I Showith	e Comient	Q Protect She	et Ste	otect and	Share Workbo	ok :
¥	- 10.5	< 😐		also		Previou S	Show As	Comments	Protect We	WRIDSOR BIAN	low Users	to Edit Ranger	0
Spelli	ing Resea	with These			Commert 3	atien 1	5 Show Ink		Stare Wor	tbook Th	K. Chang	ges =	
	Pyne	6ng		pusge		Comm	ents			Chan	Qes.		
	F1		• (*		Total 4	mount			_				
21	A		8	1	c	D	E	F	6	н	1		
1 0	Grebad	Custom	er Lastnar	90	रम	Quantity	Price	Total Ame	junt				
2	1	Cagle		Gr	en/Navy	3	100		300				
3	2	Cantwel	1	Gr	een/Navy	18	60		1080				
4	3	Snell		Gre	een/Navy	24	50		1200				
5	4	Lunt		Gr	een/Navy	9	45		405				
6	5	Rentel	Durtavas	to at the set	and Winds	- B.	× 67		201				
7	6	Kenned	FIGNERIA	Station	K	A	-48		288				
8			Protect v	vorkbook	for	1	- 10-		101				
9			1 Sa			1							
10		_	DW	dovis									
11		-	Basswort	s (option	a0::		X			-			
12		_	1					~					
13		-		1	OK	Cancel		1					
14 15		-				1		Protect	workboo	kstruch	ire an	dwindow	NS
16		- 1	_					Toteet	nontooo	a stracto	ine uni	u minuoi	
17													
18													
19													
20													
and the second	P. (H)	Sheet2	Sheet3	Shee	t4 / Shee	ts Sheeto	Sheet7	12 1	4				F
Read	V CI	1				Å	erage: 579	Count 7	Sum: 3474 10	1 1 1 1 100m	6 @	0	•

Data Table with Example

Now, let us see data table concept with an example. Suppose you have the Price and quantity of many values. Also, you have the discount for that as third variable for calculating the Net Price. You can keep the Net Price value in the organized table format with the help of the data table. Your Price runs horizontally to the right while quantity runs vertically down. We are using a formula to calculate the Net Price as Price multiplied by Quantity minus total discount (Quantity * Discount for each quantity).

Z][H 17 . CI .	14		sampl	e workbook.x	sk - Microi	soft Excel				Crie	1000.50
	Hone	Insert Pag	pe Layout	Formulas	Data	Review	View 1	Developer	Foxit Rea	der 90F	· 0 -	d 2
Get	bternal Refres		21 21 31 Sort	Canada I	The Clean The Personaly Methodology Referenced Pr	Text to Columns		Data Va De Consoli De What II a Topis	date	劉sub	roup • "]	
	B7	¥ (* .	f. =(E	13*84) (84	*(1-85))							
	A	8	C	D 1	ε	F	G	н	1	J	к	1.5
1		Creation of Data	table by T	utorialspo	int.com							1
2												
3	Price	\$250										
4	Quantity	50	Net	valuef	ormula							
5	Discount	10										
6					Price ac	ross						
7	Net Price	\$12,850	50	100	150	200	300	350				
8		10										
9		20										
10	Quantity dos	wm 30										
11		40										
12		50										
13		60										
14												
15		Net	Value ce									
16		Net	valuece									_
17												
18												
19												
20			Comment Services				-				_	
		et3 . Sheet4 /	Sheet5 5	neet6 S	neet7 She	eth 22		1000			-	*0
Rea	wy 🔄							1005	100	8 (G)	- 0	- (+)

Now, for creation of data table, select the range of data table. Choose **Data Tab** » **What-If analysis dropdown** » **Data table.** It will give you dialogue asking for Input row and Input Column. Give the Input row as Price cell (In this case cell B3) and Input column as quantity cell (In this case cell B4). Please see the below screen-shot.

	and the second	Connections Properties Edit Units nections	X+ []	Fort & Filter	Vic Clear Go Reapply Y Advance er	d Column	1000		Sate	Grou Grou Ungr Subtr Outil	oup • •··]	
	84	• (**	f.	=[83*84]-[84	*(1-85))							*
Ą	A	8	C	D	E	F	Data Table	-	and the most	3	ж	1
	Cri	eation of Data	table b	y Tutorialspo	int.com							10
	Price Quantity Discount	\$250 50	← ←		Input ce nn Inpu	G101	Bow input of	- Annati				
	1.510-51070-010				Price a	cross	L	^	_			
	Net Price	\$12,950		50 100	150	200	300	350				
		10 20										
	Quantity down	30 40 50										
l		60										
				T			Click C	Ktog	enerat	e data	table	- 11
								•				- 11
			Selec	ted Rang	efor Da	ta tabl	e					
			Selec	ted Rang	e for Da	ita tabl	e					
			Selec	ted Rang	efor Da	ita tabl	e					
	• HI Sheet		Selec		efor Da		e 20141					*

Clicking OK will generate data table as shown in the below screen-shot. It will generate the table formula. You can change the price horizontally or quantity vertically to see the change in the Net Price.

2 2 7.0	(w)		sample	e workbook.x	lix - Micros	oft Excel				Conter	- ×
File Home	Insert Page	e Layout	Formulas	Data	Review	View	Developer	Fort Rea	der FOF	.0.	92
Get External Data - All	sb Trosperces	21 22 31 Son	Filter Sort & Filt	Vic Clean To Reapply If Advanced tr	Text to Columns	Remove Duplicates Dat	bill Data Va 같은 Consol 한 What 8 a Tools	date.	⊕ Grou ⊕ Ungr ∰ Subtr Outi	oup + "] stai	
C8	• (*	fe (stat	BLE(83,84))							
A h	8	c	DA	E	F	G	н	1	1	ĸ	
1	Creation of Data	table by Tu	torialspoi	nt.com							1
2					_						
3 Price	\$250	Fo	ormula	genera	tedby	data ta	able				
4 Quantity	50		, interest	Demene	iccus)	and the co					
5 Discount	10										
6				Price a	cross			Cł	nange	sin	
7 Net Price	\$12,950	50	100	150	200	300	350	-			
8	10	590	1090	1590	2090	3090	3590			y reflect	ts
9	20	1180	2180	3180	4180	6180	7180	in	table		
10 Quantity do	wn 30	1770	3270	4770	6270	9270	10770				
11	40	2360	4360	6360	8360	12360	14360				
12	50	2950	5450	7950	10450	15450	17950				
13	60	3540	6540	9540	12540	18540	21540				
14	1				٨						
15											
16		a portionale	124.040								
17 Char 18	nges in Quar	ntityrefl	ectsin	table (Genera	ted da	ta table	2			+
19											
20										1	
the second s	et3 Sheet4 S	heet5 Sh	eetó Sh	ieet7 / Shi	HEB 223		1000	10	1.045		10
Ready 2							1000	100	% ©	-0	

64. PIVOT TABLES

Pivot Tables

A pivot table is essentially a dynamic summary report generated from a database. The database can reside in a worksheet (in the form of a table) or in an external data file. A pivot table can help transform endless rows and columns of numbers into a meaningful presentation of the data. Pivot tables are very powerful tool for summarized analysis of the data.


Pivot tables are available under **Insert tab** » **PivotTable dropdown** » **PivotTable**.

Pivot Table Example

Now, let us see Pivot table with the help of example. Suppose you have huge data of voters and you want to see the summarized data of voter Information per party, then you can use the Pivot table for it. Choose **Insert tab > Pivot Table** to insert pivot table. MS Excel selects the data of the table. You can select the pivot table location as existing sheet or new sheet.

Z	1 2 0		pivot_tabl	e_example.xd	s (Compatibi	ty Mode]	- Microsof	It Excel	-	-	
12	. Hom	e iniert i	Page Layout Fo	ormulais 2-0.5	lata Revi	tw Vit	w Dev	eloper P	ovit Reader PDF	0) = = ×
Prest	7 Tables	Art	10 Shapes - 20 SmartAct 20 Screenshot - tutions	88 .	o time = time = time = time = titica = time	<u>10</u> Sparkding	t Shier	Que Hasterlink. Links	A Head Box A Poo Ted	1 1 1	Ω Symbols
	D1172	• (*	fx 41-50								
	A	В	C	D	E	F	G	н	1.	3	к –
1	VOTER *	PARTY	* PRECINCT	AGE	LAST	YEARS	BALLOT	-			1
3984		DEMOCRAT	241	4 41-50	08/2006	2	PERM	_			
3985	5145	DEMOCRAT	243	8 41-50	06/2006	2	PERM				
3986	5146	DEMOCRAT	241	7 71 +	06/2006	2	PERM				
3987	5147	DECLINED	Create PryotT	able	-		1.5	X	1		
3988	5149	DEMOCRAT	CONTRACTOR OF	1000	- Section 1		-				
3989	5150	DEMOCRAT			ant to analyze						
3990	5151	DECLINED		table or range							
3991	5152	DECLINED	Tabl	e,Range: 📓	ters1\$A\$11\$03	4001	10	16			
3992	5153	DEMOCRAT	C Use an e	external data s	ource		2	_			
3993	5154	DEMOCRAT	0	ooss Connect	on		\				
3994	5155	DEMOCRAT	Con	nection name:			Di	vottah	e selecte	dran	00
3995	5156	DEMOCRAT	Choose where	e you want the	ProtTable res	ort to be pl	aced	vortab	e selecte	uran	5e
3996	5157	DEMOCRAT	R New Wo	risheet							
3997	5158	DECLINED	C Existing	Worksheet							
3998	5159	REPUBLICAN	Loca	tion:				156			
3999	5160	DEMOCRAT									
4000	5161	DEMOCRAT	10			OK		Cancel			10
4001	5162	DEMOCRAT		4-22-30		-	rena -		6	1	1
	and the second second second second	ers Sheet1	Q				•	11			
Point	121							(0.20)	1 x0094 (-)-		• I

This will generate the Pivot table pane as shown below. You have various options available in the Pivot table pane. You can select fields for the generated pivot table.



- **Column labels:** A field that has a column orientation in the pivot table. Each item in the field occupies a column.
- **Report Filter:** You can set the filter for the report as year, then data gets filtered as per the year.
- **Row labels:** A field that has a row orientation in the pivot table. Each item in the field occupies a row.
- **Values area:** The cells in a pivot table that contain the summary data. Excel offers several ways to summarize the data (sum, average, count, and so on).

After giving input fields to the pivot table, it generates the pivot table with the data as shown below.

Z.	a s	· 1×	*(u)		pivot.	able_exam	pleats [C	ompatibility N	lode] - M	licrosoft Exce	d.	Powort .	uble Yook	10	(iii)
1	de.	Home	Inset	Page	Layout	Formula	o Data	Review View	Develop	er Foxit Re	ader PDF	Options	Design	00	0 4 8
1.5	I (Table	Qd Active Field -	¢ Group	<u>š</u> 1	AZ Sort &	Societ Shiter		Change Data Source *			Calculation	Tools	Field Unt	0.051	
		87		• (*		fe 30	030								-
2 3 4 5 6 7 8 9	Sum PART AMES DECU DEMO GREE REPU	RICAN I INED DCRAT	INDEP	60 300	74 21 30 50	Gen	perate	ε d Pivot Ta	F able	6	6	Choose fie VOTER V PARTY PRECE AGE G LASTW	KCT ROUP DTED	sport	• ,2 (3) •
12 13 14												V Repo	between area		mn Labels
15 16								row filter	, colu	mns,					(+)
17 18 19				ow	s, an	d sum						PARTY	-	Σ Value Sum of \	
20		Shee	13 A	oters	She	et1 / 🖓	2		. 4.	1	*0	Defer I	Layout Update		Lodate
Rei	dy 3	2									1,100		100% 😐	0	•


65. SIMPLE CHARTS

Charts

A chart is a visual representation of numeric values. Charts (also known as graphs) have been an integral part of spreadsheets. Charts generated by early spreadsheet products were quite crude, but thy have improved significantly over the years. Excel provides you with the tools to create a wide variety of highly customizable charts. Displaying data in a well-conceived chart can make your numbers more understandable. Because a chart presents a picture, charts are particularly useful for summarizing a series of numbers and their interrelationships.

Types of Charts

There are various chart types available in MS Excel as shown in the below screenshot.



- **Column**: Column chart shows data changes over a period of time or illustrates comparisons among items.
- **Bar**: A bar chart illustrates comparisons among individual items.

Regional Training Institute Allahabad

- **Pie**: A pie chart shows the size of items that make up a data series, proportional to the sum of the items. It always shows only one data series and is useful when you want to emphasize a significant element in the data.
- Line: A line chart shows trends in data at equal intervals.
- Area: An area chart emphasizes the magnitude of change over time.
- **X Y Scatter**: An xy (scatter) chart shows the relationships among the numeric values in several data series, or plots two groups of numbers as one series of xy coordinates.
- **Stock:** This chart type is most often used for stock price data, but can also be used for scientific data (for example, to indicate temperature changes).
- **Surface:** A surface chart is useful when you want to find the optimum combinations between two sets of data. As in a topographic map, colors and patterns indicate areas that are in the same range of values.
- **Doughnut:** Like a pie chart, a doughnut chart shows the relationship of parts to a whole; however, it can contain more than one data series.
- **Bubble:** Data that is arranged in columns on a worksheet, so that x values are listed in the first column and corresponding y values and bubble size values are listed in adjacent columns, can be plotted in a bubble chart.
- **Radar:** A radar chart compares the aggregate values of a number of data series.

Creating Chart

To create charts for the data by below mentioned steps.

- Select the data for which you want to create the chart.
- Choose **Insert Tab** » **Select the chart or click on the Chart group** to see various chart types.
- Select the chart of your choice and click OK to generate the chart.

Excel 2010

Z	1	sam	ple workt	ookudsx - Micro	soft Excel	-		5	hart Tools	10	(i) - X
E	ite Home Insert Pa	ge Layc Forn	ulas Da	a Review Vie	v Develop	pe Fox	t Rear	Design	Layout Format	00	000
Pat of the		. А. А. Д.	部 部 決 決	≫- *⊴	16 1	A Styles	24 De	cirte = cirte = cenat = eRs	$ \begin{array}{c} \Sigma & & \\ \hline \mu \\ \hline \mu \\ 2 & \\ Sorth \\ Filter & Sot \\ Edding \\ \hline \end{array} $		
	Chart 1 👻	(*)	G								
4	A	B	C	D	E		F	G	н	1	1
1	Customer Lastname	Quantity	Price	Total Amount							
	Cagle	3	100	300							1
	Cantwell	18	60	1080		- D	ata fo	orcha	irt		
4	Snell	24	50	1200							
0	Lunt Rentel	9	45	403							-
6	Kennedy	3	48	20:							
8 9 10 11 12 13 14 15 16 17 18 19 20 21	1400 1200 1000 800 600 400 200 0 Colored graves	J. J.		Quant ity Price Fotal Amount	~	Inse	rted	chart			
-	(+ H Sheet2 / Sh	eet3 Shee	t4 / She	et5 Sheet6	Sheet7			11111123	11 100% (0	

Editing Chart

You can edit the chart at any time after you have created it.

You can select the different data for chart input with Right click on chart
 » Select data. Selecting new data will generate the chart as per the new data, as shown in the below screen-shot.

1			Column Se De Column Se De Charts	1 X I	Cut	Querlink Lmks	A Text Box	Hander 6. Foote Text	4.8.8	Ω Symbo		-
	Chart 1 -		c	10	Reset to Match State	6		54	1	- 11-	1	in the
1	Customer Lastname	and the second se	Price Total	i A	tent_		-	-				ñ
	Cagle Cantwell Snell Lunt Rentel Xennedy 1400 1200 1000	3 18 24 9 3 6	100 60 50 45 67 48	1	Charipe Charl Type Select Date Merer Overt 2.0 gotation Genus 4 Strong to Fjorit 1 + Secol 32 Early 1 + Assigg Macros genust Charl Area	Selec	t diff:	eren	t dal	ta		
	800		# Quent it	(car	HI - 10 - A' A' Cha	of Area	-	-				
45678901	400 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		B Price B Toral Ar	в	1 回 回 五・公		/					

- You can change the X axis of the chart by giving different inputs to X-axis of chart.
- You can change the Y axis of chart by giving different inputs to Y-axis of chart.

66. PIVOT CHARTS


Pivot Charts

A pivot chart is a graphical representation of a data summary, displayed in a pivot table. A pivot chart is always based on a pivot table. Although Excel lets you create a pivot table and a pivot chart at the same time, you can't create a pivot chart without a pivot table. All Excel charting features are available in a pivot chart.

Pivot charts are available under **Insert tab** » **PivotTable dropdown** » **PivotChart**.

Pivot Chart Example

Now, let us see Pivot table with the help of an example. Suppose you have huge data of voters and you want to see the summarized view of the data of voter Information per party in the form of charts, then you can use the Pivot chart for it. Choose **Insert tab > Pivot Chart** to insert the pivot table.



MS Excel selects the data of the table. You can select the pivot chart location as an existing sheet or a new sheet. Pivot chart depends on automatically created pivot table by the MS Excel. You can generate the pivot chart in the below screenshot.

Regional Training Institute Allahabad

and the second se	CARGE CONSTR	euls (Compatibility Mode) - A Data Review View Develop		Denign Layout	Format Analyze	00000		
Change Seer Al Switch Chart Type Template Rose Colu	Select mn Data			Chart Shyler	n I n	v Nose Otart Lacebox		
Chart 1 • 🤄	f.		G H					
A B 1 Sum of Votes - 2 PARTY - Total 3 AMERICAN INDEP 67 4 DECLINED 602 5 DEMOCRAT 3003 6 GREEN 453 7 REPUBLICAN 1855 8 Grand Total 5572 3 10 11	3 en of hute 4 3 5 5000	To	*109	ProstTable Field List Orose fields to add to report: Orose fields to add to ad				
12 13 14 15	A	NERCAN DECLINED DEMON	BLCAN	Drag fields between areas below: V Report Filter Elegend Pelds .				
16 17 18 Pivot Chart	data	↑ Pivot C	hart		E Ave Feids (Ca PARTY *	Σ Values Sum of Votes .		
13 20 H + + H Sheat3 Sheat4 Ready 2	Voten . She	a			Defer Layout Update	Contre O (•)		

67. KEYBOARD SHORTCUTS

MS Excel Keyboard Short-cuts

MS Excel offers many keyboard short-cuts. If you are familiar with windows operating system, you should be aware of most of them. Below is the list of all the major shortcut keys in Microsoft Excel.

- **Ctrl + A** : Selects all contents of the worksheet.
- **Ctrl + B** : Bold highlighted selection.
- **Ctrl + I** : Italicizes the highlighted selection.
- **Ctrl + K** : Inserts link.
- **Ctrl + U** : Underlines the highlighted selection.
- **Ctrl + 1** : Changes the format of selected cells.
- **Ctrl + 5** : Strikethrough the highlighted selection.
- **Ctrl + P** : Brings up the print dialog box to begin printing.
- **Ctrl + Z** : Undo last action.
- **Ctrl + F3** : Opens Excel Name Manager.
- **Ctrl + F9**: Minimizes the current window.
- **Ctrl + F10** : Maximizes the currently selected window.
- **Ctrl + F6** : Switches between open workbooks or windows.
- **Ctrl + Page up** : Moves between Excel work sheets in the same Excel document.
- **Ctrl + Page down** : Moves between Excel work sheets in the same Excel document.
- **Ctrl + Tab** : Moves between Two or more open Excel files.
- **Alt + =** : Creates a formula to sum all of the above cells
- **Ctrl + '** : Inserts the value of the above cell into cell currently selected.
- **Ctrl + Shift + !** : Formats the number in comma format. Regional Training Institute Allahabad

- **Ctrl + Shift + \$** : Formats the number in currency format.
- **Ctrl + Shift + #** : Formats the number in date format.
- **Ctrl + Shift + %** : Formats the number in percentage format.
- **Ctrl + Shift + ^** : Formats the number in scientific format.
- **Ctrl + Shift +** @ : Formats the number in time format.
- **Ctrl + Arrow key** : Moves to the next section of text.
- **Ctrl + Space** : Selects the entire column.
- **Shift + Space** : Selects the entire row.
- **Ctrl + -** : Deletes the selected column or row.
- **Ctrl + Shift + =** : Inserts a new column or row.
- **Ctrl + Home** : Moves to cell A1.
- **Ctrl +** ~ : Switches between showing Excel formulas or their values in cells.
- **F2** : Edits the selected cell.
- **F3** : After a name has been created F3 will paste names.
- **F4** : Repeat last action. For example, if you changed the color of text in another cell pressing F4 will change the text in cell to the same color.
- **F5** : Goes to a specific cell. For example, C6.
- **F7** : Spell checks the selected text or document.
- **F11** : Creates chart from the selected data.
- **Ctrl + Shift + ;** : Enters the current time.
- **Ctrl + ;** : Enters the current date.
- Alt + Shift + F1 : Inserts New Worksheet.
- **Alt + Enter** : While typing text in a cell pressing Alt + Enter will move to the next line allowing for multiple lines of text in one cell.
- **Shift + F3** : Opens the Excel formula window.
- **Shift + F5** : Brings up the search box.

Regional Training Institute Allahabad