

## **NOTICE INVITING TENDER**

### **Limited Tender Notice for 'Procurement and Installation of Open Gym and Children's Park Equipment at PAG's Residential Complex, 79 Tilla, Agartala**

**Accountant General Office Recreation Club**

**Office of the Principal Accountant General, Tripura, Agartala**

**No:AGORC/NIT/308**

**Dated:08.12.2025**

Limited tender enquiry is hereby invited on behalf of the General Secretary, AGORC, Tripura from AGORC enlisted vendors meeting eligibility criteria for selection of vendor/ contractor/ firm for the following work:

Sl. No	Name of work	Estimated Cost (in ₹)	EMD Amount (in ₹)	Stipulated time for completion
1.	Procurement and Installation of Open Gym and Children's Park Equipment at PAG's Residential Complex, 79 Tilla, Agartala	₹10,00,000/-	20,000/- *EMD Exemption allowed	90 days

2. Last date for uploading the tender documents by bidders duly completed in all respect is at 13.00 hrs. on 22 Dec,2025.

3. Item rate to be quoted shall include all taxes including GST. L1 vendor/ firm/ contractor will be decided on the basis of Total of tender Price including cost of equipment, GST and installation cost, if any.

4. AGORC reserves the right to cancel the tender without assigning any reasons.

5. The complete tender document can be accessed and downloaded from CPP Portal.

Please check the website <http://eprocure.gov.in/eprocure/app> or

<https://cag.gov.in/ag/tripura/en> for any change/ modification/ amendment in the Tender Enquiry.

  
General Secretary, AGORC

8/12/2025

Distribution:

CPP Website

**Accountant General Office Recreation Club  
Office of the Principal Accountant General, Tripura,  
Agartala**



**लोकहितार्थसत्यनिष्ठा**  
**Dedicated to Truth in Public Interest**

**GeM-CPP/ CPP Limited Tender document for Procurement and Installation of Open Gym and Children's Park Equipment at PAG's Residential Complex, 79 Tilla, Agartala**

**CPP Tender ID: 2025\_CAG\_888774\_1**

**Publishing Date:08.12.2025**

**Bid Submission Start Date & Time:08.12.2025 at 1:00 p.m**

**Bid Submission Closure Date and Time:22.12.2025 at 1.00 p.m**

**Bid opening Date and Time:23.12.2025 at 1:00 p.m**

*Handwritten signature*

## LIMITED TENDER NOTICE

for

### **Tender Document for Procurement and Installation of Open Air Gym and Children's Park Equipment at PAG's Residential Complex, 79 Tilla, Agartala through Gem-CPP/ CPP Portal**

1. Limited Tenders in Two Packets (Technical & Financial) basis are invited on behalf of the General Secretary, Accountant General Office Recreation Club, Office of the Principal Accountant General, Tripura from vendors registered with AGORC, Tripura for supply & installation of Open Air Gym and Children Park equipment at AG's Residential Complex, 79 Tilla, Agartala.
2. Bids shall be submitted in GEM-CPP/ CPP Portal or offline to the General Secy, AGORC, Office of the Principal Accountant General, Tripura from 06.12.25 to 22.12.25(upto 1.00 pm).
3. Bid documents may be printed with 60-100 dpi with black and white option which helps in reducing size of the tender document.
4. Hard Copy of earnest money deposit etc. must be delivered to the General Secretary, AGORC, Office of the Principal Accountant General, Tripura on or before last date/time of Bid Submission as mentioned above. The bid without EMD will be rejected. The scanned copy of the EMD should be attached in the technical bid. However, EMD is exempted in case of Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department [or Startups as recognized by Department for Promotion of Industry and Internal Trade (DPIIT)].
5. The tender shall be submitted in two parts, viz., technical bid and financial bid. All the pages of bid being submitted must be signed.
6. Any future clarification and/or corrigendum(s) shall be communicated through the GEM-CPP/ CPP and in the website of the office at <https://cag.gov.in/ag/tripura/en>. The bidders are required to regularly check the website to know about any/all such corrigendum(s) as only these bids, taking care of such corrigendum(s) shall be considered for finalisation of the tender.
7. Bidder should necessarily enclose a covering letter mentioning a summary of applied document with proper numbering. Secondly, bid should also attach a compliance sheet as per specification mentioning that they are complying to all specification or have any variation.
8. All the duly filled/completed pages of the tender should be given serial /page number on each page and signed by the owner of the firm or his Authorized signatory. In case the tenders are signed by the Authorized signatory, a copy of the power of attorney/authorization may be enclosed along with tender.
9. Any omission in filling the columns of Financial Bid form (Schedule of Rates) shall debar a tender from being considered. Rates should be filled up carefully by the tenderer. All corrections in this schedule must be duly attested by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.





10 (i) Bid Security (EMD): -The bidder shall pay the respective amount of Bid Security (EMD) of ₹20,000 along with the Technical Bid by way of FD/TD/CD in favour of "AGORC, Principal Accountant General Office, Tripura" drawn on any Nationalized Bank/ Scheduled Bank and payable at Agartala and must be valid for (6) six months.

Bids received without Earnest Money deposit (EMD) shall stand rejected and thus shall not be considered for evaluation etc, at any stage.

(ii) EMD is required to protect the purchaser against the risk of Bidder's conduct. The EMD will be forfeited if the bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to the notice that the information/ documents furnished in its tender is incorrect or false.

11. The bid security (EMD) without interest shall be returned to the unsuccessful bidders. Bid security shall be refunded to the successful bidder on receipt of Performance Security (PBG).

12. Bidders are not allowed to submit more than one bid for the same/similar tendered item else all his bids shall be cancelled thereby making him disqualified in addition to the forfeiture of the EMD.

13. Performance Security (PBG): The successful bidders have to execute a contract on Indian non judicial stamp paper of Rs. 100/-(Rupees one hundred only) within 90 days from the date of award of this tender in his favour and also required to furnish the Security Deposit (Performance Security) @ 3% of contract value in the form of FD/BG/TD for three months extra of the contract/ warranty period from any Nationalised/Schedule bank duly pledged in favour of AGORC, Tripura, Agartala & payable at Agartala only. Performance Security Deposit will be returned only after successful completion of the contract (15 months including 12 months of defect liability period) to the satisfaction of the AGORC.

14. The PBG shall be forfeited if successful bidder fails to supply/ install the goods/equipment in stipulated time period of 90 days from the date of letter of award/supply order or fails to comply with any of the terms & conditions of the contract or fail to sign the contract.

15. The bid shall be valid and open for acceptance by the competent authority of AGORC, Tripura for a period of 180 (one hundred eighty) days from the published date of opening of the tenders and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. The unilateral withdraw at any stage will cause forfeiture of EMD in addition to any remedy that the purchaser may have under the law.

16. To assist in the analysis, evaluation and computation of the bids, the Competent Authority, may ask bidders individually for clarification of their bids. The request for Clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.

17. After evaluation, the work shall be awarded normally to the Agency fulfilling all the conditions of the contract and who has quoted the lowest rate as per financial bid after complying with the all the Acts / provisions stated / referred to for adherence in the tender.

18. The competent authority of AGORC, Tripura reserves all rights to accept or reject any/ all tenders) without assigning any reason. AGORC, Tripura also reserves the right to reject any



bid which in its opinion is non-responsive or violating any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.

19. Tender must be submitted on the prescribed Tender Form otherwise tender will be cancelled straightway.

20. The tender form is not transferable.

21. Canvassing in any form is strictly prohibited and the tenderers who are found canvassing are liable to have their tenders rejected out rightly.

22. It is required by all concerned, namely the Bidders/Suppliers, as the case may be to observe highest standard of ethics during the procurement and execution of this Tender.

23. Installation at consignee's site should be free of cost immediately on arrival of equipment at consignee's site.

24. In case the quality of goods supplied are not in conformity with the standard given in tender or as per the samples supplied or the supplies are found defective at any stage these goods shall immediately be taken back by the supplier and will be replaced with the tender quality goods, without any delay. The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description / specifications and liquidated damages shall be charged in addition to the cost of re- tender.

25. In case the bidder on whom the supply order has been placed, fails to make supplies within the delivery schedule and the purchaser has to resort risk purchase, the purchaser (AGORC Tripura) may recover from the tender the difference between the cost calculated on the basis of risk purchase price and that calculated on the basis of rates quoted by tenderer. In case of repeated failure in supplying the order goods the supply order may be cancelled and bid security deposit will be forfeited.

26. Where the specifications are as per tenderer's range of products the tenderer's offer should mention that the item meets all specifications as per the tender enquiry and if there are improvements/deviations the same should be brought out on separate Letter Head of the firm. It would be discretion of the competent authority of the institute to accept or reject such deviations which are not in accordance with our required specifications as mentioned in the financial bid.

27. The bidders should have furnished a copy of GST/ PAN card. Tenders not complying with this condition will be rejected. Applicable IT TDS/ GST-TDS shall be deducted from all the bills.

28. Turnover provisions: - The tenderers should submit along with the tender, a scanned copy of the last three years Annual Accounts and Income Tax returns, otherwise bidder will not be considered for administrative evaluation (in evaluation of Technical bid) and will be declared disqualified in technical evaluation.

29. Sample/demonstration: - The L1 bidder will have to submit sample and perform demonstration of the equipment/item to the competent authority of the AGORC Tripura within 15 days from the issue of provisional supply order. The bidder will have to bear all the expenses

*Pondip*



for the same. Non submission of sample/non-performing demonstration/ non-compliance with specifications will disqualify the bidder and the next L2 bidder will be requested to match the price of L1 bidder.

30. The tenderer should guarantee that the equipment supplied to the AGORC Tripura (purchaser) under the Contract shall be of the best quality/latest version and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars contained/ mentioned in the Tender Document. The date of manufacturing of the equipment/goods supplied will not be more than 6 (Six months) old.

31. Full description & specifications, make/brand and name of the manufacturing firm must be clearly mentioned in the tender, failing which, the tender will not be considered. Descriptive literature /catalogues must be attached with the tender in original, failing which, tender may be disqualified.

32. Force Majeure: Any failure or omission to carryout of the provisions of this supply by the supplier shall not give right for any claim by supplier and purchaser to one against the other, if such failure or omission arise from an act of God which shall include all acts of natural calamities from civil strikes compliance with any statistics and or requisitions of the Government lockdown and Strikes, riots, embargos or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state of incarceration provided that notice of the occurrence of any event by either party to the other shall be within two weeks from the date of occurrence of such an event which could be attributed to force majeure. Any delay due to Force Majeure will not be attributable to the either of the parties.

33. The successful Bidder shall at all times agree to indemnify and keep indemnified the purchaser against all losses, damages which may arise in respect of action/inactions of such Bidder or breach of any term of this tender by such Bidder. All claims regarding indemnity shall survive the termination of the contract with such Bidder.

34. In case the vendor fails to supply the spare parts or fails to provide the agreed maintenance during the prescribed period, as per the terms of contract, the purchaser is automatically entitled to procure the required parts and hire services from the market at the risk and cost of the vendor, such inability of bidder will entail forfeiture the security deposit. The purchaser also reserves the right to terminate the contract on immediate notice, if the vendor fails to comply with this clause for more than one instance.

35. Liquidated damage/demurrage: - The time for completion of the work as stipulated in the Work order shall be deemed to be the essence of the contract and if the agency fails to complete the work within the stipulated period, liquidated damages may be deducted from the bill @ 0.5% per week subject to maximum of 10% of the value of the delayed goods or services under the contract. The competent authority of the institute may also cancel the supply at the cost & liability of the supplier. In such a case, bid security of the supplier shall stand forfeited.

The supply of equipment must be in single consignment, inclusive of all parts & accessories in adherence to the specification so as to make the equipment fully functional at the time of the installation. No installation report shall be signed in case of non-adherence to any part as per the specification.

*For signature*

36. Legal Jurisdiction: -The Courts at Agartala alone and no other Court will have the jurisdiction to try the matter, dispute or reference between the parties arising out of this tender/supply Order/contract.

Applicable Law:

37. The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings / processing.

38. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Agartala, Tripura, India only.

39. Except as otherwise provided under this Contract for immediate termination of the Contract, in the event of a disputes which may be arising out of the execution of the tender contract, the matter will be referred to the Sr. Deputy Accountant General (Admn)/ Estate Officer. Appeal against the decision of the Sr. DAG (Admn) will lie before the Principal Accountant General, Tripura, Agartala/ Patron AGORC and his decision shall be final and binding upon both the parties.

40. Option Clause:- At the time of awarding the contract, the purchaser reserves the right to increase or decrease up to twenty-five (25%), the quantity of goods (round off to next whole number) without any change in the unit price and other terms & conditions quoted by the bidder.

41. This document contains Annexure A to F which should be filled in carefully in CPP Portal.

1/ We hereby accept the terms and Conditions given in the tender.

(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender

**(B) Financial terms and conditions:-**

1. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable.

2. Rates quoted should be inclusive of all applicable taxes, packing, forwarding, postage and transportation charges for PAG's Residential Complex, 79 Tilla, Agartala (Site of installation/ Use). Rates should be mentioned both in figures and in words.

3. The supplier has to submit a declaration that the bidder has not quoted the price higher than previously supplied to any Government Institute/Organisation/reputed Private Organisation or DGS&D rate in recent past. Therefore, if at any stage it has been found that the supplier has

*Pradip*



quoted lower rates than those quoted in this tender; the AGORC Tripura (the purchaser) would be given the benefit of lower rates by the Supplier and any excess payment if any, will become immediately payable to the AGORC Tripura. If such declaration is not submitted, tender will be outrightly rejected. (Part of technical bid)

4. Defect Liability Period will be for a period of 12 months and shall mean the period during which the Agency shall remain liable for repair or replacement of any defective part of the Works performed under the Contract. The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 12 months beyond that. If any sort of defect, arising out of defect or improper materials or workmanship, is identified by the competent authority of the institution within 12 months after issuance of the final certificate of completion of work or otherwise of its completion, the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Competent Authority of the Institution cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit.

5. Payment terms: -If the supplier supplied the requisite item within stipulated time and installation is pending on the part of AGORC Tripura on various reasons, up to 75 per cent payment against supply can be made by the AGORC Tripura on the case wise only but will not be considered as precedence in all cases.

*Upto seventy-five (75%) Payment of the contract price shall be paid on receipt of goods in an acceptable condition.*

*Balance twenty-five (25 %) payment would be made against 'Final equipment installation Certificate.'*

**6. L1 Clause: L1 firm will be decided on the basis of Total of tender Price including (cost of equipment including all taxes/duties+ installation cost, if any).**

NO DEMURRAGE / WHARFAGE CHARGES WILL BE PAYABLE BY THE AGORC TRIPURA UNDER ANY CIRCUMSTANCES. NO ADVANCE PAYMENT WILL BE PAYABLE.

Note: In case of any dispute regarding award of tender, decision of AGORC Tripura Administration would be final.

I / We hereby accept the terms and Conditions given in the tender

**Signature & Stamp of bidder**

**GENERAL TECHNICAL SPECIFICATIONS FOR OPEN GYM AND CHILDREN PARK EQUIPMENT**

Item Name	Item Specifications
Outdoor Multiplay Station (Spiral, Plain, Tube slide)	Size - 22'L x 18'W x 13'H ( platform 6'H ) 1. Canopy 2 nos 2. Straight Slide 12'L 3. Wave Slide 12'L 4. Spiral Slide 6'H 5. Middle Bridge 6'L

*Pandip*



	6. Cartoon Railing 7. Ladder 2 nos
Double seater arch Swing	Size - 8'L x 7'.6"H x 4'.6"W Seating Capacity 2 Children Chain - 8mm Thickness Texture - iron pipe - 2.0mm
Playground Merry go round	Size - 5'D Floor - FRP Handle 1" Iron Pipe Texture - Iron pipe with bearing
Heavy duty Jumping mat Outdoor Trampoline Dia 8 FT	Dia 8 ft with spring
Outdoor multi colour pendulum swing Capacity- 4 Children	4-Seater Circular Swing Size - 6'L x 6'H x 6'W Seating Capacity - 4 Children Circular 5'D
Triple Twister	Product Area- 4.5'ft x 4ft 100mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welding. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant.
Sky Walker	Product Area- 5'ft x 2.6ft 100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant.
Outdoor Fitness cycle	Product Area- 4'ft x 2ft 100mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with

*Prasid*

	<p>welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings.</p> <p>All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion &amp; water resistant.</p>
Outdoor chest Press single	<p>Product Area- 5'ft x 3'ft</p> <p>100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm</p> <p>&amp; Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings.</p> <p>All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion &amp; water resistant.</p>
Outdoor shoulder press double	<p>Product Area- 7'ft x 3'ft</p> <p>100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm</p> <p>&amp; Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings.</p> <p>All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion &amp; water resistant.</p>

**ANNEXURE: "A"**

**TECHNICAL BID**

Sl NO.	Name of item	Model Specifications	Quantity	To be provided
--------	--------------	----------------------	----------	----------------

*For dip*



				by the bidder
1.	Outdoor Multiplay Station (Spiral, Plain, Tube slide)	Size - 22'L x 18'W x 13'H ( platform 6'H ) 1. Canopy 2 nos 2. Straight Slide 12'L 3. Wave Slide 12'L 4. Spiral Slide 6'H 5. Middle Bridge 6'L 6. Cartoon Railing 7. Ladder 2 nos	1 no.	
2.	Double seater arch Swing	Size - 8'L x 7'.6"H x 4'.6"W Seating Capacity 2 Children Chain - 8mm Thickness Texture - iron pipe - 2.0mm	1 no.	
3.	Playground Merry go round	Size - 5'D Floor - FRP Handle 1" Iron Pipe Texture - Iron pipe with bearing	1 no	
4.	Heavy duty Jumping mat Outdoor Trampoline DIA 8FT	Dia 8 ft with spring	1 no.	
5.	Outdoor multi colour pendulum swing Capacity- 4 Children	4-Seater Circular Swing Size - 6'L x 6'H x 6'W Seating Capacity - 4 Children Circular 5'D	1 no.	
6.	Triple Twister	Product Area- 4.5'ft x 4ft 100mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welding. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant.	1 no.	
7.	Sky Walker	Product Area- 5'ft x 2.6ft 100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42	1 no.	

*Handwritten signature*

		<p>mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion &amp; water resistant.</p>		
8.	Outdoor Fitness cycle	<p>Product Area- 4'ft x 2ft  100mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm &amp; Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion &amp; water resistant.</p>	1 no.	
9.	Outdoor chest Press single	<p>Product Area- 5'ft x 3ft  100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm &amp; Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and</p>	1 no.	

Pradip



		Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant.		
10.	Outdoor shoulder press double	Product Area- 7'ft x 3'ft 100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant.	1 no.	

**Signature and seal of the bidder**

*Pradi*

**ANNEXURE: "B"**

**PRICE BID**

<b>Sl NO.</b>	<b>Name of item &amp; its installation work</b>	<b>Quantity</b>	<b>Rate(both in figures and words)</b>
<b>1.</b>	Outdoor Multiplay Station (Spiral, Plain, Tube slide)	<b>1 no</b>	
<b>2</b>	Double seater arch Swing	<b>1 no</b>	
<b>3</b>	Playground Merry go round	<b>1 no</b>	
<b>4</b>	Heavy duty Jumping mat Outdoor Trampoline DIA 8FT	<b>1 no</b>	
<b>5</b>	Outdoor multi color pendulum swing Capacity- 4 Children	<b>1 no</b>	
<b>6</b>	Triple Twister	<b>1 no</b>	
<b>7</b>	Sky Walker	<b>1 no</b>	
<b>8</b>	Outdoor Fitness cycle	<b>1 no</b>	
<b>9</b>	Outdoor chest Press ingle	<b>1 no</b>	
<b>10</b>	Outdoor shoulder press double	<b>1 no</b>	
<b>11.</b>	Installation Charge, if any	<b>1 job</b>	
<b>TOTAL</b>			
<b>GST %</b>			
<b>GRAND TOTAL</b>			

**Signature and seal of the bidder**

*Radip*



Application From

[NOTE: On the letterhead of the applicant including full postal address, Email address, telephone no. and fax no.]

To  
The Secretary.  
AGORC,  
Tripura, Agartala

Sir,

1. Being duly authorized to represent and act on behalf of ..... ( hereinafter referred to as "the applicant") and having reviewed and fully understood all the pre-qualification information provided, the undersigned hereby applies to be pre-qualified by yourselves as a tenderer for award of work(s) in

2. Attached to this letter are copies or original documents defining:

(a) the principal place of business

(b) the place of incorporation (for applicants who are corporations) or the place of registration and the nationality of the owners (for applicants who are partnerships or individually owned firms)

3. Your agency and its authorized representatives are hereby authorized to conduct any inquiries or investigations to verify the statements, documents and information submitted in connection with this application, and to seek clarification from our bankers and clients regarding any financial and technical aspects. This letter of application will also serve as authorization to any individual or authorized representative, or Any institution referred to in the supporting information, to provide such information deemed necessary and requested by you to verify statements and information provided in this application, or with regard to the resources, experience, and competence of the Applicant.

4. Your agency and its authorized representatives may contact the following persons for further information on-general, personnel, technical and financial enquiries.

Contact 1: Name,  
Email and Phone no.

Contact 2: Name,  
email and phone no.

5. This application is made with the full understanding that:

(a) Bids submitted by applicants will be subject to verification of all information submitted at the time of bidding.

(b) Your agency reserves the right to:

- amend the scope and value of the contract / bid under this project; in such event, bids will only be called from pre-qualified bidders who meet the revised requirements; and
- reject or accept any application, cancel the pre-qualification process, and reject all applications without assigning reasons or incurring any liability thereof; and
- Your agency shall not be liable for any such actions and shall be under no obligation to inform the applicant.

6. The undersigned declares that statements made, and the information provided in the duly completed application are true and correct in every detail.

Signed and sealed, Name.....

*Pradip*

**Annexure- "D"**

**GENERAL INFORMATION**

<b><u>SL NO.</u></b>	<b><u>Particulars</u></b>	
<b>1.</b>	<b>Name of the firm</b>	
<b>2.</b>	<b>Head of the office address</b>	
<b>3.</b>	<b>Telephone No.</b>	
<b>4.</b>	<b>Fax No.</b>	
<b>5.</b>	<b>Email Id.</b>	
<b>6.</b>	<b>Place of incorporation</b>	
<b>7.</b>	<b>Registration No.</b>	
<b>8.</b>	<b>Year of Incorporation.</b>	
<b>9</b>	<b>PAN No</b>	
<b>10</b>	<b>GSTIN No</b>	

**Signature and seal of the  
bidder**

*Pondip*



**Solvency Certificate**

This is to certify that to the best of our knowledge and information  
M/s.....having marginally noted  
address, a customer of our bank are/is respectable and can be treated as good for any  
engagement up to a limit of Rs.. .....  
(Rupees.....  
.....  
.....)

This certificate is issued without any guarantee or responsibility on the bank or any of the  
officers.

**Date of Issue: -**

**(Signature with Stamp)**  
**For the Bank**

Note : -

1. Banker's certificate should be on letter head of the Bank and should not be more than 6  
months old from the date of publication of tender

In case of partnership firm, certificate should include names of all partners as recorded with  
Bank.

*Pondip*

## GeM Availability Report and Past Transaction Summary

Pradip





**Report ID:** GEM/GARPTS/03122025/CDOQQ0ZPEP6P

**Report Name:** Procurement and Installation of Children's Park and Open Gym

**Generated By:** Rohit Kumar Singh , NA , Comptroller and Auditor General (CAG) of India

**Generated On:** 03/12/2025

**Valid till:** 02/01/2026

### **GeM Availability Report and Past Transaction Summary**

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

**1. Search String: Outdoor Multiplay Station (Spiral, Plain, Tube slide) Size - 22'L x 18'W x 13'H ( platform 6'H ) 1. Canopy 2 nos 2. Straight Slide 12'L 3. Wave Slide 12'L 4. Spiral Slide 6'H 5. Middle Bridge 6'L 6. Cartoon Railing 7. Ladder 2 nos**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**2. Search String: Double seater arch Swing Size Size - 8'L x 7'.6"H x 4'.6"W Seating Capacity 2 Children Chain - 8mm Thickness Texture - iron pipe - 2.0mm**

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Estimated Value Of Procurement: ₹ 10000.0

Category Name	Catalog Count	Order Count		Bid	Order Value (in Lakhs)		Bid
		Direct Purchase	Reverse Auction		Direct Purchase	Reverse Auction	
Modular Toilet	932	1,590		58 296	5,269	1,975	6,410

**3. Search String: Playground Merry go round Size - 5'D Floor - FRP Handle 1" Iron Pipe Texture - Iron pipe with bearing**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**4. Search String: Heavy duty Jumping mat Outdoor Trampoline Dia 8FT with spring**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**5. Search String: Outdoor multi colour pendulum swing Capacity- 4 Children 4-Seater Circular Swing Size - 6'L x 6'H x 6'W Seating Capacity - 4 Children Circular 5'D**

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Estimated Value Of Procurement: ₹ 10000.0

Category Name	Catalog Count	Order Count		Bid	Order Value (in Lakhs)		Bid
		Direct Purchase	Reverse Auction		Direct Purchase	Reverse Auction	
Modular Toilet	932	1,590		58 296	5,269	1,975	6,410

**6. Search String: Triple Twister Product Area- 4.5'ft x 4ft 100mm NB diameter of thickness not less than**



**3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welding. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**7. Search String: Sky Walker Product Area- 5'ft x 2.6ft 100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**8. Search String: Outdoor Fitness cycle Product Area- 4'ft x 2ft 100mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**9. Search String: Outdoor chest Press single Product Area- 5'ft x 3ft 100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.



This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0

**10. Search String: Outdoor shoulder press double Product Area- 7'ft x 3'ft 100 mm NB diameter of thickness not less than 3.00 mm, Handle shall be minimum of 25 mm NB diameter of thickness 2.60 mm & Connecting links shall be minimum of 42 mm NB diameter of thickness 2.60 mm are of 'B' class heavy grade make with hot dipped galvanized with minimum of 75 microns zinc dipped joint with welded with Rubber grips on top end. Handle Rubber Grips. The help of special heavy-duty bearings. All open ends of pipes, bearings, bushes and Base cover shall be closed by polypropylene plastic/nylon polyamide caps up to 4 mm thickness for safety against entrapment, corrosion & water resistant**

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 10000.0