



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5374537  
Dated/दिनांक : 14-10-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-10-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	29-10-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Comptroller And Auditor General (cag) Of India
Department Name/विभाग का नाम	Indian Audit And Accounts Department
Organisation Name/संगठन का नाम	Office Of Accountant General A And E Ut Chandigarh
Office Name/कार्यालय का नाम	Pag Ae Haryana
Total Quantity/कुल मात्रा	21
Item Category/मद केटेगरी	Mobile Storage Compactors (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	100 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	800 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

**Bid Details/बिड विवरण**

<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	80 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Mobile Storage Compactors
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	1000000

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	16

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Pay and Accounts Officer  
PAG(A & E) Punjab & UT, Sector 17, Chandigarh

(Pao)

### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM\\_No.1\\_4\\_2021\\_PPD\\_dated\\_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of

purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Mobile Storage Compactors ( 8 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	2-Bay
	<b>Type of Drive</b>	Sprocket Chain Drive Mechanism

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)</b>	4
	<b>Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies</b>	5 Shelves/6 Compartments
	<b>Number of Shelves in Each Almirah / Body of the double faced movable bodies</b>	5 Shelves/6 Compartments
	<b>Number of Shelves in Each Almirah / Body of the single faced movable bodies</b>	5 Shelves/6 Compartments
	<b>Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg</b>	100 kg
	<b>Load Carrying Capacity of Each Shelf of the Movable bodies in Kg</b>	100 kg
	<b>Load bearing capacity of under structure and base frame</b>	2000 Kg
	Shelves in the cabinets	Adjustable
	<b>Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning</b>	Cast Iron wheels and Anti Friction Ball bearings
	<b>Number of pairs of Wheels in Every Base frame</b>	2

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Minimum number of pairs of Bearings in Every Base frame</b>	4
	<b>Drive cover included on Body</b>	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	<b>Stud</b>	Main and add on construction
GUIDE RAIL	<b>Number of guide rail rows</b>	2
	<b>Number of 915 mm Rail Pieces per Rail Row</b>	1
	<b>Number of 1830 mm Rails Pieces per Rail Row</b>	1
	<b>Number of 2745 mm Rails Pieces per Rail Row</b>	1
	Guide rail provided with	Square bar Stopper (to stop derailment of unit)
DOORS and LOCKING	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES
	<b>Separate door lock for each section</b>	YES
	Fitting of stopper	In ground by grouting bolt
MATERIAL	<b>M S Sheet Thickness of the Cabinet Body (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Shelf Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Door Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>Height of base frame ±2(mm)</b>	75 mm
	<b>Height of track and moving clearance ±2(mm)</b>	55 mm
	<b>Material of Stud</b>	NA
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws
	<b>Material of 'C' Channel</b>	H R Sheet 2MM thick confmg. to IS:2062/Latest
	<b>Drive cover material</b>	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	<b>Number of Folds in Shelf Panels</b>	12 Nos.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	<b>Overall Height of the Cabinet from the ground in mm <math>\pm 20</math> (mm)</b>	2350 mm
	<b>Depth of the single faced fixed / static bodies Cabinet <math>\pm 10</math>(mm)</b>	450 mm
	<b>Depth of the single faced movable bodies Cabinet <math>\pm 10</math>(mm)</b>	450 mm
	<b>Depth of the movable bodies Cabinet <math>\pm 10</math>(mm)</b>	915 mm
	<b>Width of the single faced fixed / static bodies Cabinet in mm (<math>\pm 5</math> mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	1180 mm
	<b>Width of the movable bodies Cabinet in mm (<math>\pm 5</math> mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	1180 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering ( For Aisle working) (mm)	915 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit $\pm 10$ mm	1210 mm
	Depth of Drive cover unit $\pm 10$ mm	74.5 mm
PAINT	<b>Paint</b>	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	<b>Warranty Period IN NUMBER OF YEARS</b>	1 - Year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES

#### Additional Specification Parameters - Mobile Storage Compactors ( 8 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Anti rust treatment	Yes
Handle	High Quality polyurathene(PU) "C" with three attractive arms, Drive wheel
material of base frame- should be one piece welded frame ( proper antirust surface treatment)	Hot Rolled Sheet 3.15 MM thick confirming to IS:1079/Latest
color of paint	As per buyer choice

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	<a href="#">View</a>
-----------------------------	----------------------

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pawan Kumar	160020,PLOT NO. 4 & 5 SECTOR-33B CHANDIGARH	8	60

#### Mobile Storage Compactors ( 9 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	3-Bay
	<b>Type of Drive</b>	Sprocket Chain Drive Mechanism
	<b>Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)</b>	4
	<b>Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies</b>	5 Shelves/6 Compartments

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Number of Shelves in Each Almira / Body of the double faced movable bodies</b>	5 Shelves/6 Compartments
	<b>Number of Shelves in Each Almira / Body of the single faced movable bodies</b>	5 Shelves/6 Compartments
	<b>Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg</b>	100 kg
	<b>Load Carrying Capacity of Each Shelf of the Movable bodies in Kg</b>	100 kg
	<b>Load bearing capacity of under structure and base frame</b>	2000 Kg
	<b>Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning</b>	Cast Iron wheels and Anti Friction Ball bearings
	<b>Number of pairs of Wheels in Every Base frame</b>	3
	<b>Minimum number of pairs of Bearings in Every Base frame</b>	N.A
	<b>Drive cover included on Body</b>	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	<b>Stud</b>	Main and add on construction
GUIDE RAIL	<b>Number of guide rail rows</b>	3
	<b>Number of 915 mm Rail Pieces per Rail Row</b>	1
	<b>Number of 1830 mm Rails Pieces per Rail Row</b>	1
	<b>Number of 2745 mm Rails Pieces per Rail Row</b>	1
	Guide rail provided with	Square bar Stopper (to stop derailment of unit)
DOORS and LOCKING	Separate Door Provided with each Cabinet / Body / Almira	NO
	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Separate door lock for each section</b>	YES
	Fitting of stopper	In ground by grouting bolt
MATERIAL	<b>M S Sheet Thickness of the Cabinet Body (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Shelf Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Door Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>Height of base frame ±2(mm)</b>	75 mm
	<b>Height of track and moving clearance ±2(mm)</b>	55 mm
	<b>Material of Stud</b>	NA
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws
	<b>Material of 'C' Channel</b>	H R Sheet 2MM thick confmg. to IS:2062/Latest
	<b>Drive cover material</b>	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	<b>Number of Folds in Shelf Panels</b>	12 Nos.
DIMENSION	<b>Overall Height of the Cabinet from the ground in mm ±20 (mm)</b>	2350 mm
	<b>Depth of the single faced fixed / static bodies Cabinet ±10(mm)</b>	450 mm
	<b>Depth of the single faced movable bodies Cabinet ±10(mm)</b>	450 mm
	<b>Depth of the movable bodies Cabinet ±10(mm)</b>	915 mm
	<b>Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	1180 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	1180 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering ( For Aisle working) (mm)	915 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit ± 10 mm	1210 mm
	Depth of Drive cover unit ± 10 mm	74.5 mm
PAINT	<b>Paint</b>	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	<b>Warranty Period IN NUMBER OF YEARS</b>	1 - Year
CERTIFICATION	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES

**Additional Specification Parameters - Mobile Storage Compactors ( 9 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Shelves in the cabinets	Adjustable
Anti rust treatment	Yes
Handle	High Quality polyurathene(PU) "C" with three attractive arms, Drive wheel

Specification Parameter Name	Bid Requirement (Allowed Values)
material of base frame- should be one piece welded frame ( proper antirust surface treatment)	Hot Rolled Sheet 3.15 MM thick confirming to IS:1079/Latest
color of paint	As per buyer choice

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	<a href="#">View</a>
-----------------------------	----------------------

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pawan Kumar	160020,PLOT NO. 4 & 5 SECTOR-33B CHANDIGARH	9	60

#### Mobile Storage Compactors ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	3-Bay
	<b>Type of Drive</b>	Sprocket Chain Drive Mechanism
	<b>Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)</b>	5
	<b>Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies</b>	5 Shelves/6 Compartments
	<b>Number of Shelves in Each Almirah / Body of the double faced movable bodies</b>	5 Shelves/6 Compartments
	<b>Number of Shelves in Each Almirah / Body of the single faced movable bodies</b>	5 Shelves/6 Compartments
	<b>Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg</b>	100 kg
	<b>Load Carrying Capacity of Each Shelf of the Movable bodies in Kg</b>	100 kg
	<b>Load bearing capacity of under structure and base frame</b>	2000 Kg

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning)</b>	Cast Iron wheels and Anti Friction Ball bearings
	<b>Number of pairs of Wheels in Every Base frame</b>	3
	<b>Minimum number of pairs of Bearings in Every Base frame</b>	N.A
	<b>Drive cover included on Body</b>	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	<b>Stud</b>	Main and add on construction
GUIDE RAIL	<b>Number of guide rail rows</b>	3
	<b>Number of 915 mm Rail Pieces per Rail Row</b>	2
	<b>Number of 1830 mm Rails Pieces per Rail Row</b>	1
	<b>Number of 2745 mm Rails Pieces per Rail Row</b>	1
	Guide rail provided with	Square bar Stopper (to stop derailment of unit)
DOORS and LOCKING	Separate Door Provided with each Cabinet / Body / Almirah	NO
	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES
	<b>Separate door lock for each section</b>	YES
	Fitting of stopper	In ground by grouting bolt
MATERIAL	<b>M S Sheet Thickness of the Cabinet Body (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Shelf Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Door Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>Height of base frame ±2(mm)</b>	75 mm
	<b>Height of track and moving clearance ±2(mm)</b>	55 mm
	<b>Material of Stud</b>	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of base frame - should be one piece welded frame (proper antirust surface treatment )	Hot Rolled Sheet 3.15MM thick Confgm. to IS:1079/Latest
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws
	<b>Material of 'C' Channel</b>	H R Sheet 2MM thick confmg. to IS:2062/Latest
	<b>Drive cover material</b>	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	<b>Number of Folds in Shelf Panels</b>	12 Nos.
DIMENSION	<b>Overall Height of the Cabinet from the ground in mm <math>\pm 20</math> (mm)</b>	2350 mm
	<b>Depth of the single faced fixed / static bodies Cabinet <math>\pm 10</math>(mm)</b>	450 mm
	<b>Depth of the single faced movable bodies Cabinet <math>\pm 10</math>(mm)</b>	450 mm
	<b>Depth of the movable bodies Cabinet <math>\pm 10</math>(mm)</b>	915 mm
	<b>Width of the single faced fixed / static bodies Cabinet in mm (<math>\pm 5</math> mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	1180 mm
	<b>Width of the movable bodies Cabinet in mm (<math>\pm 5</math> mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays</b>	1180 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering ( For Aisle working) (mm)	915 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit $\pm 10$ mm	1210 mm
	Depth of Drive cover unit $\pm 10$ mm	74.5 mm



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
PAINT	Paint	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year
CERTIFICATION	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES

#### Additional Specification Parameters - Mobile Storage Compactors ( 4 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Shelves in the cabinet	Adjustable
Anti rust treatment	Yes
Handle	High Quality polyurathene(PU) "C" with three attractive arms, Drive wheel
color of paint	As per buyer choice

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	<a href="#">View</a>
-----------------------------	----------------------

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pawan Kumar	160020,PLOT NO. 4 & 5 SECTOR-33B CHANDIGARH	4	60

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 7 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

### 3. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Office of The  
Pr Accountant General (A & E) Haryana  
Lekha Bhawan  
Plot no. 4 and 5, Sector 33B  
Chandigarh-160020

### 4. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 5. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 7 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 6. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 7. Generic

**End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall

be provided in Buyer's standard format only.

8. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

9. **Generic**

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

10. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

11. **Generic**

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

12. **Generic**

**OPTIONAL SITE VISIT:**

1. The Bidder is advised to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder.

yes

2. The Bidder representative shall be allowed entry upon consignee premises for such visits, only upon the express conditions that the Bidder will release and indemnify the Buyer and Consignee against all liabilities arising out of such visit including death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of such visit.

3. The Bidder shall not be entitled to hold any claim against Buyer for noncompliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

13. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

14. **Generic**

**Shelf Life:** The Product/Spare parts to be supplied as part of the services must have minimum

7 years

Shelf Life. On the date of supply, minimum

7 years

usable shelf life should be available / balance.

15. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

**16. Generic**

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

**17. Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

**18. Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

**19. OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

**20. Sample Clause**

After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1  
samples for Buyer's approval, within 10 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 7 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

**21. Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Pr Accountant General ( A & E) Haryana

payable at  
Chandigarh

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

## 22. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

## 23. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Pr Accountant General ( A & E) Haryana  
payable at  
Chandigarh

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

## 24. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Pr Accountant General ( A & E) Haryana, Chandigarh  
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

## 25. **Financial Criteria**

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

## 26. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 27. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

## 28. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

## 29. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

as per the Buyer Added Bid Specific ATC

30. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

31. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

32. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

33. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

34. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

35. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

36. **Past Project Experience**

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

37. **Past Project Experience**

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई

का आधार होगा।

---Thank You/धन्यवाद---